

TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C

PB-12N24M-05Q

(RoHS)


DATE:2005.01.22

1. Electrical Characteristics

VER .:0

Oscillation Frequency (Hz)	2400 ± 300	
Operating Voltage (Vdc)	4.0 ~ 7.0	
Rated Voltage (Vdc)	5.0	
Current Consumption (mA/max)	30 at Rated Voltage	
Sound Pressure Level (dB/min)	90 at 10cm at Rated Voltage	
Tone/Pulse Rate	Constant	
Operating Temperature (°C)	-20 ~ +70	
Storage Temperature (°C)	-30 ~ +80	
Re-flow soldering conditions	245±5°C / 1min	
Manual soldering conditions	350±20°C / within 5sec	

2 . Voltage/ Current / Sound Pressure






TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C

3. Dimensions and Material


3-1 Shape



Unit: mm

3-2 Material

Housing	PPO plastic resin (Color : Gray)
Type Of Connection Terminals	SMD
Weight (Gram)	2.8



TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C


4. TESTING METHOD

· Standard Measurement conditions


Temperature:25 \pm 2 C Humidity:45-60%

· Acoustic Characteristics

The oscillation frequency, current consumption and sound pressure are measured by the measuring instruments shown below.



In the measuring test, buzzers is placed as follows:





TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C

5. RELIABILITY

ITEMS	METHOD OF TEST AND MEASUREMENTS	PERFORMANCE
Coldness	After 98 hours of being exposed to -30 $^{\circ}\!$	No abnormality
withstanding	environment, should be returned to normal	shall exist
	environment for 2 hours, then re-proceed to test.	
Hotness	After 98 hours of being exposed to +80 ${\mathcal C}$	No abnormality
withstanding	environment, should be returned to normal	shall exist
	environment for 2 hours, then re-proceed to test.	
Humidity	After 98 hours of being exposed to 40 $^{\circ}\!$	No abnormality
withstanding	environment in actual operation, should be	shall exist
	returned to normal environment for 2 hours, then	
	re-proceed to test.	
Durability	Testing after 1,000 hours actual continuous	No abnormality
	operation. (at standard measurement conditions)	shall exist
Drop	A natural drop from 75cm high down to the	No abnormality
withstanding	ground.	shall exist
Vibration	Vibration of 2,000 cycles per minute, 2mm	No abnormality
withstanding	amplitude, applied in X, Y and Z directions for 30	shall exist
	minutes each.	

6. PACKAGE METHOD

< 1 > 100pcs $\,$ per $\,$ box , Total $\,$ 10 boxes $\,$ per $\,$ carton , total $\,$ 1000pcs carton; Volume: L*W*H=510*330*300mm

< 2 > RoHS Mark

