



Carbon Monoxide sensor Datasheet

SGX Solid Polymer Electrolyte Gas Sensors

The SGX series of PS1 and PS4 Electrochemical gas sensors are using a revolutionary 'Solid Polymer Electrolyte' technology that is based on the principle of catalytic reaction. The target gas to be measured generates a very small current, proportional to the gas concentration. Our technology offers a stable, high quality and cost-effective manufacturing process. The SGX solid polymer electrolyte gas sensors are available in a very small size, are highly sensitive, do not use power and have very low cross sensitivity from other gases.





An Amphenol Company

֓֟֝֟֝֟֝֟֝֟֟֝֟֟֝֟֓֟֟֟֓֟֟

SGX Europe Sp. z o.o. Konduktorska 42 St., 40-155 Katowice, Poland

T: +48 (0) 32 438 4778

E: sales.is@sgxsensortech.com www.sgxsensortech.com

Technical Specifications

Performance

Sensitivity	25 ± 10 nA / ppm
Measurement Range	0 – 100 ppm
Zero Current	± 100 nA
Maximum Overload	1000 ppm
Response Time	T50 < 10s, T90 < 30s
Repeatability	< 1%
Lower Detectable Limit (LDL)	≤ 2 ppm
Linear Range	100 ppm
Resolution (16Bit ADC)	<0.1ppm



Temperature Range	-40°C to +55°C		
Pressure Range	800 to 1200 hPA		
Operating Humidity Range	15-95% RH		
Storage Temperature	0 to 20°C		

Lifetime Details

Long-Term Drift		< 1 %/month	
Expected Lifetime		> 5 years in air	
Zero Drift in Clean Air		< 2 ppm	
Storage conditions		0-20°C	
Storage Life		12 months	
Warranty	$\overline{}$	12 months	

Operation

Amperometric, 3-electrode
0 mV
100 Ω
< 60 s

Housing

Housing Material	PPO
Weight	PS1-CO-100 < 0.7g PS4-CO-100 < 6g







Features

- Small size
- Fast response time
- Wide teperature range
- Extreme linear response up to high concentration
- · No electrolyte leakage
- High sensitivity
- Excellent sensitivity at low temperatures
- · Stable zero point

Key applications

- TLV Monitoring
- Environmental air monitoring
- Parking Garages
- Steel Industry
- Oil & Petrochemical Industry
- Leakage Detection

Important Notes

- All performance is based on conditions at 20°C, 50% RH and 1 atm, flow rate>150qcm/min, using SGX recommended circuitry.
- Sensor performance is temperature dependant; please contact SGX for temperature performance other than 20°C.
- Do not solder to the connector pins as this may damage the sensor and thereby invalidate the warranty.
- Details on recommended connector pins can be found in the Frequently Asked Questions within the Gas Sensor section of the SGX website.













Dimensions









PS1-CO-100







PS4-CO-100

Cross Sensitivity

Gas	Formula	Test Concentration	Sensor Reading
Alcohols	R-OH	1000ppm	0ppm
Ammonia	NH ₃	50ррт	0ppm
Carbon Dioxide	CO ₂	1000ppm	0ppm
Chlorine	CL ₂	1ppm	0ррт
Ethylene	C ₂ H ₄	10ppm	0ppm
Hydrogen Cyanide	HCN	50ppm	0ppm
Hydrogen	H ₂	100ppm	20ppm
Hydrogen Sulphide	H₂S	50ppm	0ppm
Isopropanol	C₃H ₇ OH	1000ppm	0ppm
Methanal	CH₄	1%vol	0ppm
Nitric Oxide	NO	25ppm	n.e
Nitrogen Dioxide	NO ₂	10ррт	0ррт
Sulphur Dioxide	SO ₂	10ppm	0ppm

- 1) The above interference factors may vary due to different sensors and service life, please refer to the actual test results.
- 2) This table is not complete for all cross gases, other gas please contact with us.




SGX E Konduk 40-155 Poland

SGX Europe Sp. z o.o. Konduktorska 42 St., 40-155 Katowice, T: +48 (0) 32 438 4778

E: sales.is@sgxsensortech.com www.sgxsensortech.com

Temperature Curve



HANDLING PRECAUTION:

Do not solder the sensor directly onto a PCB or to wires, excessive heat could cause damage. Use PCB sockets and firmly push-fit the sensor into the application, so that a correct electrical connection is achieved.

DISCLAIMER:

SGX Europe Sp. z o.o. reserves the right to change design features and specifications without prior notification. We do not accept any legal responsibility for customer applications of our sensors. SGX Europe Sp. z o.o. accepts no liability for any consequential losses, injury or damage resulting from the use of this document, the information contained within or from any omissions or errors herein. This document does not constitute an offer for sale and the data contained is for guidance only and may not be taken as warranty. Any use of the given data must be assessed and determined by the user thereof to be in accordance with federal, state and local laws and regulations. All specifications outlined are subject to change without notice.

SGX Europe Sp. z o.o. sensors are designed to operate in a wide range of harsh environments and conditions. However, it is important that exposure to high concentrations of solvent vapours is to be avoided, both during storage, fitting into instruments and operation. When using sensors on printed circuit boards (PCBs), degreasing agents should be used prior to the sensor being fitted. SGX Europe Sp. z o.o. makes every effort to ensure the reliability of its products. Where life safety is a performance requirement of the product, we recommend that all sensors and instruments using these sensors are checked for response to gas before use.

Copyright© 2012-2022 SGX Sensortech All rights reserved.

Trademarks and registered trademarks are the property of their respective owners.

No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publisher, except in the case of brief quotations embodied in critical reviews and certain other non-commercial uses permitted by copyright law.

For permission requests or technical support please contact or write to the publisher, addressed "Attention: Permissions Coordinator,".