
Item no.: 282-682
Product description: 3-CONDUCTOR THROUGH TERMINAL BLOCK



Produkt kann von Bild abweichen / product may differ

Packing unit 50 pieces

RoHS compliant

Product group	1 (Rail Mounted Terminal Blocks)
Cross section [mm ²]	0.2 - 6 mm ²
Cross section [AWG]	24 - 10 AWG
Connection method	CAGE CLAMP® CONNECTION
Measured voltage EN	800 V
Measured shock voltage	8 kV
Pollution degree	3
Current intensity EN	41 A
Weight	21.29 g
Color	orange
Wiring type	Front-entry
No. of connection Points	3
No. of potentials	1
Height	32.5 mm
Height	1.28 in
Width	8 mm
Width	0.315 in
Depth	93 mm
Depth	3.66 in

Strip length from	12 mm
Strip length to	13 mm
Strip length	0.49 in
Mounting	TS 35



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm ²]
282-682	ABS	05-HG476175/3-PDA	800	41	6,0
282-682	BV	07436/Co	800	41	6,0
282-682	CCA	NL5448	800	30	6
282-682	CSA	154112-1505033	600	40	24-10
282-682	DNV	E-10423	800	41	6,0
282-682	GL	17295-00HH	800	41	6
282-682	KEMA	2036290.01	800		6
282-682	KR	HMB05880-EL001	500/800	10/46	6
282-682	LR	91/20112(E6)	800	41	6,0
282-682	PRS	TE/1718/880590/08	800	30	6
282-682	UR	E45172	600	30	24-10

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected