

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	Flux-Gel / Flux Gel
Registration number	-
Synonyms	Kolopaste Nr.8
Product code	8493
Issue date	13-May-2015
Version number	1.0
Revision date	15-May-2015
Supersedes date	13-May-2015
Product use	Public use
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Identified uses	Soft soldering
Uses advised against	None known.
1.3. Details of the supplier of the	safety data sheet
Company name	STANNOL GmbH
	Oskarstr. 3 - 7
	42283 Wuppertal
	Deutschland
Telephone number	+49 (0) 202 585 - 732 (Mo Fr. 08:00 - 16:00)
Fax	+49 (0) 202 585 - 155
Homepage	www.stannol.de
E-mail	HSE@RLE.de
1.4 Emergency telephone	+49 (0) 202 585 - 732 (Mo Fr. 08:00 - 16:00)

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

Classification F;R11, Xi;R36, R67

The full text for all R-phrases is displayed in section 16.

Classification according to Regulation (EC) No 1272/2008 as amended

Specific target organ toxicity - single	Category 3 narcotic effects	H336 - May cause drowsiness or
Senous eye damage/eye imtalion	Calegory 2	irritation.
Health hazards	Catagory 2	H210 Causas sarious ava
Flammable liquids	Category 2	H225 - Highly flammable liquid and vapour.
Flammable liquide	Category 2	H225 - Highly flammable liquid

Contains: Propan-2-ol

Hazard pictograms

Signal word



Hazard statements						
H225 H319	H (Highly flammable li Causes serious eye	quid and vapour. e irritation.			
H336	n					
Precautionary statements Prevention						
P102Keep out of reach of children.P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sourcP261Avoid breathing vapours.P271Use only outdoors or in a well-ventilated area.					ignition sources	. No smoking.
Response		,				
P101 P312	 (f medical advice is Call a POISON CE	needed, have pro NTER/doctor if you	duct container or label at hand I feel unwell.	d.	
Storage P405	S	Store locked up.				
Disposal						
P501	[Dispose of contents	s/container to an a	pproved waste disposal plant		
Supplemental label inform	nation 1	None.				
2.3. Other hazards	٦	The mixture contain	ns no substance th	at fulfils the criteria of a PBT-	or vPvB substa	nce.
SECTION 3: Composi	ition/in	formation on i	ngredients			
3.2. Mixtures						
General information						
Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Propan-2-ol		40 - < 50	67-63-0 200-661-7	01-2119457558-25-XXXX	603-117-00-0	
Classification:	DSD:	F;R11, Xi;R36, R	67			
	CLP:	Flam. Liq. 2;H22	5, Eye Irrit. 2;H319	9, STOT SE 3;H336		
2-amino-2-methylpropa	nol	1 - < 3	124-68-5 204-709-8	-	603-070-00-6	
Classification:	DSD:	Xi;R36/38, R52/5	53			
	CLP:	Skin Irrit. 2;H315	, Eye Irrit. 2;H319,	Aquatic Chronic 3;H412		
Adipic acid		1 - < 3	124-04-9 204-673-3	01-2119457561-38-XXXX	607-144-00-9	
Classification:	DSD:	Xi;R36				
	CLP:	Eye Irrit. 2;H319				
Formic acid		0.1 - < 1	64-18-6 200-579-1	-	607-001-00-0	#, Note B, Skin Irrit. 2; H315: 2% ≤ C < 10% , Eye Irrit. 2; H319: 2% ≤ C < 10% ,Skin Corr. 1A; H314: C ≥ 90% ,Skin Corr. 1B; H314: 10% ≤

C < 90%; C; R35, C ≥ 90 %, C; R34, 10 % ≤ C < 90 %, Xi; R36/38, 2

% ≤ C < 10 %

Classification: DSD: R10, C;R35

CLP: Flam. Liq. 3;H226, Skin Corr. 1A;H314

List of abbreviations and symbols that may be used above: CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC. #: This substance has been assigned Community workplace exposure limit(s). Note: Regulation No. 1272/2008 - Annex VI

Composition comments The full text for all R- and H-phrases is displayed in section 16.

SECTION 4: First aid measures

General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
4.1. Description of first aid meas	sures
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
4.2. Most important symptoms and effects, both acute and delayed	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards	Highly flammable liquid and vapour.
5.1. Extinguishing media	
Suitable extinguishing media	Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel
 Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapour. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.
 For emergency responders
 Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use personal protection recommended in Section 8 of the SDS.
 Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil etc) away from spilled material.				
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.				
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.				
	Never return spills to original containers for re-use.				
6.4. Reference to other sections	For personal protection, see section 8. For waste disposal, see section 13 of the SDS.				
SECTION 7: Handling and	d storage				
7.1. Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust				

The product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist or vapour. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Soft soldering

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

UK. EH40 WORKPIACE EXPOSURE LIMIUS (WELS)

Components	Туре	Value	
Formic acid (CAS 64-18-6)	TWA	9.6 mg/m3	
		5 ppm	
Propan-2-ol (CAS 67-63-0)	STEL	1250 mg/m3	
		500 ppm	
	TWA	999 mg/m3	
		400 ppm	

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU

Components	Туре	Value		
Formic acid (CAS 64-18-6)	TWA	9 mg/m3		
		5 ppm		
ological limit values	No biological exposure limits noted for the ingredient(s).			

Biological limit values Recommended monitoring

Follow standard monitoring procedures.

procedures

Derived no-effect level (DNEL)

Components	Туре	•	Route	Value	Form
Adipic acid (CAS 124-04	-9) Cons	sumer	Dermal	19 mg/kg/BW/day	
Comments:	Short term exposure - sys	stemic effects			
			Dermal	19 mg/kg/BW/day	
Comments:	Long term exposure syste	emic effects			
			Inhalation	65 mg/m3	
Comments:	Short term exposure - sys	stemic effects			
			Inhalation	65 mg/m3	
Comments:	Long term exposure syste	emic effects			
			Oral	19 mg/kg/BW/day	
Comments:	Long term exposure syste	emic effects			

Components		Туре	Route	Value	Form
			Oral	19 mg/kg/BW/day	
Comments:	Short term exposu	e - systemic effects Professional	Dermal	38 mg/kg/BW/day	
Comments:	Long term exposur	e systemic effects	Dermal	38 mg/kg/BW/day	
Comments:	Short term exposur	e - systemic effects	Inhalation	5 mg/m3	
Comments:	Long term exposur	e - local effects	Inhalation	5 ma/m3	
Comments:	Short term exposur	re - local effects	Inholation		
Comments:	Short term exposur	re - systemic effects		204 mg/m3	
0		e evetereie effecte	Inhalation	264 mg/m3	
Comments:			Dermel	0.54	
Benzotriazole (CAS 95-1	l4-7)	Consumer	Dermai	0.54 mg/kg/BW/day	
Comments:	Long term exposur	e systemic ellects	Inhalation	9 55 mg/m3	
Comments:	Long term exposur	e systemic effects	malaliun	5.55 mg/ms	
			Oral	0.54 mg/kg/BW/day	
Comments:	Short term exposur	re - systemic effects			
			Oral	0.54 mg/kg/BW/day	
Comments:	Long term exposur	e - systemic effects			
		Professional	Dermal	1.08 mg/kg/BW/day	
Comments:	Long term exposur	e systemic effects	Inhalation	19 mg/m3	
Comments:	Long term exposur	e systemic effects			
Propan-2-ol (CAS 67-63	-0)	Consumer	Dermal	319 mg/kg/BW/day	
Comments:	Long term exposur	e systemic effects	Inhalation	89 mg/m3	
Comments:	Long term exposur	e systemic effects	Oral	26 mg/kg/BW/day	
Comments:	Long term exposur	e systemic effects		5 5 ,	
		Professional	Dermal	888 mg/kg/BW/day	
Comments:	Long term exposur	e systemic effects			
-			Inhalation	500 mg/m3	
Comments:	Long term exposur	e systemic effects	Deursel		
Formaldehyde (CAS 910	s vvitn)81-53-7)	Consumer	Dermai	15 mg/kg/BW/day	-
Comments:	Long term exposur	e systemic effects			
			Inhalation	52.174 mg/m3	-
Comments:	Long term exposur	e systemic effects			
•			Oral	15 mg/kg/BW/day	-
Comments:	Long term exposur	e systemic effects	Dormal	05 mg/kg/DW/day	
Commente	l ong term evoquir	Froiessional	Dermai	∠o mg/kg/BW/day	-
Comments.			Inhalation	176.32 mg/m3	-
Comments:	Long term exposur	e systemic effects			
dicted no effect concen Components	trations (PNECs)	Туре	Route	Value	Form
Adinic acid (CAS 124 04	1-9)	Not applicable	Freshwater	0 126 mg/l	
AUIPIC ACIU (UAO 124-04		NUL APPIICADIE	Seawater	0.0126 ma/l	
			Sediment	0.484 mg/kg	
Comments:	Fresh water		-	0.0	

Components		Туре	Route	Value	Form
			Sediment	0.0484 mg/kg	
Comments:	Seawater		o "		
			Soil	0.0228 mg/kg	
			STP Water	0.46 mg/l	
Comments:	Intermittent release		Water	0.40 mg/i	
Benzotriazole (CAS 95-14	-7)	Not applicable	Freshwater	0.0194 mg/l	
			Seawater	0.0194 mg/l	
			Sediment	0.00375 mg/kg	
Comments:	Freshwater				
Commenter	Convetor		Sediment	0.00375 mg/kg	
Comments:	Seawaler		Soil	0 003 ma/ka	
			STP	39.4 mg/l	
			Water	0.158 mg/l	
Comments:	Intermittent release			5	
Propan-2-ol (CAS 67-63-0)	Not applicable	Freshwater	140.9 mg/l	
			Oral	0.16 mg/g	
Comments:	Feed (oral)		_		
			Seawater	140.9 mg/l	
Commonto	Frachwatar		Sediment	0.552 mg/g	
comments.	riesnwaler		Sediment	0 552 ma/a	
Comments:	Seawater		ocument	0.002 mg/g	
•••••••••••••			Soil	0.028 mg/g	
			STP	2251 mg/l	
			Water	140.9 mg/l	
Comments:	Intermittent release				
Rosin, Reaction Products	With	Not applicable	Freshwater	0.1 mg/l	-
Formaldenyde (CAS 9100	1-55-7)		Seawater	0 01 ma/l	-
			Sediment	116.86 ma/ka	Fresh water
			Sediment	11.69 mg/kg	Seawater
			Soil	23.2 mg/kg	
			STP	1000 mg/l	-
8.2. Exposure controls					
Appropriate engineering	Explosion-pro	of general and local e	xhaust ventilati	on. Good general ve	ntilation (typically 10 air
controls	changes per l	hour) should be used.	Ventilation rate	s should be matched	d to conditions. If
	maintain airbo	orne levels below reco	mmended expo	sure limits. If exposi-	ure limits have not been
	established, r	naintain airborne level	s to an accepta	ble level. Provide ey	vewash station. Eye wash
	tountain and	emergency snowers a	re recommende	d.	
General information	res, such as perso	protective equipment	ment as required Pe	rsonal protection eq	uinment should be chosen
General mormation	according to t	the CEN standards and	d in discussion	with the supplier of t	the personal protective
Eye/face protection	Wear safety g	glasses with side shiel	ds (or goggles).		
Skin protection					
- Hand protection	Wear protecti	ve aloves.			
Othor	Wear suitable	protective clothing			
- Other Pospiratory protoction	If engineering	e protective clothing.	ain airborne co	acontrations below r	ecommended exposure
nespiratory protection	limits (where been establis	applicable) or to an ac hed), an approved res	ceptable level (pirator must be	in countries where e worn.	exposure limits have not
Thermal hazards	Wear approp	riate thermal protective	e clothing, wher	n necessary.	
Hygiene measures	When using c	do not smoke. Always	observe good p	ersonal hygiene me	asures, such as washing
	after handling clothing and p	the material and befo protective equipment to	ore eating, drink o remove conta	ing, and/or smoking. minants.	. Routinely wash work
Environmental exposure controls	Environmenta	al manager must be inf	formed of all ma	ajor releases.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Appearance

Physical state	Liquid.
Form	Liquid.
Colour	Not available.
Odour	Not available.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	82 °C (179.6 °F)
Flash point	16.0 °C (60.8 °F)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	140 Pa·s
Explosive properties	Not available.
Oxidizing properties	Not available.
9.2. Other information	
Density	0.90 g/cm3
VOC (CH)	40.35 %

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
10.5. Incompatible materials	Acids. Strong oxidising agents. Isocyanates Chlorine.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.	
Information on likely routes of e	xposure	
Inhalation	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.	
Skin contact	Based on available data, the classification criteria are not met.	
Eye contact	Causes serious eye irritation.	
Ingestion	Based on available data, the classification criteria are not met.	

Material name: Flux-Gel / Flux Gel

Symptoms	Headache. May cause drowsiness and dizziness. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.	
11.1. Information on toxicologica	al effects	
Acute toxicity	Narcotic effects.	
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory sensitisation	Based on available data, the classification criteria are not met.	
Skin sensitisation	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
Reproductive toxicity	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - single exposure	May cause drowsiness and dizziness.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
Mixture versus substance information	No information available.	
Other information	Not available.	
SECTION 12: Ecological in	formation	
12.1. Toxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
12.2. Persistence and degradability	No data is available on the degradability of this product.	
12.3. Bioaccumulative potential		
Partition coefficient n-octanol		
/water (log Kow) Adipic acid	0.08	
Propan-2-ol	0.05	
Bioconcentration factor (BCF)	Not available.	
12.4. Mobility in soil	No data available.	
12.5. Results of PBT and vPvB assessment	The mixture contains no substance that fulfils the criteria of a PBT- or vPvB substance.	
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
SECTION 13: Disposal con	isiderations	
13.1. Waste treatment methods		
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
	14 06 03	
	15 01 10	
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Special precautions	Dispose in accordance with all applicable regulations.	
SECTION 14: Transport inf	formation	
ADR		
14.1. UN number	UN1219	

	14.2. UN proper shipping	ISOPROPANOL (ISOPROPYL ALCOHOL) SOLUTION (Propan-2-ol)	
	name	()	
	14.3. Transport hazard class(es)		
	Class	3	
	Subsidiary risk	-	
	Label(s)	3	
	Hazard No. (ADR)	33	
	Tunnel restriction code	D/E	
	14.4. Packing group	11	
	14.5. Environmental hazards	No.	
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
	for user		
	Special provisions	601	
	Classification code	F1	
IAT	Α		
	14.1. UN number	UN1219	
	14.2. UN proper shipping	Isopropanol solution (Propan-2-ol)	
	name		
	14.3. Transport hazard class	es)	
	Class	3	
	Subsidiary risk	-	
	14.4. Packing group	11	
	Packaging instructions	353	
	Packaging instructions	364	
	cargo only		
	14.5. Environmental hazards	No.	
	ERG Code	3L	
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
	for user		
	Other information		
	Passenger and cargo	Allowed.	
	aircraft	AU	
	Cargo aircraft only	Allowed.	
	Maximum net quantity	5 L	
	packaging - Passenger		
	And cargo ancrait Movimum pot quantity	60	
	nackaging cargo only	00 L	
	Maximum net quantity	1 00 1	
	packaging - I imited	1.00 2	
	quantity		
	Special provisions	A180	
IMD	G		
	14.1. UN number	UN1219	
	14.2. UN proper shipping	ISOPROPANOL (ISOPROPYL ALCOHOL) SOLUTION (Propan-2-ol)	
	name		
	14.3. Transport hazard class	es)	
	Class	3	
	Subsidiary risk	-	
	14.4. Packing group	II	
	14.5. Environmental hazards		
	Marine pollutant	No.	
	EmS	F-E. S-D	
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling	
	for user		
	Special provisions	Not available.	
	· ·		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations Not applicable. **Restrictions on use** Not applicable. The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

Other EU regulations

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at
work, as amended
2-amino-2-methylpropanol (CAS 124-68-5)

EU Directive 96/82/EC - Cont Articles 6 and 7 Category: 7b	rol of Major Accident Hazards: Threshold quantities established for the application of
National regulations	Follow national regulation for work with chemical agents.
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

AC: Article category.
acc., acc.to: according, according to.
ACGIH: American Conference of Governmental Industrial Hygienists.
AFNOR: French Institute for Standards (Association Francaise de Normalisation).
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland
Waterways (Accord européen relatif au transport international des marchandises dangereuses
par voies de navigation intérieures).
ADR: European agreement concerning the international carriage of dangerous goods by road
(Accord européen relatif transport des merchandises dangereuses par route).
AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
AICS: Australian Inventory of Chemical Substances.
ANSI: American National Standards Institute.
AOEL: Acceptable Operator Exposure Level.
AOX: adsorbable organic halogen compounds.
approx · approximately
ASTM: ASTM International
ATE: Acute Toxicity Estimate according to BEGULATION (EC) No 1272/2008 (CLP)
BAM: Federal Institute for Materials Research and Testing, Germany (Bundesanstalt für
Materialforschung und -prüfung).
Maximum permissible concentration of biological working substances (BAT: Biologische
Arbeitsstofftoleranzwerte).
BAuA: Federal Institute for Occupational Health and Safety, Germany (Bundesanstalt für
Arbeitsschutz und Arbeitsmedizin).
BCF: Bio-concentration factor.
BET: Brunauer-Emmett-Teller.
BLV: Biological Limit Value.
BLV: Biological Limit Value (BGW: Biologischer Grenzwert, Austria).
BMGV: Biological Monitoring Guidance Value (EH40.UK).
BSI: British Standards Institution.
BS: British Standard.
BOD5: Biochemical oxygen demand within 5 days.
BOD: Biochemical oxygen demand.
bw: Body weight.
calcd.: calculated.
CAS: Chemical Abstract Service.
CEN: European Committee for Standardization (Comité Européen de Normalisation).
CESIO: European Committee on Organic Surfactants and their Intermediates (Comité Européen
des Agents de Surface et de leurs Intermédiaires Organiques).
ChemRRV: Ordinance on the risk reduction related to chemical products (ChemRRV:
Chemikalien-Risikoreduktions-verordnung, Switzerland).
CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification,
labeling and packaging of substances and mixtures.
CMR: Substances classified as Carcinogenic, Mutagenic or toxic for Reproduction.
CNS: Central Nervous System.
CNT: Carbon nanotubes.
COD: Chemical Oxygen Demand.
CSA: Chemical Safety Assessment.
CSR: Chemical Safety Report.
DETEC: Swiss Federal Department of the Environment, Transport, Energy and Communications.
DIN: German Standards Institute / German industrial norm (Deutsches Institut für Normung /
Deutsche Industrienorm).
DMEL: Derived Minimum Effect Level.
DNEL: Derived No Effect Level.

DOC: Dissolved organic carbon. DPD: Directive 1999-45-EC / Dangerous Preparations Directive. DSD: Directive 67/548-EC / Dangerous Substances Directive. DSL: Canada, Domestic Substances List. DU: Downstream User. dw: dry weight. e.g.: For example, for instance. EBW: Exposure Based Waiving. EC: European Community. EC50: Effective Concentration 50%. ECHA: European Chemical Agency. EINECS: European Inventory of Existing Commercial Chemical Substances. ELINCS: European List of Notified Chemical Substances. EN: European norm. ENCS: Japan, Inventory of Existing and New Chemical Substances. EPA: United States Environmental Protection Agency. ERC: Environmental release category. ES: Exposure scenario. EUSES: European Union System for the Evaluation of Substances. EWC/EWL: European Waste Catalogue. GCL: General concentration limit. gen.: general. GHS: Globally Harmonized System of Classification and Labeling of Chemicals. GLP: Good Laboratory Practice. GW/VL: Occupational exposure limit value. GW-kw: Occupational exposure limit value - short term. GW-M/VL-M: Occupational exposure limit value - "Ceiling". GWP: Global Warming Potential. HPV: High Production Volume Chemicals. HEPA: High Efficiency Particulate Air. IARC: International Agency for Research on Cancer. IATA: International Air Transport Association. IBC: Intermediate Bulk Container. IBC Code: International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk). ICAO: International Civil Aviation Organization. IC50: Inhibition Concentration 50%. IECSC: Inventory of Existing Chemical Substances in China. IMDG Code: International Maritime Dangerous Goods Code. IMO: International Maritime Organization. incl.: including, inclusive. ISO: International Standards Organization. IUCLID: International Uniform Chemical Information Database. IUPAC: International Union for Pure Applied Chemistry. KECI: Korea Existing Chemicals Inventory. LCA: Life Cycle Assessment. LC: Lethal Concentration. LC50: Lethal Concentration 50%. LCLo: Lowest published lethal concentration. LD50: Lethal Dose 50%. LEV: Local exhaust ventilation. LOAEL: Lowest observed adverse effect level. LOEC: Lowest observable effect concentration. LOEL: Lowest observable effect level. LPV: Low Production Volume Chemicals. LQ: Limited Quantities. Air Quality Control Regulation (LRV: Luftreinhalteverordnung, Switzerland). TLV-STEL: Threshold limit value - Short-term exposure limit / Technical reference concentration short-time value (TRK-Kzw = Technische Richtkonzentration - Kurzzeitwert). Maximum allowable workplace concentration - instantaneous value (MAK-Mow: Maximale Arbeitsplatzkonzentration - Momentanwert, Austria) Maximum allowable workplace concentration - daily mean value / Technical standard concentration - daily mean value (MAK-Tmw, TRK-Tmw : Maximale Arbeitsplatzkonzentration -Tagesmittelwert / TRK-Tmw = Technische Richtkonzentration – Tagesmittelwert, Austria). MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG). MARPOL: International Convention for the Prevention of Pollution From Ships. MTD: Maximum tolerated dose. MWCNT: Multi-walled carbon nanotubes.

n.a.: not applicable. N/A: Not available. n.d.: not determined. NLP: No Longer Polymers. NDSL: Canada, Non-Domestic Substances List. NF: French Norm (See AFNOR). NFPA: National Fire Protection Association. NIOSH: National Institute for Occupational Safety & Health. NOAEC: No Observed Adverse Effect Concentration. NOAEL: No observed adverse effect level. NOEC: No observed effect concentration. NOEL: No observed effect level. NTP: National Toxicology Program. NZIoC: New Zealand Inventory of Chemicals. **ODP: Ozone Depletion Potential.** OECD: Organization for Economic Cooperation and Development. OEL: Occupational Exposure Limit. org.: organic. OSHA: Occupational Safety & Health Administration. PAH: Polycyclic Aromatic Hydrocarbons. PBT: Persistent, bioaccumulative, toxic. PC: Product category. PE: Polyethylene. PEC: Predicted Environmental Concentration. PEL: Permissible Exposure Limit. PIC: Prior Informed Consent. PICCS: Philippines Inventory of Commercial Chemical Substances. PNEC: Predicted No Effect Concentration. POCP: Photochemical ozone creation potential (Photochemisches Ozonbildungspotenzial). POP: Persistent Organic Pollutant. PPORD: Product and Process Oriented Research and Development. PPE: Personal Protective Equipment. PROC: Process category. RA: Risk Assessment. RAR: Risk Assessment Report. RCRA: Resource Conservation Recovery Act. REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals). RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer). RMM: Risk Management Measure. RTECS: Registry of Toxic Effects of Chemical Substances. QSAR: Quantitative Structure Activity Relation. SARA: Superfund Amendments and Reauthorization Act. SADT: Self-Accelerating Decomposition Temperature. SCL: Specific concentration limit. SEA: socio economic analysis. STEL: Short-term Exposure Limit. STP: Sewage treatment plant. SU: Sector of use. SVHC: Substance of Very High Concern. SWCNT: single-walled carbon nanotubes. ThOD: Theoretical oxygen demand. TOC: Total Organic Carbon. TLV: Threshold Limit Value. TRA: Targeted Risk Assessment. TSCA: Toxic Substance Control Act. TWA: Time Weighted Average. UC: Use category. UDS: Use descriptor system. UEC: Use and exposure categories. UN: United Nations. UN RTDG: United Nations Recommendations on the Transport of Dangerous Goods. UVCB: Unknown or Variable Composition, Complex Reaction Products, and Biological Materials. Regulation on combustible liquids (VbF: Verordnung über brennbare Flüssigkeiten, Austria). Regulation of the Austria Minister for Labor and Social Affairs regarding health surveillance at the workplace (VGÜ = Verordnung des Bundesministers für Arbeit und Soziales über die Gesundheitsüberwachung am Arbeitsplatz).

	VOC: Volatile organic compounds. vPvB: very Persistent, very Bioaccumulative. WEL-TWA: Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period). WEL-STEL: Workplace Exposure Limit-Short term exposure limit (15-minute reference period). WoE: Weight of evidence. WHMIS: Workplace Hazardous Materials Information System. WHO: World Health Organization. wwt: wet weight.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements or R-phrases and H-statements	
under Sections 2 to 15	 R10 Flammable. R11 Highly flammable. R35 Causes severe burns. R36 Irritating to eyes. R36/38 Irritating to eyes and skin. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R67 Vapours may cause drowsiness and dizziness. H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H319 Causes serious eye irritation.
	H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects.
Revision information	
	Follow training instructions when handling this material.
Disclaimer	Ine above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.