

1085267

https://www.phoenixcontact.com/sk/products/1085267

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Thermal transfer printer for card materials, including Euro/US power cable and USB cable. User manual printed in German and English. Magazine for UCT-TM... sheets and magazines for US-.. cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon = 50 m

Product description

THERMOMARK CARD 2.0 prints markers in card format for top quality terminal, wire, cable, equipment and plant marking applications. You can easily create high-quality printed labels and markers.

Your advantages

- · Maintenance-free operation with proven thermal transfer printer technology
- · Easy to control with the PROJECT COMPLETE software
- · Automatic material detection prevents printing errors
- Fast, high-quality, and durable printing; printing time for one card is less than 8 seconds
- · Easy and intuitive operation via touch color display
- For all UniCard (UCT) and UniSheet (US) materials
- · USB and Ethernet connections

Commercial data

Item number	1085267
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG1
Product key	BG1221
Catalog page	Page 35 (C-3-2019)
GTIN	4055626834931
Weight per piece (including packing)	9,940 g
Weight per piece (excluding packing)	9,908 g
Customs tariff number	84433210
Country of origin	DE



1085267

https://www.phoenixcontact.com/sk/products/1085267

Technical data

Product properties

Product type	Printing system
Scope of delivery	Thermal transfer printer for card materials, including Euro/US power cable and USB cable. Manual printed in German and English. Magazine for UCT-TM sheets and magazines for US cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon: 50 m
Data management status	
Article revision	02
Marking	
Identification technology	Thermal transfer for sheets and cards
Device properties	
Print width	104 mm
Print resolution	300 dpi
Operating system	MS Windows Vista, MS Windows 7 (32/64-bit), MS Windows 8 (32/64-bit), MS Windows 8.1 (32/64-bit), MS Windows 10 (32/64-bit), Server 2008, Server 2008 R2, Server 2012, Server 2012 R2

Electrical properties

Su	nn	lν
Ou	PΡ	ıу

Supply voltage range	100 V AC 240 V AC (50 Hz 60 Hz)
----------------------	---------------------------------

Interfaces

Interface	10/100 Mbps Ethernet, USB 2.0
-----------	-------------------------------

Dimensions

Width	254 mm
Height	194 mm
Length	325 mm

Material specifications

Material Plastic signs	UCT
	US
	UM

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	5 °C 35 °C



1085267

https://www.phoenixcontact.com/sk/products/1085267

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/sk/products/1085267



IECEE CB Scheme

Approval ID: DK-81168-M1-UL



EAC

Approval ID: RU D-DE.GB09.B.00141



IECEE CB Scheme

Approval ID: DK-81169-M1-UL



UL Listed

Approval ID: E140143



CCC

Approval ID: 2019010904255703



cUL Listed

Approval ID: E140403



KC

Approval ID: R-R-YG3-TC2_0



EAC-RoHS

Approval ID: RU D-DE.HB49.B.00023

UAE-RoHS

Approval ID: 13775_E22-04-033962

cULus Listed



1085267

https://www.phoenixcontact.com/sk/products/1085267

Classifications

ECLASS

	ECLASS-11.0	19140104	
	ECLASS-12.0	19140104	
	ECLASS-13.0	19140104	
ETIM			
	ETIM 9.0	EC001684	
UNSPSC			
	UNSPSC 21.0	43212100	



1085267

https://www.phoenixcontact.com/sk/products/1085267

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c), 7(c)-l
China RoHS	
Environment friendly use period (EFUP)	EFUP-10
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	b86b10c5-dcf8-45e8-8be8-2bc4cdefc9e4

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT s.r.o. Námestie Mateja Korvína 1 811 07 Bratislava +421 2 3210 1470 obchod.sk@phoenixcontact.com