

# Wiha Hex L-Keys with MagicRing®.

Hold Screws Perfectly in Every Position.



**MagicRing®**  
holds all standard screws!

- ISO 4762 (DIN 912)
- DIN 7984
- ISO 10642 (DIN 7991)
- ISO 4026 (DIN 913)
- ISO 4027 (DIN 914)
- ISO 4028 (DIN 915)
- ISO 4029 (DIN 916)

Wiha hex keys with MagicRing® guarantee the perfect location of hex screws in every position.

Due to a high-quality retaining ring in the key head, the insertion of a screw in straight, inclined or very deep pocket holes is no problem. The new ball geometry with MagicRing® now offers even more advantages:


- Greater retention force for screws. For example, size 6 holds screws up to 1000 mm in length.
- Enlarged maximum torque of up to 10% due to the new ball geometry.
- Can now be used with all standard screws.

A further advantage is that the Wiha MagicRing® can even be used to hold non-magnetisable screws made of stainless steel, titanium and aluminium.



*The ballpoint can be rotated by up to 25° in both clockwise and anti-clockwise direction.*

Wiha MagicRing® metric is only available as long design from size 3. With the inch dimensions, MagicRing® is available from 1/8". All series are made from high-quality chrome-vanadium steel.



*Thanks to the Wiha MagicRing®, inserting and removing screws is safe and easy, even in areas that are difficult to access.*



## Wiha MagicRing®:

- Suitable for removing sunk-head standard screws and for inserting and working screws in horizontal, inclined or deep pocket holes
- Holds screws made of steel and non-magnetisable materials such as stainless steel, titanium and aluminium
- Ideal for applications where there is insufficient space for a simple hex key
- No troublesome searching for dropped screws



*The ball geometry enables working in areas where space is restricted.*

# Wiha ProStar Holder.

Right Key by Sliding Mechanism.



## Practical bolster plate for all small keys.

With ProStar, it is possible to open the holder with only one hand thanks to the new sliding mechanism and the tool thus offers maximum-comfort working.


The optimum user benefit is manifested in the unique mechanism, which can be used to remove each key individually without having to move any of the other keys.


Thanks to the compact design, the ProStar takes up little space on the bench or in the toolbox.




## Wiha ProStar:

- New sliding mechanism for opening the holder with only one hand
- Quick removal of each individual key without having to move another key
- Compact design saves space on the bench and in the toolbox
- High-quality plastic material, impact-resistant, cadmium free
- New colour-coding system for immediate identification:

 **Red upper part:** 9 sizes in metric dimensions

 **Yellow upper part:** 13 sizes in inches

 **Green upper part:** 13 TORX® keys



*Push red upper part to the right. Tip the required key forwards...*



*...and take it out.*

# Wiha Hex L-Keys with MagicRing®.

## Ballpoint Hex L-Keys, Metric.



### 369R Ballpoint Hex L-Key, Long. With MagicRing®.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
 Standards: Profile, length and hardness according to ISO 2936L.  
 Application: Insert screws into or remove from boreholes, especially in difficult to access areas.  
 Extra: MagicRing® made from spring steel holds all standard screws tight at various angles (available from 3 mm).  
 The ballpoint enables the user to work at angles up to 25°.

Order-No.	●	↔	⌞	⌞	£
20549 2	3	128	23	10	2.50
20550 8	4	142	29	10	2.58
20570 6	5	163	33	10	2.82
20551 5	6	184	38	10	3.30
20552 2	8	206	44	10	4.51
20553 9	10	231	50	5	5.96



### 369R S9 Ballpoint Hex L-Key Set in ProStar. With MagicRing®, Chrome-plated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
 Standards: Profile, length and hardness according to ISO 2936L.  
 Application: Insert screws into or remove from boreholes, especially in difficult to access areas.  
 Extra: Space saving ProStar allows the easy removal of each key without moving any others.  
 MagicRing® made from spring steel holds all standard screws tight at various angles (available from 3 mm).  
 The ballpoint enables the user to work at angles up to 25°.

Order-No.	↔	£
20709 0	369R S9	5 23.26
●	369	1.5 2 2.5
●	369R	3 4 5 6 8 10

### SB 369R S9 Ballpoint Hex L-Key Set in ProStar. With MagicRing®, Chrome-plated, 9 pcs. Blister Packed.

Order-No.	↔	£
20712 0	SB 369R S9	5 23.91
●	369	1.5 2 2.5
●	369R	3 4 5 6 8 10

## Cardboard Display.



### 369R SVH1 Display Ballpoint Hex L-Key Sets. With MagicRing®, Chrome-plated, in ProStar, 9 pcs. Carton Display with 10 Pieces.

Order-No.	Content	●	↔	£
23265 8	10 x 369R S9	1.5 - 10	1	232.65



## Hex L-Keys, Metric.



### 352R Hex L-Key, Long. With MagicRing®.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Profile, length and hardness according to ISO 2936L.  
Application: Insert screws into or remove from boreholes.  
Extra: MagicRing® made from spring steel holds all standard screws tight at various angles (available from 3 mm).

Order-No.	●	↔	!↗	↖	£
22012 9	3	128	23	10	2.13
22014 3	4	142	29	10	2.21
22016 7	5	163	33	10	2.33
22018 1	6	184	38	10	2.62
22020 4	8	206	44	10	3.34
22022 8	10	231	50	5	4.19



### 352R S9 Hex L-Key Set in ProStar. With MagicRing®, Nickel-plated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Profile, length and hardness according to ISO 2936L.  
Application: Insert screws into or remove from boreholes.  
Extra: Space saving ProStar allows the easy removal of each key without moving any others.  
MagicRing® made from spring steel holds all standard screws tight at various angles (available from 3 mm).

Order-No.	↖	£
22034 1	352R S9	5 14.81
●	352	1.5 2 2.5
●	352R	3 4 5 6 8 10

## Inch Sizes: Ballpoint Hex L-Keys.



### 369R Zoll Ballpoint Hex L-Key, Long. With MagicRing®, Inch Sizes.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Application: Insert hex inch screws into and remove from boreholes, especially in difficult to access areas.  
Extra: MagicRing® made from spring steel holds all standard screws tight at various angles (available from 1/8").  
The ballpoint enables the user to work at angles up to 25°.

Order-No.	●	↔	!↗	mm	↖	£
29471 7	0.05	72	13	1.27	10	0.89
29472 4	1/16	80	15	1.59	10	0.89
29474 8	5/64	88	18	1.98	10	0.89
29473 1	3/32	101	20	2.38	10	1.01
29475 5	7/64	111	21	2.78	10	1.09
24302 9	1/8	121	23	3.17	10	2.58
24304 3	9/64	136	27	3.57	10	2.62
24303 6	5/32	148	29	3.96	10	2.70
24305 0	3/16	163	33	4.76	10	2.90
24306 7	7/32	176	36	5.55	10	3.06
24307 4	1/4	191	38	6.35	10	3.46
24308 1	5/16	210	43	7.93	10	4.67
24341 8	3/8	232	50	9.52	10	5.88



### 369R SZ13 Ballpoint Hex L-Key Set in ProStar. With MagicRing®, Chrome-plated, 13 pcs. Inch Sizes.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Application: Insert hex inch screws into and remove from boreholes, especially in difficult to access areas.  
Extra: Space saving ProStar allows the easy removal of each key without moving any others.  
MagicRing® made from spring steel holds all standard screws tight at various angles (available from 1/8").  
The ballpoint enables the user to work at angles up to 25°.

Order-No.	↖	£
24190 2	369R SZ13	5 30.03
●	369 Zoll C	0.05 1/16 5/64 3/32 7/64
●	369R Zoll	1/8 9/64 5/32 3/16 7/32 1/4 5/16 3/8

### SB 369R SZ13 Ballpoint Hex L-Key Set in ProStar. With MagicRing®, Chrome-plated, 13 pcs. Inch Sizes. Blister Packed.

Order-No.	↖	£
24850 5	SB 369R SZ13	5 30.75
●	369 Zoll C	0.05 1/16 5/64 3/32 7/64
●	369R Zoll	1/8 9/64 5/32 3/16 7/32 1/4 5/16 3/8

# Wiha PocketStar Fold Out.

Press One Button for the Correct Key.



The Wiha PocketStar fold out offers optimum handling and a wide variety of uses, which are expressed in the form of many practical details.

The ingenious opening mechanism facilitates the simple selection of the required key size from the glass-fibre-reinforced holder.


Wiha solved an important demand of fold-out users: When turning a key into working position only this one moves. The remaining keys stay where they are.

The various working positions offer universal use:

- In the 180° position, the PocketStar is used as a screwdriver.
- 270° stop limit for using the tool as practical lever for high torques.
- Any position can be set between 90° and 270° for a variety of different work applications.



The 270° stop limit when working on applications with higher safety requirements puts an end to trapped fingers.



The unique opening mechanism facilitates an easy selection of the desired key size.



All it takes is three swift actions and you have an effective screwdriver: Pull it out of the pouch, press on the button and set the desired blade to 180°.



For greater force, simply select the 270° setting. The PocketStar is transformed into a universal helper in a flash.



## Wiha PocketStar:

- Innovative opening mechanism for simple selection of the desired key size
- Particularly suitable for use as screwdriver when the blade axis is set at 180° or as practical lever with blade in 270° position
- Ergonomic, glass-fibre-reinforced holder guarantees the easy transfer of even the highest torques
- Can be rotated by any angle between 270° and 90° to save time when working on applications where space is tight
- 270° stop limit for higher safety puts an end to trapped fingers
- Colour-coding system for different drives and dimensional systems delivers great clarity when using several PocketStars
- Covered hex key axes prevents catching on clothes

## Ballpoint Hex with MagicRing®, Metric.



**369R P7**

**Ballpoint Hex Fold Out Holder PocketStar.  
With MagicRing®, in Large PocketStar, 7 pcs.**

- Blade: Chrome-vanadium steel, through hardened, electro-plated.  
 Handle: Ergonomic, reinforced fibreglass housing, 120 mm long.  
 Application: Practical fold out holder for hex screws in the workplace or on the job. Insert screws into or remove from boreholes, especially in difficult to access areas.  
 Extra: Robust casing with eject button for simple and easy key selection. MagicRing® made from spring steel holds all standard screws tight at various angles (available from 3 mm). The ballpoint enables the user to work at angles up to 25°.

Order-No.			£
23031 9	369R P7	5	17.87
●	2 2.5 3 4 5 6 8		

**SB 369R P7**

**Ballpoint Hex Fold Out Holder PocketStar.  
With MagicRing®, in Large PocketStar, 7 pcs.  
Blister Packed with Hanging Hole.**

Order-No.			£
23033 3	SB 369R P7	5	18.11
●	2 2.5 3 4 5 6 8		

## Hex L-Keys, Metric.



**351 PG7**

**Hex Fold Out Holder PocketStar.  
In Large PocketStar, 7 pcs.**

- Blade: Chrome-vanadium steel, through hardened, electro-plated.  
 Handle: Ergonomic, reinforced fibreglass housing, 120 mm long.  
 Application: Practical fold out holder for hex screws in the workplace or on the job.  
 Extra: Robust casing with eject button for simple and easy key selection.

Order-No.			£
23040 1	351 PG7	5	10.87
●	2 2.5 3 4 5 6 8		

**SB 351 PG7**

**Hex Fold Out Holder PocketStar.  
In Large PocketStar, 7 pcs.  
Blister Packed with Hanging Hole.**

Order-No.			£
23041 8	SB 351 PG7	5	11.03
●	2 2.5 3 4 5 6 8		



**351 PK7**

**Hex Fold Out Holder PocketStar.  
In Small PocketStar, 7 pcs.**

- Blade: Chrome-vanadium steel, through hardened, electro-plated.  
 Handle: Ergonomic, reinforced fibreglass housing, 95 mm long.  
 Application: Practical fold out holder for hex screws in the workplace or on the job.  
 Extra: Robust casing with eject button for simple and easy key selection.

Order-No.			£
23035 7	351 PK7	5	9.42
●	1.5 2 2.5 3 4 5 6		

**SB 351 PK7**

**Hex Fold Out Holder PocketStar.  
In Small PocketStar, 7 pcs.  
Blister Packed with Hanging Hole.**

Order-No.			£
23037 1	SB 351 PK7	5	9.58
●	1.5 2 2.5 3 4 5 6		

## Wiha Info

### Colour-coding system:

- **red:**  
metric hex blades
- **yellow:**  
inch hex blades
- **green:**  
TORX® blades
- **light green:**  
TORX PLUS® blades

# Wiha PocketStar.

## Mixed Sets.

### Mixed Sets.



#### **351 PG9X** Fold Out Holder PocketStar containing assorted keys. In Large PocketStar, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, electro-plated.  
Handle: Ergonomic, reinforced fibreglass housing, 120 mm long.  
Application: Practical fold out holder for hex, slotted, Phillips and TORX® screws in the workplace or on the job.  
Extra: Robust casing with eject button for simple and easy key selection.

Order-No.			£
25293 9	351 PG9X	5	15.21
①	4.5		
⊕	PH2		
⊗	T10 T15 T20		
●	3 4 5 6		

#### **SB 351 PG9X** Fold Out Holder PocketStar containing assorted keys. In Large PocketStar, 9 pcs. Blister Packed with Hanging Hole.

Order-No.			£
25295 3	SB 351 PG9X	5	15.38
①	4.5		
⊕	PH2		
⊗	T10 T15 T20		
●	3 4 5 6		

### Mixed Sets.



#### **351 PK6X** Fold Out Holder PocketStar containing assorted keys. In Small PocketStar, 6 pcs.

Blade: Chrome-vanadium steel, through hardened, electro-plated.  
Handle: Ergonomic, reinforced fibreglass housing, 95 mm long.  
Application: Practical fold out holder for hex, slotted and Phillips screws in the workplace or on the job.  
Extra: Robust casing with eject button for simple and easy key selection.

Order-No.			£
24859 8	351 PK6X	5	11.67
①	5.5		
⊕	PH2		
●	3 4 5 6		

#### **SB 351 PK6X** Fold Out Holder PocketStar containing assorted keys. In Small PocketStar, 6 pcs. Blister Packed with Hanging Hole.

Order-No.			£
24861 1	SB 351 PK6X	5	11.83
①	5.5		
⊕	PH2		
●	3 4 5 6		

## Wiha Info

### Colour-coding system:

- **red:**  
metric hex blades
- **yellow:**  
inch hex blades
- **green:**  
TORX® blades
- **light green:**  
TORX PLUS® blades

# Wiha PocketStar.

## Inch Hex Sets.

### Inch Sizes: Ballpoint Hex with MagicRing®.



#### **369R PZ9** Ballpoint Hex Fold Out Holder PocketStar. With MagicRing®, in Large PocketStar, 9 pcs. Inch Sizes.

- Blade: Chrome-vanadium steel, through hardened, electro-plated.  
Handle: Ergonomic, reinforced fibreglass housing, 120 mm long.  
Application: Practical fold out holder for hex inch sized screws in the workplace or on the job.  
Extra: Robust casing with eject button for simple and easy key selection. MagicRing® made from spring steel holds all standard screws tight at various angles (available from 1/8"). The ballpoint enables the user to work at angles up to 25°.

Order-No.		£
25607 4	369R PZ9	5 19.16
●	5/64 3/32 7/64 1/8 9/64 5/32 3/16 7/32 1/4	

#### **SB 369R PZ9** Ballpoint Hex Fold Out Holder PocketStar. With MagicRing®, in Large PocketStar, 9 pcs. Inch Sizes. Blister Packed with Hanging Hole.

Order-No.		£
25623 4	SB 369R PZ9	5 19.40
●	5/64 3/32 7/64 1/8 9/64 5/32 3/16 7/32 1/4	

### Inch Sizes: L-Keys.



#### **351 PZ9** Hex Fold Out Holder PocketStar. In Large PocketStar, 9 pcs. Inch Sizes.

- Blade: Chrome-vanadium steel, through hardened, electro-plated.  
Handle: Ergonomic, reinforced fibreglass housing, 120 mm long.  
Application: Practical fold out holder for hex inch sized screws in the workplace or on the job.  
Extra: Robust casing with eject button for simple and easy key selection.

Order-No.		£
23043 2	351 PZ9	5 12.08
●	5/64 3/32 7/64 1/8 9/64 5/32 3/16 7/32 1/4	

#### **SB 351 PZ9** Hex Fold Out Holder PocketStar. In Large PocketStar, 9 pcs. Inch Sizes. Blister Packed with Hanging Hole.

Order-No.		£
23045 6	SB 351 PZ9	5 12.32
●	5/64 3/32 7/64 1/8 9/64 5/32 3/16 7/32 1/4	



# Wiha PocketStar.

## TORX® and TORX® Tamper Resistant Sets.

### TORX® L-Keys.



#### 363 P8 TORX® Fold Out Holder PocketStar. In Large PocketStar, 8 pcs.

Blade: Chrome-vanadium steel, through hardened, electro-plated.  
Handle: Ergonomic, reinforced fibreglass housing, 120 mm long.  
Application: Practical fold out holder for TORX® screws in the workplace or on the job.  
Extra: Robust casing with eject button for simple and easy key selection.

Order-No.			£
23047 0	363 P8	5	15.30
	T9 T10 T15 T20 T25 T27 T30 T40		

#### SB 363 P8 TORX® Fold Out Holder PocketStar. In Large PocketStar, 8 pcs. Blister Packed with Hanging Hole.

Order-No.			£
23049 4	SB 363 P8	5	15.46
	T9 T10 T15 T20 T25 T27 T30 T40		



#### 363 P7 TORX® Fold Out Holder PocketStar. In Small PocketStar, 7 pcs.

Blade: Chrome-vanadium steel, through hardened, electro-plated.  
Handle: Ergonomic, reinforced fibreglass housing, 95 mm long.  
Application: Practical fold out holder for TORX® screws in the workplace or on the job.  
Extra: Robust casing with eject button for simple and easy key selection.

Order-No.			£
23051 7	363 P7	5	14.01
	T7 T8 T9 T10 T15 T20 T25		

#### SB 363 P7 TORX® Fold Out Holder PocketStar. In Small PocketStar, 7 pcs. Blister Packed with Hanging Hole.

Order-No.			£
23053 1	SB 363 P7	5	14.17
	T7 T8 T9 T10 T15 T20 T25		

### TORX® Tamper Resistant L-Keys.



#### 363TR P8 TORX® Tamper Resistant Fold Out Holder PocketStar. In Large PocketStar, 8 pcs.

Blade: Chrome-vanadium steel, through hardened, electro-plated.  
Handle: Ergonomic, reinforced fibreglass housing, 120 mm long.  
Application: Practical fold out holder for TORX® Tamper Resistant (with security pin) screws in the workplace or on the job.  
Extra: Robust casing with eject button for simple and easy key selection. Borehole in every blade tip.

Order-No.			£
25130 7	363TR P8	5	17.79
	T9H T10H T15H T20H T25H T27H T30H T40H		

#### SB 363TR P8 TORX® Tamper Resistant Fold Out Holder PocketStar. In Large PocketStar, 8 pcs. Blister Packed with Hanging Hole.

Order-No.			£
25166 7	SB 363TR P8	5	18.03
	T9H T10H T15H T20H T25H T27H T30H T40H		



#### 363TR P7 TORX® Tamper Resistant Fold Out Holder PocketStar. In Small PocketStar, 7 pcs.

Blade: Chrome-vanadium steel, through hardened, electro-plated.  
Handle: Ergonomic, reinforced fibreglass housing, 95 mm long.  
Application: Practical fold out holder for TORX® Tamper Resistant (with security pin) screws in the workplace or on the job.  
Extra: Robust casing with eject button for simple and easy key selection. Borehole in every blade tip.

Order-No.			£
25128 4	363TR P7	5	16.66
	T7H T8H T9H T10H T15H T20H T25H		

#### SB 363TR P7 TORX® Tamper Resistant Fold Out Holder PocketStar. In Small PocketStar, 7 pcs. Blister Packed with Hanging Hole.

Order-No.			£
25164 2	SB 363TR P7	5	16.82
	T7H T8H T9H T10H T15H T20H T25H		

# Wiha PocketStar Cardboard Displays.

## Displays.



**369R P7 VH1** Display Ballpoint Hex Fold Out Holder PocketStar.  
With MagicRing®, in Large PocketStar, 7 pcs.  
Carton Display with 10 Pieces.

Order-No.	Content			£
23500 0	10 x 369R P7	2 - 8	1	178.71

## Displays.



**351 PG7 VH1** Display Hex Fold Out Holder PocketStar.  
In Large PocketStar, 7 pcs.  
Carton Display with 10 Pieces.

Order-No.	Content			£
23502 4	10 x 351 PG7	2 - 8	1	108.68



**351 PK7 VH1** Display Hex Fold Out Holder PocketStar.  
In Small PocketStar, 7 pcs.  
Carton Display with 10 Pieces.

Order-No.	Content			£
23501 7	10 x 351 PK7	1.5 - 6	1	94.19



**351 PG9X VH1** Display Fold Out Holder PocketStar containing assorted keys.  
In Large PocketStar, 9 pcs.  
Carton Display with 10 Pieces.

Order-No.	Content			£
25297 7	10 x 351 PG9X		1	152.15



**351 PG6X VH1** Display Fold Out Holder PocketStar containing assorted keys.  
In Small PocketStar, 6 pcs.  
Carton Display with 10 Pieces.

Order-No.	Content			£
24863 5	10 x 351 PG6X		1	116.73



**363 P8 VH1** Display TORX® Fold Out Holder PocketStar.  
In Large PocketStar, 8 pcs.  
Carton Display with 10 Pieces.

Order-No.	Content			£
23503 1	10 x 363 P8	T9 - T40	1	152.95



**363 P7 VH1** Display TORX® Fold Out Holder PocketStar.  
In Small PocketStar, 7 pcs.  
Carton Display with 10 Pieces.

Order-No.	Content			£
23504 8	10 x 363 P7	T7 - T25	1	140.07

# Wiha Mini PocketStar.

The Smallest Blade at the Push of a Button.



Who hasn't spent ages looking for the small SW 0.9 hex key or for other small keys?

Wiha has developed an extremely smart solution to solve exactly this problem: the Mini PocketStar, a small practical helper that is an absolute must in the toolbox of every service and customer-service engineer.

Regardless of whether replacing a proximity switch or pneumatic control unit, or whether adjusting the sensitivity of a light barrier. With the Mini PocketStar, all keys are within reach.



*Small but effective. The Mini PocketStar from Wiha is the smart helper for service engineers and for DIY use.*



## Wiha Mini PocketStar:


- All small keys are held together in the Mini PocketStar. Not a single blade is lost
- Each of the 8 blades can be used as screwdriver when set at 180° and as tool with lever arm when set at 90°
- The glass-fibre-reinforced polyamide holder ensures that the Mini PocketStar withstands every stress unscathed
- Of course, the smallest PocketStar also has the same special functions as the "big" PocketStars



*Does a screw on a small component need tightening? Tighten it in seconds with the Mini PocketStar from Wiha.*



*The 180° stop limit when working on applications with higher safety requirements puts an end to trapped fingers.*



*The unique opening mechanism facilitates an easy selection of the desired key size.*

## Mixed Sets.



**SB 351 PM8X** Hex Fold Out Holder Mini PocketStar.  
With Additional Blades, 8 pcs.  
Blister Packed.

Blade: Chrome-vanadium steel, through hardened, electro-plated.  
Handle: Ergonomic, reinforced fibreglass housing, 55 mm long.  
Application: Practical fold out holder for mini keys so they no longer get lost. Particularly suitable for use with the smallest screws, e.g. when tightening screws or for the accurate setting of sensors.  
Extra: Robust casing with eject button for simple and easy key selection. Hanging loop with matching snap-hook.

Order-No.									
27936	3	<b>SB 351 PM8X</b>					5		£ 13.69
	●	0.7	0.9	1.3	1.5	2.0			
	①	1.5	2.0						
	⊕	PH00							



**SB 363 PM8X** TORX® Fold Out Holder Mini PocketStar.  
Blister Packed.  
With Additional Blades, 8 pcs.

Blade: Chrome-vanadium steel, through hardened, electro-plated.  
Handle: Ergonomic, reinforced fibreglass housing, 55 mm long.  
Application: Practical fold out holder for mini keys so they no longer get lost. Particularly suitable for use with the smallest screws, e.g. when tightening screws or for the accurate setting of sensors.  
Extra: Robust casing with eject button for simple and easy key selection. Hanging loop with matching snap-hook.

Order-No.									
27939	4	<b>SB 363 PM8X</b>					5		£ 15.94
	●	T4	T5	T6	T7				
	①	1.5	2.0						
	⊕	PH00							
	●	2.0							

## Displays.



**351 PM8X VH1** Display Hex Fold Out Holder Mini PocketStar.  
With Additional Blades, 8 pcs.  
Carton Display with 10 Pieces.

Order-No.	Content			
28059	8	10 x SB 351 PM8X	1	£ 136.85




**363 PM8X VH1** Display TORX® Fold Out Holder Mini PocketStar.  
With Additional Blades, 8 pcs.  
Carton Display with 10 Pieces.

Order-No.	Content			
28060	4	10 x SB 363 PM8X	1	£ 159.39



# Wiha System Holder.

Ingenious Solution for Everyday Use.



Wiha System Holders feature innovative details for maximum user benefit.

A general colour-coding system for all system holders ensures clarity.



## Wiha ProStar

The Wiha ProStar with new sliding function means it is possible to open the holder with only one hand.

Simply push the coloured upper part to the right and all the sizes are clearly displayed at a glance.

However, the main advantage is that each key can be individually removed and later replaced without having to move the other keys.

This saves time, keeps the workplace tidy and thus enhances everyday efficiency.



## Wiha Holder

The Wiha holder arranges all keys next to each other, which means that each key is easily identifiable.

The integrated hanging hole is particularly practical for shop storage.



## Wiha Sliding Box

A practical sliding box for the Wiha hex keys is available to protect against the influx of dirt. The impact-resistant plastic casing with sliding mechanism holds up to eight individual tools.

# Wiha Hex L-Keys.

Metric Sizes.

## Ballpoint Hex L-Keys.



### 369 Ballpoint Hex L-Key, Long.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Standards: Profile, length and hardness according to ISO 2936L.  
Application: Especially for screws that are difficult to access.  
Extra: The ballpoint enables the user to work at angles up to 25°.

Order-No.	●	↔	↙	↘	£
01392 9	1.5	91	15	10	0.85
01393 6	2	101	18	10	0.85
01395 0	2.5	113	20	10	0.89
01396 7	3	128	23	10	0.93
01398 1	4	142	29	10	1.27
01400 1	5	163	33	10	1.43
01402 5	6	184	38	10	1.81
07922 2	7	195	39	5	2.86
01404 9	8	206	44	10	3.06
01406 3	10	231	50	5	4.03
01408 7	12	259	57	5	5.72

### SB 369 Ballpoint Hex L-Key, Long. Blister Packed.

Order-No.	●	↔	↙	↘	£
08161 4	1.5	91	15	10	1.85
08162 1	2	101	18	10	1.93
08163 8	2.5	113	20	10	1.97
08164 5	3	128	23	10	2.09
08165 2	4	142	29	10	2.33
08166 9	5	163	33	10	2.50
08167 6	6	184	38	10	3.02
08168 3	8	206	44	5	4.11
08169 0	10	231	50	5	5.23
08170 6	12	259	57	5	7.00

## Ballpoint Hex L-Keys Sets and Display.



### 369 S9 Ballpoint Hex L-Key Set in ProStar.

Chrome-plated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Standards: Profile, length and hardness according to ISO 2936L.  
Application: Especially for screws that are difficult to access.  
Extra: Space saving ProStar allows the easy removal of each key without moving any others.  
The ballpoint enables the user to work at angles up to 25°.

Order-No.	↔	£
07185 1 369 S9	5	17.71
● 369	1.5 2 2.5 3 4 5 6 8 10	

### SB 369 S9 Ballpoint Hex L-Key Set in ProStar.

Chrome-plated, 9 pcs.

Blister Packed.

Order-No.	↔	£
07192 9 SB 369 S9	5	18.35
● 369	1.5 2 2.5 3 4 5 6 8 10	



### 369 SVH1 Display Ballpoint Hex L-Key Sets.

Chrome-plated, in ProStar, 9 pcs.

Carton Display with 10 Pieces.

Order-No.	Content	●	↔	£
07194 3	10 x 369 S9	1.5 - 10	1	177.10

# Wiha Hex L-Keys.

Metric Sizes.

## Ballpoint Hex L-Key Sets.



### 369 H9 Ballpoint Hex L-Key Set in Holder. Chrome-plated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Standards: Profile, length and hardness according to ISO 2936L.  
Application: Especially for screws that are difficult to access.  
Extra: Thanks to its compact dimensions, this holder fits easily into every ruler pocket.  
Popular key sizes kept in a well-organised holder.  
The ballpoint enables the user to work at angles up to 25°.

Order-No.			£
01418 6	369 H9	5	17.07
●	369	1.5 2 2.5 3 4 5 6 8 10	

### SB 369 H9 Ballpoint Hex L-Key Set in Holder. Chrome-plated, 9 pcs. Blister Packed.

Order-No.			£
02292 1	SB 369 H9	5	17.71
●	369	1.5 2 2.5 3 4 5 6 8 10	



### 369 H7 Ballpoint Hex L-Key Set in Holder. Chrome-plated, 7 pcs.


Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Standards: Profile, length and hardness according to ISO 2936L.  
Application: Especially for screws that are difficult to access.  
Extra: Popular key sizes kept in a well-organised holder.  
The ballpoint enables the user to work at angles up to 25°.

Order-No.			£
01416 2	369 H7	5	13.04
●	369	1.5 2 2.5 3 4 5 6	

### SB 369 H7 Ballpoint Hex L-Key Set in Holder. Chrome-plated, 7 pcs. Blister Packed.

Order-No.			£
03723 9	SB 369 H7	5	13.69
●	369	1.5 2 2.5 3 4 5 6	

## Ballpoint Hex L-Key Sets.



### 369 B8 Ballpoint Hex L-Key Set in Sliding Box. Chrome-plated, 8 pcs.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.  
Standards: Profile, length and hardness according to ISO 2936L.  
Application: Especially for screws that are difficult to access.  
Extra: Large, impact resistant sliding box.  
The ballpoint enables the user to work at angles up to 25°.

Order-No.			£
01410 0	369 B8	5	21.01
●	369	2 2.5 3 4 5 6 8 10	

## Wiha Info

### Colour-coding system:

- **red:**  
metric hex blades
- **yellow:**  
inch hex blades
- **green:**  
TORX® blades
- **light green:**  
TORX PLUS® blades

## Ballpoint Hex L-Keys and Sets.



### 369B Ballpoint Hex L-Key, Long.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Profile, length and hardness according to ISO 2936L.  
Application: Especially for screws that are difficult to access.  
Extra: The ballpoint enables the user to work at angles up to 25°.

Order-No.	●	↔	↵	↵	£
01391 2	1.3	74	14	10	0.74
05638 4	1.5	91	15	10	0.72
03868 7	2	101	18	10	0.72
03869 4	2.5	113	20	10	0.75
03870 0	3	128	23	10	0.80
03871 7	4	142	29	10	1.09
03872 4	5	163	33	10	1.22
03873 1	6	184	38	10	1.56
03874 8	8	206	44	10	2.42
03875 5	10	231	50	5	3.46
03876 2	12	259	57	5	4.67



### 369 S9B Ballpoint Hex L-Key Set in ProStar. Manganese-phosphated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Profile, length and hardness according to ISO 2936L.  
Application: Especially for screws that are difficult to access.  
Extra: Space saving ProStar allows the easy removal of each key without moving any others.  
The ballpoint enables the user to work at angles up to 25°.

Order-No.	↵	£
07186 8	369 S9B	5 15.05
●	369B 1.5 2 2.5 3 4 5 6 8 10	

### SB 369 S9B Ballpoint Hex L-Key Set in ProStar. Manganese-phosphated, 9 pcs. Blister Packed.

Order-No.	↵	£
07193 6	SB 369 S9B	5 15.78
●	369B 1.5 2 2.5 3 4 5 6 8 10	

## Cardboard Display.



### 369 SVH1B Display Ballpoint Hex L-Key Sets. Manganese-phosphated, in ProStar, 9 pcs. Carton Display with 10 Pieces.

Order-No.	Content	●	↵	£
07195 0	10 x 369 S9B	1.5 - 10	1	150.54



# Wiha Hex L-Keys.

Metric Sizes.

## Ballpoint Hex L-Key Sets.



### 369 H9B Ballpoint Hex L-Key Set in Holder. Manganese-phosphated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Profile, length and hardness according to ISO 2936L.  
Application: Especially for screws that are difficult to access.  
Extra: Popular key sizes kept in a well-organised holder.  
The ballpoint enables the user to work at angles up to 25°.

Order-No.			£
03879 3	369 H9B	5	13.93
369B	1.5 2 2.5 3 4 5 6 8 10		

### SB 369 H9B Ballpoint Hex L-Key Set in Holder. Manganese-phosphated, 9 pcs. Blister Packed.

Order-No.		£
03992 9	SB 369 H9B	14.57
369B	1.5 2 2.5 3 4 5 6 8 10	



### 369 B8B Ballpoint Hex L-Key Set in Sliding Box. Manganese-phosphated, 8 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Profile, length and hardness according to ISO 2936L.  
Application: Especially for screws that are difficult to access.  
Extra: Large, impact resistant sliding box.  
The ballpoint enables the user to work at angles up to 25°.

Order-No.		£
03880 9	369 B8B	18.27
369B	2 2.5 3 4 5 6 8 10	

## Short Ballpoint Hex L-Keys and Sets.



### 369KB Ballpoint Hex L-Key, Short.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Profile, length and hardness according to ISO 2936.  
Application: Especially for screws that are difficult to access in confined work places.  
Extra: The ballpoint enables the user to work at angles up to 25°.

Order-No.					£
26236 5	1.5	46	16	10	0.60
26237 2	2	51	18	10	0.60
26238 9	2.5	57	21	10	0.64
26239 6	3	65	23	10	0.67
26240 2	4	72	29	10	0.89
26241 9	5	83	33	10	1.01
26242 6	6	94	38	10	1.35
26243 3	8	105	44	10	2.09
26244 0	10	119	50	10	2.94



### 369K H9B Ballpoint Hex L-Key Set in Holder. Manganese-phosphated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Profile, length and hardness according to ISO 2936.  
Application: Especially for screws that are difficult to access in confined work places.  
Extra: Popular key sizes kept in a well-organised holder.  
The ballpoint enables the user to work at angles up to 25°.

Order-No.		£
26245 7	369K H9B	11.75
369KB	1.5 2 2.5 3 4 5 6 8 10	

### SB 369K H9B Ballpoint Hex L-Key Set in Holder. Manganese-phosphated, 9 pcs. Blister Packed.

Order-No.		£
27553 2	SB 369K H9B	12.48
369KB	1.5 2 2.5 3 4 5 6 8 10	

## Hex L-Keys and Sets.



### 352 Hex L-Key, Long.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Manufactured acc. to ISO 2936L, long version

Order-No.	●	↔	↵	↵	£
01201 4	1.5	91	15	10	0.66
01202 1	2	101	18	10	0.39
01203 8	2.5	113	20	10	0.48
01204 5	3	128	23	10	0.56
01206 9	4	142	29	10	0.72
01207 6	5	163	33	10	0.81
01208 3	6	184	38	10	1.05
01209 0	7	194	41	5	1.31
01210 6	8	206	44	10	1.47
01211 3	10	231	50	5	2.05
01212 0	12	259	57	5	2.70
01213 7	14	291	70	5	4.19
01214 4	17	333	80	5	7.65
01215 1	19	375	89	5	10.06



### 352 S9 Hex L-Key Set in ProStar. Nickel-plated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Manufactured acc. to ISO 2936L, long version.  
Extra: Space saving ProStar allows the easy removal of each key without moving any others.

Order-No.	↵	£
07181 3	352 S9	5 10.06
●	352 1.5 2 2.5 3 4 5 6 8 10	

### SB 352 S9 Hex L-Key Set in ProStar. Nickel-plated, 9 pcs. Blister Packed.

Order-No.	↵	£
07190 5	SB 352 S9	5 10.63
●	352 1.5 2 2.5 3 4 5 6 8 10	

## Hex L-Key Sets.



### 352 H9 Hex L-Key Set in Holder. Nickel-plated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Manufactured acc. to ISO 2936L, long version.  
Extra: Thanks to its compact dimensions, this holder fits easily into every ruler pocket. Popular key sizes kept in a well-organised holder.

Order-No.	↵	£
01222 9	352 H9	5 9.42
●	352 1.5 2 2.5 3 4 5 6 8 10	



### 352 H7 Hex L-Key Set in Holder. Nickel-plated, 7 pcs.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Manufactured acc. to ISO 2936L, long version.  
Extra: Popular key sizes kept in a well-organised holder.

Order-No.	↵	£
01220 5	352 H7	5 5.80
●	352 1.5 2 2.5 3 4 5 6	



### 352 B8 Hex L-Key Set in Sliding Box. Nickel-plated, 8 pcs.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Manufactured acc. to ISO 2936L, long version.  
Extra: Large, impact resistant sliding box.

Order-No.	↵	£
01216 8	352 B8	5 13.28
●	352 2 2.5 3 4 5 6 8 10	

# Wiha Hex L-Keys.

## Metric Sizes.

### Hex L-Keys.



#### 352B Hex L-Key, Long.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Manufactured acc. to ISO 2936L, long version.

Order-No.	⌀	↔	⊥	⊥	£
06358 0	0.7	67	6	5	1.22
06359 7	0.9	70	9	5	1.01
06360 3	1.3	80	13	5	0.58
06059 6	1.5	91	15	5	0.39
06361 0	2	101	18	5	0.39
06362 7	2.5	113	20	5	0.47
06363 4	3	128	23	5	0.56
06364 1	4	142	29	10	0.72
06365 8	5	163	33	10	0.80
06366 5	6	184	38	10	0.97
06367 2	7	194	41	5	1.18
06368 9	8	206	44	10	1.35
06369 6	10	231	50	5	1.89
06370 2	12	259	57	5	2.37
06371 9	14	291	70	5	3.78


### Hex L-Key Sets.



#### 352 H9B Hex L-Key Set in Holder. Manganese-phosphated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Manufactured acc. to ISO 2936L, long version.  
Extra: Popular key sizes kept in a well-organised holder.

Order-No.	↔	£
06386 3 352 H9B	5	8.86
⊙ 352B	1.5 2 2.5 3 4 5 6 8 10	



#### 352 HM7B Hex L-Key Set in Holder. Manganese-phosphated, 7 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Manufactured acc. to ISO 2936L, long version.  
Extra: Popular key sizes kept in a well-organised holder.

Order-No.	↔	£
06385 6 352 HM7B	10	6.44
⊙ 352B	0.9 1.3 1.5 2 2.5 3 4	



#### 352 HM5B Hex L-Key Set in Holder. Manganese-phosphated, 5 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Manufactured acc. to ISO 2936L, long version.  
Extra: Popular key sizes kept in a well-organised holder.

Order-No.	↔	£
06382 5 352 HM5B	10	4.35
⊙ 352B	0.7 0.9 1.3 1.5 2	

## Hex L-Keys.



### 351 Hex L-Key, Short.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Manufactured acc. to ISO 2936, short version.

Order-No.	●	↔	└┐	▬	£
01144 4	1.5	46	15	10	0.17
01145 1	2	51	18	10	0.17
01146 8	2.5	57	20	10	0.17
01147 5	3	64	23	10	0.24
01148 2	3.5	70	26	5	0.30
01149 9	4	72	29	10	0.28
01150 5	4.5	80	31	5	0.42
01151 2	5	83	33	10	0.40
01152 9	5.5	90	35	5	0.60
01153 6	6	94	38	10	0.56
01154 3	7	99	41	5	0.72
01155 0	8	105	44	10	0.89
01156 7	9	114	47	5	1.31
01157 4	10	119	50	5	1.35
01158 1	11	129	53	5	1.69
01159 8	12	134	57	5	1.85
01160 4	14	151	70	5	3.02
01161 1	17	173	80	5	4.99
01162 8	19	195	89	5	6.68

## Hex L-Key Sets.



### 351 H9 Hex L-Key Set in Holder. Nickel-plated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Manufactured acc. to ISO 2936, short version.  
Extra: Thanks to its compact dimensions, this holder fits easily into every ruler pocket.  
Popular key sizes kept in a well-organised holder.

Order-No.	▬	£
01174 1 351 H9	10	5.31
● 351	1.5 2 2.5 3 4 5 6 8 10	

### SB 351 H9 Hex L-Key Set in Holder. Nickel-plated, 9 pcs. Blister Packed.

Order-No.	▬	£
03734 5 SB 351 H9	5	6.20
● 351	1.5 2 2.5 3 4 5 6 8 10	



### 351 H7 Hex L-Key Set in Holder. Nickel-plated, 7 pcs.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Manufactured acc. to ISO 2936, short version  
Extra: Popular key sizes kept in a well-organised holder.


Order-No.	▬	£
01172 7 351 H7	10	3.74
● 351	1.5 2 2.5 3 4 5 6	



# Wiha Hex L-Keys.

Metric Sizes.

## Hex L-Key Sets.



### 351 B8 Hex L-Key Set in Sliding Box. Nickel-plated, 8 pcs.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Manufactured acc. to ISO 2936, short version  
Extra: Small, impact resistant sliding box.

Order-No.			£
01166 6	351 B8	10	8.29
●	351 2 2.5 3 4 5 6 8 10		



### 351 B7 Hex L-Key Set in Sliding Box. Nickel-plated, 7 pcs.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Manufactured acc. to ISO 2936, short version  
Extra: Small, impact resistant sliding box.

Order-No.			£
01164 2	351 B7	10	5.96
●	351 2 2.5 3 4 5 6 8		

## Hex L-Key Sets.



### 351 R8 Hex L-Key Set on Keyring. Nickel-plated, 8 pcs. In Plastic Pouch.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Manufactured acc. to ISO 2936, short version  
Extra: Flexible hanging of all keys on a keyring.

Order-No.			£
01180 2	351 R8	10	8.61
●	351 2 2.5 3 4 5 6 8 10		



### 351 VB Hex L-Key Set in Bench Stand. Nickel-plated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Manufactured acc. to ISO 2936, short version  
Extra: Robust metal workbench holder to place on workbench or wall-mount.  
Tip diagrams printed to scale.

Order-No.			£
01182 6	351 VB	1	19.00
●	351 2.5 3 4 5 6 8 10 12 14		

## Hex L-Keys and L-Key Set.



### 350 Hex L-Key, Short.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Manufactured acc. to ISO 2936, short version.

Order-No.	⊙	↔	⌞	⌞	£
06218 7	1.3	41	13	10	0.15
01121 5	1.5	46	15	10	0.15
01122 2	2	51	18	10	0.15
01123 9	2.5	57	20	10	0.17
01124 6	3	64	23	10	0.23
01126 0	4	72	29	10	0.27
01128 4	5	83	33	10	0.39
01130 7	6	94	38	10	0.50
01131 4	7	99	41	10	0.68
01132 1	8	105	44	10	0.85
01133 8	9	112	47	5	1.05
01134 5	10	119	50	5	1.22
01135 2	11	126	53	5	1.47
01136 9	12	134	57	5	1.73
01137 6	14	151	70	5	2.78
01138 3	17	173	80	5	4.51
01139 0	19	195	89	5	5.96
01140 6	22	217	102	1	9.18
01141 3	24	241	114	1	14.09
01142 0	27	271	127	1	17.47
01143 7	32	339	157	1	36.47

## Hex L-Keys with Pivot.



### 359 Hex L-Key with Pivot.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Manufactured acc. to DIN 6911.  
Application: Fits hex socket screws with low head and centre hole.  
With key guidance according to DIN 6912.

Order-No.	⊙	↔	⌞	⌞	£
01255 7	3	64	23	10	0.89
01256 4	4	72	29	10	0.71
01257 1	5	83	33	10	0.74
01258 8	6	94	38	10	1.09
01259 5	8	105	44	10	1.47
01260 1	10	119	50	5	1.93
01261 8	12	134	57	5	2.94
01262 5	14	151	70	5	4.43
01263 2	17	173	80	5	7.25



### 350 H9 Hex L-Key Set in Holder.

Manganese-phosphated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Manufactured acc. to ISO 2936, short version.  
Extra: Popular key sizes kept in a well-organised holder.

Order-No.	⊙	↔	⌞	£
06379 5	350 H9		10	4.99
	350	1.5 2 2.5 3 4 5 6 8 10		

# Wiha Hex L-Keys.

Inch Sizes.

## Ballpoint Hex L-Keys and Sets.



### 369 Zoll Ballpoint Hex L-Key, Long. Inch Sizes.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Produced acc. To ASME B18.3-1998.  
Application: Especially for inch-sized screws that are difficult to access.  
Extra: The ballpoint enables the user to work at angles up to 25°.

Order-No.				mm		£
01422 3	72	0.05	13	1.27	10	0.74
01423 0	1/16	80	15	1.59	10	0.74
01431 5	5/64	88	18	1.98	10	0.74
01427 8	3/32	101	20	2.38	10	0.76
01433 9	7/64	111	21	2.78	10	0.81
01425 4	1/8	121	23	3.18	10	0.85
01434 6	9/64	136	27	3.57	10	0.93
01430 8	5/32	148	29	3.97	10	1.14
01426 1	3/16	163	33	4.76	10	1.35
01432 2	7/32	176	36	5.56	10	1.47
01424 7	1/4	191	38	6.35	10	1.73
01429 2	5/16	210	43	7.94	10	2.54
01428 5	3/8	232	50	9.53	5	3.42



### 369 SZ13B Ballpoint Hex L-Key Set in ProStar. Manganese-phosphated, 13 pcs. Inch Sizes.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Produced acc. To ASME B18.3-1998.  
Application: Especially for inch-sized screws that are difficult to access.  
Extra: Space saving ProStar allows the easy removal of each key without moving any others.

Order-No.									£
24189 6	369 SZ13B							5	19.88
	369 Zoll	0.05	1/16	5/64	3/32	7/64	1/8		
		9/64	5/32	3/16	7/32	1/4	5/16	3/8	

### SB 369 SZ13B Ballpoint Hex L-Key Set in ProStar. Manganese-phosphated, 13 pcs. Inch Sizes. Blister Packed.

Order-No.									£
24851 2	SB 369 SZ13B							5	20.61
	369 Zoll	0.05	1/16	5/64	3/32	7/64	1/8		
		9/64	5/32	3/16	7/32	1/4	5/16	3/8	

## Ballpoint Hex L-Key Sets.




### 369 HZ8 Ballpoint Hex L-Key Set in Holder. Manganese-phosphated, 8 pcs. Inch Sizes.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Produced acc. To ASME B18.3-1998.  
Application: Especially for inch-sized screws that are difficult to access.  
Extra: Popular key sizes kept in a well-organised holder.

Order-No.									£
01420 9	369 HZ8							5	16.10
	369 Zoll	5/64	3/32	1/8	5/32	3/16	7/32		
		1/4	5/16						

### SB 369 HZ8 Ballpoint Hex L-Key Set in Holder. Manganese-phosphated, 8 pcs. Inch Sizes. Blister Packed.

Order-No.									£
02939 5	SB 369 HZ8							5	16.82
	369 Zoll	5/64	3/32	1/8	5/32	3/16	7/32		
		1/4	5/16						



### 369 BZ8 Ballpoint Hex L-Key Set in Sliding Box. Manganese-phosphated, 8 pcs. Inch Sizes.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Standards: Produced acc. To ASME B18.3-1998.  
Application: Especially for inch-sized screws that are difficult to access.  
Extra: The ballpoint enables the user to work at angles up to 25°. Large, impact resistant sliding box.

Order-No.									£
01412 4	369 BZ8							5	21.17
	369 Zoll	5/64	3/32	1/8	5/32	3/16	7/32		
		1/4	5/16						

## Hex L-Keys and Sets.



### 351 Zoll Hex L-Key, Short. Inch Sizes.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Produced acc. To ASME B18.3-1998.  
Application: For all popular inch screws.

Order-No.	Length	Width	Height	mm	Weight	£
25626 5	41	0.05	13	1.27	10	0.23
01184 0	1/16	47	16	1.59	10	0.19
01194 9	5/64	51	18	1.98	10	0.19
01189 5	3/32	55	22	2.38	10	0.19
22406 6	7/64	58	21	2.78	10	0.30
01187 1	1/8	61	23	3.18	10	0.28
01200 7	9/64	65	25	3.57	10	0.28
01193 2	5/32	72	29	3.97	10	0.30
01188 8	3/16	76	30	4.76	10	0.47
01197 0	7/32	84	34	5.56	10	0.51
01186 4	1/4	94	37	6.35	10	0.64
01192 5	5/16	106	43	7.94	10	1.01
01191 8	3/8	117	48	9.53	5	1.43
01185 7	1/2	143	59	12.70	5	2.70
01198 7	9/16	158	64	14.29	5	3.26
01195 6	5/8	176	71	15.88	5	5.23
01190 1	3/4	198	89	19.05	5	7.16



### 351 SZ13 Hex L-Key Set in ProStar. Nickel-plated, 13 pcs. Inch Sizes.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Produced acc. To ASME B18.3-1998.  
Application: For all popular inch screws.  
Extra: Space saving ProStar allows the easy removal of each key without moving any others.



Order-No.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
-----------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

## Hex L-Key Sets.



### 351 HZ8 Hex L-Key Set in Holder. Nickel-plated, 8 pcs. Inch Sizes.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Produced acc. To ASME B18.3-1998.  
Application: For all popular inch screws.  
Extra: Popular key sizes kept in a well-organised holder.


Order-No.									£	
01176 5	351 HZ8								10	5.64
	351 Zoll	5/64	3/32	1/8	5/32	3/16	7/32			
		1/4	5/16							



### 351 RZ8 Hex L-Key Set on Keyring. Bright Nickel-plated, 8 pcs. Inch sizes. In Plastic Pouch.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Produced acc. To ASME B18.3-1998.  
Application: For all popular inch screws.  
Extra: Flexible hanging of all keys on a keyring.  
Blister Packed.

Order-No.											£
01181 9	351 RZ8								10	7.97	
	351 Zoll	1/16	5/64	3/32	1/8	5/32	3/16				
		7/32	1/4								



### 351 BZ7 Hex L-Key Set in Sliding Box. Nickel-plated, 7 pcs. Inch Sizes.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Standards: Produced acc. To ASME B18.3-1998.  
Application: For all popular inch screws.  
Extra: Small, impact resistant sliding box.

Order-No.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
-----------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

# Wiha MagicSpring®.

Holds TORX®- and TORX PLUS® Screws Securely in Place.



No more annoying and time-consuming hunting around for TORX® or TORX PLUS® screws that have apparently vanished into thin air. With Wiha's ingenious new tool, the MagicSpring®, TORX® or TORX PLUS® screws\* are kept firmly where you want them.

The highlight of the "MagicSpring®" tools is the stainless steel "magical" retaining spring that, together with a thin cover disc, is laser-welded to the tip of the blade.

This completely new innovation acts as a clamp between tool and TORX® or TORX PLUS® screw, so that the latter is firmly gripped by the tip of the blade. The new tools are especially beneficial when turning particularly small screws or when turning screws in areas that are difficult to access. Simply place the screw on the tip of the blade and start to turn. No more screws will fall to the ground or disappear between components.

\* TORX® or TORX PLUS® screws manufactured acc. to Camcar Textron specifications.



Thanks to Wiha's MagicSpring®, inserting and removing TORX® and TORX PLUS® screws is safe and easy.



The retaining spring is a completely new technical solution that, together with a thin cover disc, is laser-welded to the tip of the blade.



The "MagicSpring®" integrated into the tip of the blade acts as a clamp between tool and TORX® or TORX PLUS® screw so that the latter is gripped firmly.



As the clamping action is purely mechanical, MagicSpring® also gets a firm grip on TORX® or TORX PLUS® screws made of aluminium, stainless steel, plastic and titanium.



## Wiha MagicSpring®:

- MagicSpring® retaining spring made of stainless steel gets a firm hold on every TORX® or TORX PLUS® screw
- No more annoying searching for dropped screws
- Ideal for areas that are difficult to access
- Made of high-quality materials in the renowned Wiha quality
- Also suitable for TORX® or TORX PLUS® screws made of aluminium, stainless steel, plastic and titanium



## TORX® MagicSpring® L-Keys and Sets.



### 371R TORX® L-Keys. With MagicSpring®.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications.  
Extra: MagicSpring® made of stainless steel holds TORX® screws tight at various angles.

Order-No.						£
27718 5	T6	65	16	1/16	10	2.74
27719 2	T7	71	18	5/64	10	2.74
27720 8	T8	77	20	3/32	10	2.74
27721 5	T9	83	22	7/64	10	2.78
27722 2	T10	90	24	1/8	10	2.86
27723 9	T15	97	26	9/64	10	2.94
27724 6	T20	104	29	5/32	10	3.02
27725 3	T25	112	33	3/16	10	3.22
27726 0	T27	122	36	7/32	10	3.34
27727 7	T30	132	40	1/4	10	3.50
27728 4	T40	143	44	5/16	10	4.11



### 371R HM7 TORX® L-Key Set in Holder. With MagicSpring®, manganese-phosphated, 7 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications.  
Extra: MagicSpring® made of stainless steel holds TORX® screws tight at various angles.  
Popular key sizes kept in a well-organised holder.

Order-No.			£
27903 5	371R HM7	5	19.48
	371R	T6 T7 T8 T9 T10 T15 T20	

### SB 371R HM7 TORX® L-Key Set in Holder. With MagicSpring®, manganese-phosphated, 7 pcs. Blister Packed.

Order-No.			£
29533 2	SB 371R HM7	5	20.21
	371R	T6 T7 T8 T9 T10 T15 T20	

## TORX PLUS® MagicSpring® L-Keys and Sets.



### 371RIP TORX PLUS® L-Key. With MagicSpring®.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX PLUS® screw tasks.  
Extra: MagicSpring® made from stainless steel holds TORX PLUS®-screws tight at various angles.  
The stronger profile of the TORX PLUS® tip allows up to 25% extra torque than the TORX® profile.

Attention: TORX PLUS® keys cannot be used with TORX® screws.

Order-No.						£
29197 6	6IP	65	16	1/16	10	4.19
29198 3	7IP	71	18	5/64	10	4.19
29199 0	8IP	77	20	3/32	10	4.19
29200 3	9IP	83	22	7/64	10	4.19
29201 0	10IP	90	24	1/8	10	4.35
29202 7	15IP	97	26	9/64	10	4.43
29203 4	20IP	104	29	5/32	10	4.59
29204 1	25IP	112	33	3/16	10	4.83
29205 8	27IP	122	36	7/32	10	5.23
29206 5	30IP	132	40	1/4	10	5.55
29207 2	40IP	143	44	5/16	10	6.20



### 371RIP HM7 TORX PLUS® L-Key Set in Holder. With MagicSpring®, manganese-phosphated, 7 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX PLUS® screw tasks.  
Extra: MagicSpring® made from stainless steel holds TORX PLUS®-screws tight at various angles.  
Popular key sizes kept in a well-organised holder.

Order-No.			£
29208 9	371RIP HM7	5	30.03
	371RIP	6IP 7IP 8IP 9IP 10IP 15IP 20IP	

### SB 371RIP HM7 TORX PLUS® L-Key Set in Holder. With MagicSpring®, manganese-phosphated, 7 pcs. Blister Packed.

Order-No.			£
29534 9	SB 371RIP HM7	5	30.75
	371RIP	6IP 7IP 8IP 9IP 10IP 15IP 20IP	

# Wiha TORX® L-Keys.

## Ballpoint TORX® L-Keys.



### 366K Ballpoint TORX® L-Key.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: Especially for TORX® screws that are difficult to access.  
Extra: The ballpoint enables the user to work at angles up to 25°.

Order-No.						£
23488 1	T9	66	20	3.0	10	3.26
23457 7	T10	75	20	3.0	10	3.26
23458 4	T15	85	21	3.5	10	3.30
23461 4	T20	97	22	4.0	10	3.30
23463 8	T25	100	23	4.5	10	3.66
23465 2	T27	110	25	5.5	10	3.86
23467 6	T30	123	29	6.0	10	4.11
23471 3	T40	139	33	7.0	10	4.51



### 366K H8 Ballpoint TORX® L-Key Set in Holder. Manganese-phosphated, 8 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: Especially for TORX® screws that are difficult to access.  
Extra: The ballpoint enables the user to work at angles up to 25°. Popular key sizes kept in a well-organised holder.

Order-No.			£
23490 4	366K H8	5	30.59
	366K	T9 T10 T15 T20 T25 T27 T30 T40	

## TORX® L-Keys and Sets.



### 366 TORX® L-Key, Long.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications.

Order-No.						£
24313 5	T5	72	13	1.27	10	2.29
24314 2	T6	80	15	1.58	10	1.93
24315 9	T7	88	18	1.98	10	1.93
24316 6	T8	101	20	2.38	10	1.93
24317 3	T9	111	21	2.77	10	1.93
24318 0	T10	121	23	3.17	10	2.01
24319 7	T15	136	27	3.57	10	2.09
24320 3	T20	148	29	3.97	10	2.21
24321 0	T25	163	33	4.76	10	2.29
24322 7	T27	176	36	5.55	10	2.42
24323 4	T30	191	38	6.30	10	2.62
24324 1	T40	210	43	7.94	10	3.18
24325 8	T50	232	50	9.52	10	4.19



### 366 SZ13 TORX® L-Key Set in ProStar. Manganese-phosphated, 13 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications.  
Extra: Space saving ProStar allows the easy removal of each key without moving any others.  
All keys from T5 to T50 in one set.

Order-No.			£
24312 8	366 SZ13	5	32.92
	366	T5 T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40 T50	

### SB 366 SZ13 TORX® L-Key Set in ProStar. Manganese-phosphated, 13 pcs. Blister Packed.

Order-No.			£
24852 9	SB 366 SZ13	5	33.65
	366	T5 T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40 T50	

## Wiha Info



TORX PLUS®



TORX®

The reinforced core of the TORX PLUS® range permits the transmission of even higher torques than with the TORX® profiles.

Rather than transmit the torque to a single point, the re-designed profile edges deliver a more evenly distributed pressure across the head of the screw and surface of the tool. This increases the service life of both screw and tool.

## TORX® L-Keys and Sets.



### 363 TORX® L-Key, Short.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications in confined work spaces.

Order-No.						£
03764 2	T5	39	18	2.5	10	1.89
01310 3	T6	41	18	2.5	10	1.65
01311 0	T7	44	18	2.5	10	1.65
01312 7	T8	47	18	2.5	10	1.65
01313 4	T9	51	19	3.0	10	1.65
01314 1	T10	54	20	3.0	10	1.73
01315 8	T15	57	22	3.5	10	1.77
01316 5	T20	62	23	4.0	10	1.81
01317 2	T25	67	25	4.5	10	1.89
01318 9	T27	72	27	5.5	10	1.97
01319 6	T30	79	30	6.0	10	2.09
01320 2	T40	86	33	7.0	10	2.50
01321 9	T45	90	36	8.0	10	2.94
01322 6	T50	104	41	9.0	10	3.42
01323 3	T55	120	47	12.0	10	4.35
01324 0	T60	134	52	14.0	10	5.80



### 363 VB TORX® L-Key Set in Bench Stand. Manganese-phosphated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications in confined work spaces.  
Extra: Robust metal workbench holder to place on workbench or wall-mount.  
Tip diagrams printed to scale.

Order-No.						£
01326 4	363 VB				1	34.62
	363	T10 T15 T20 T25 T30 T40 T50 T55 T60				

## TORX® Sets.



### 363 H9 TORX® L-Key Set in Holder. Manganese-phosphated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications in confined work spaces.  
Extra: Popular key sizes kept in a well-organised holder.

Order-No.						£
06376 4	363 H9				5	17.79
	363	T8 T9 T10 T15 T20 T25 T27 T30 T40				

### SB 363 H9 TORX® L-Key Set in Holder. Manganese-phosphated, 9 pcs. Blister Packed.

Order-No.						£
27554 9	SB 363 H9				5	18.76
	363	T8 T9 T10 T15 T20 T25 T27 T30 T40				



### 363 HM7 TORX® L-Key Set in Holder. Manganese-phosphated, 7 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications in confined work spaces.  
Extra: Popular key sizes kept in a well-organised holder.

Order-No.						£
06375 7	363 HM7				5	12.32
	363	T6 T7 T8 T9 T10 T15 T20				



### 363 H6 TORX® L-Key Set in Holder. Manganese-phosphated, 6 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications in confined work spaces.  
Extra: Popular key sizes kept in a well-organised holder.

Order-No.						£
06374 0	363 H6				5	12.80
	363	T15 T20 T25 T27 T30 T40				

# Wiha L-Keys.

## TORX® Tamper Resistant L-Keys.



### 363TR TORX® Tamper Resistant L-Key, Short.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For popular TORX® Tamper Resistant screws (with security pin).  
Extra: Borehole in every blade tip.

Order-No.	⊗	↔	!↖	●!	≡	£
24105 6	T7H	44	18	2.5	10	2.05
24107 0	T8H	47	18	2.5	10	2.05
24109 4	T9H	51	19	3.0	10	2.05
24111 7	T10H	54	20	3.0	10	2.21
24113 1	T15H	57	22	3.5	10	2.25
24115 5	T20H	62	23	4.0	10	2.33
24117 9	T25H	67	25	4.5	10	2.42
24119 3	T27H	72	27	5.5	10	2.58
24121 6	T30H	79	30	6.0	10	2.86
24123 0	T40H	86	33	7.0	10	3.34



### 363TR H9 TORX® Tamper Resistant L-Key Set in Holder. Manganese-phosphated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For popular TORX® Tamper Resistant screws (with security pin).  
Extra: Popular key sizes kept in a well-organised holder.  
Borehole in every blade tip.

Order-No.	≡	£
25608 1	363TR H9	5 23.10
⊗	363TR T8H T9H T10H T15H T20H T25H T27H T30H T40H	

### SB 363TR H9 TORX® Tamper Resistant L-Key Set in Holder. Manganese-phosphated, 9 pcs. Blister Packed.

Order-No.	≡	£
27555 6	SB 363TR H9	5 23.99
⊗	363TR T8H T9H T10H T15H T20H T25H T27H T30H T40H	

## TORX PLUS® and XZN L-Keys.



### 361IP TORX PLUS® L-Key, Short.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For popular TORX PLUS® screws.  
Extra: The stronger profile of the TORX PLUS® tip allows up to 25% extra torque than the TORX® profile.

Attention: TORX PLUS® keys cannot be used with TORX® screws.

Order-No.	⊗	↔	!↖	●!	≡	£
24513 9	6IP	41	18	2.5	10	2.70
24515 3	7IP	44	18	2.5	10	2.70
24517 7	8IP	47	18	2.5	10	2.70
24519 1	9IP	51	19	3.0	10	2.70
24521 4	10IP	54	20	3.0	10	2.78
24523 8	15IP	58	22	3.5	10	2.86
24525 2	20IP	62	23	4.0	10	2.94
24527 6	25IP	67	25	4.5	10	3.06
24529 0	27IP	73	27	5.5	10	3.26
24531 3	30IP	79	30	6.0	10	3.46
24533 7	40IP	88	33	7.0	10	3.90



### 361IP H9 TORX PLUS® L-Key Set in Holder. Manganese-phosphated, 9 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For popular TORX PLUS® screws.  
Extra: Popular key sizes kept in a well-organised holder.  
Attention: TORX PLUS® keys cannot be used with TORX® screws.

Order-No.	≡	£
26246 4	361IP H9	5 28.18
⊗	361IP 8IP 9IP 10IP 15IP 20IP 25IP 27IP 30IP 40IP	



### 355 XZN L-Key, Short.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Application: For XZN screws from Bauer & Schaurte (B&S).

Order-No.	⊗	↔	!↖	≡	£
01243 4	M5	76	30	10	1.93
01244 1	M6	86	34	10	2.42
01245 8	M8	98	38	10	3.18
01246 5	M10	110	46	10	4.27
01247 2	M12	124	52	10	5.55
01248 9	M14	138	58	10	7.16
01249 6	M16	156	71	10	11.59