

Data

Electrical data

Ratings per IEC/EN

Rated current	30 A
---------------	------

Material data

Color	orange
Weight	3.6 g

Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4055143599993
Customs tariff number	85366990990













Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com












Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Compatible products

Jumper

	Item no.: 2007-8801 2-conductor through terminal block; 6 mm ² ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8801
	Item no.: 2007-8801/040-000 2-conductor through terminal block; 6 mm ² ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8801/040-000
	Item no.: 2007-8801/041-000 2-conductor through terminal block; 6 mm ² ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8801/041-000
	Item no.: 2007-8801/043-000 2-conductor through terminal block; 6 mm ² ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8801/043-000
	Item no.: 2007-8801/044-000 2-conductor through terminal block; 6 mm ² ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8801/044-000
	Item no.: 2007-8801/045-000 2-conductor through terminal block; 6 mm ² ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8801/045-000
	Item no.: 2007-8801/046-000 2-conductor through terminal block; 6 mm ² ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8801/046-000
	Item no.: 2007-8804 2-conductor through terminal block; 6 mm ² ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; blue	www.wago.com/2007-8804
	Item no.: 2007-8807 2-conductor ground terminal block; 6 mm ² ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; green-yellow	www.wago.com/2007-8807
	Item no.: 2007-8811 2-conductor disconnect/test terminal block; e.g., voltage transformer circuits; with touch-proof test sockets; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm ² ; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8811
	Item no.: 2007-8811/044-000 2-conductor disconnect/test terminal block; e.g., voltage transformer circuits; with touch-proof test sockets; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm ² ; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8811/044-000
	Item no.: 2007-8811/045-000 2-conductor disconnect/test terminal block; e.g., voltage transformer circuits; with touch-proof test sockets; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm ² ; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8811/045-000
	Item no.: 2007-8821	

Subject to changes. Please also observe the further product documentation!

	2-conductor disconnect/test terminal block; e.g., current transformer circuits; with receptacle for adjacent jumper with switch lever; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm ² ; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8821
Item no.: 2007-8821/044-000		
	2-conductor disconnect/test terminal block; e.g., current transformer circuits; with receptacle for adjacent jumper with switch lever; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm ² ; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8821/044-000
Item no.: 2007-8821/045-000		
	2-conductor disconnect/test terminal block; e.g., current transformer circuits; with receptacle for adjacent jumper with switch lever; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm ² ; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8821/045-000
Item no.: 2007-8901		
	2-conductor through terminal block; 6 mm ² ; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8901
Item no.: 2007-8907		
	2-conductor ground terminal block; 6 mm ² ; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; green-yellow	www.wago.com/2007-8907
Item no.: 2007-8911		
	2-conductor disconnect/test terminal block; e.g., voltage transformer circuits; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm ² ; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8911
Item no.: 2007-8921		
	2-conductor disconnect/test terminal block; e.g., current transformer circuits; with receptacle for adjacent jumper with switch lever; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm ² ; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2007-8921
Item no.: 282-811		
	2-conductor disconnect/test terminal block; transverse switching; with touch-proof test socket; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm ² ; CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/282-811
Item no.: 282-821		
	2-conductor disconnect/test terminal block; longitudinal switching; with touch-proof test sockets; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm ² ; CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/282-821
Item no.: 282-841		
	2-conductor through terminal block; 6 mm ² ; with touch-proof test sockets; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/282-841
Item no.: 282-841/049-000		
	2-conductor through terminal block; 6 mm ² ; without test sockets; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/282-841/049-000

Downloads

Documentation

Additional Information

Technical explanations	3. 4. 2019	pdf 2.2 MB	Download
------------------------	------------	---------------	----------

Environmental Product Compliance

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Compliance Search

Environmental Product Compliance 282-433/011-000

URL

Download

Jumper; insulated; orange

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.