
Item no.: 769-251
Product description: 2-CONDUCTOR/1-PIN RECEPTACLE TERMINAL BLOCKS
according to EN 60715



Produkt kann von Bild abweichen / product may differ

Packing unit 50 pieces

RoHS compliant

Product group	18 (X-COM-SYSTEM)
Cross section [mm ²]	0.08 - 4 mm ²
Cross section [AWG]	28 - 12 AWG
Connection method	CAGE CLAMP® CONNECTION
Measured voltage EN	500 V
Measured shock voltage	6 kV
Pollution degree	3
Current intensity EN	32 A
Weight	7.799 g
Color	gray
Wiring type	Front-entry
No. of connection Points	3
No. of potentials	1
Height	28.5 mm
Height	1.12 in
Width	5 mm
Width	0.197 in
Depth	69 mm
Depth	2.72 in

Strip length from
Strip length to
Strip length

8 mm
9 mm
0.33 in



Customs Tariff No.
Country of Origin
Mounting

85366990
Deutschland
TS 35



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm ²]
769-251	ABS	05-HG476175/3-PDA	500	16	4
769-251	CSA	154112-1101144	300	20	28-12
769-251	KEMA	2028601.01	500	16	4
769-251	UR	E45171	600	20	16-12
769-251	UR	E45172	300	20	28-12

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected