




Data sheet | Item number: 2102-5304

TOPJOB®S feedthrough terminal block with Lever and Push-buttons; rail mount; 3-conductor; 5.2 mm wide; blue



[www.wago.com/2102-5304](http://www.wago.com/2102-5304)



Data

Electrical data

Ratings per IEC/EN 60664-1

|                                 |       |
|---------------------------------|-------|
| Rated voltage (III / 3)         | 800 V |
| Rated impulse voltage (III / 3) | 8 kV  |
| Rated current                   | 24 A  |



|                   |   |
|-------------------|---|
| Rated current (2) | 30 A  |
| Legend (ratings)  | (III / 3) $\hat{=}$ Overvoltage category III / Pollution degree 3 |

### Approvals per CSA

|                                 |       |
|---------------------------------|-------|
| Rated voltage CSA (Use Group B) | 600 V |
| Rated current CSA (Use Group B) | 20 A  |
| Rated voltage CSA (Use Group C) | 600 V |
| Rated current CSA (Use Group C) | 20 A  |

### Connection data

|   |  |
|---|--|
| Connection technology   | Push-in CAGE CLAMP <sup>®</sup>            |
| Actuation type  | Push-in<br>Lever                           |
| Connectable conductor materials                                 | Copper                                     |
| Nominal cross section   | 2.5 mm <sup>2</sup>                        |
| Solid conductor   | 0.25 ... 4 mm <sup>2</sup> / 22 ... 12 AWG |
| Solid conductor, push-in termination                            | 0.75 ... 4 mm <sup>2</sup> / 18 ... 12 AWG |
| Fine-stranded conductor   | 0.25 ... 4 mm <sup>2</sup> / 22 ... 12 AWG |
| Fine-stranded conductor with ferrule, push-in termination, from | 0.75 mm <sup>2</sup> / 18 AWG              |
| Strip length  | 10 ... 12 mm / 0.39 ... 0.47 Inch          |
| Actuation type 2  | Push-in<br>Push-button<br>Operating tool   |
| Number of levels  | 1  |
| Total number of connection points                               | 3  |
| Total number of potentials                                      | 1  |
| Type of wiring  | Front-entry wiring                         |

### Geometrical Data

|                                       |                      |
|---------------------------------------|----------------------|
| Width                                 | 5.2 mm / 0.205 inch  |
| Height from upper-edge of DIN-35 rail | 32.9 mm / 1.295 inch |
| Depth                                 | 72.2 mm / 2.843 inch |

### Mechanical data

|                  |                     |
|------------------|---------------------|
| Design           | horizontal          |
| Type of mounting | DIN-35 rail         |
| Marking level    | Center/side marking |

### Material Data

|       |      |
|-------|------|
| Color | blue |
|-------|------|




|                     |                      |
|---------------------|----------------------|
| Insulating material | Polyamide 66 (PA 66) |
| Weight              | 8.154 g              |

### Commercial data

|                   |               |
|-------------------|---------------|
| Packaging type    | BOX           |
| Country of origin | DE            |
| GTIN              | 4055143741989 |





### Approvals / Certificates

#### Country specific Approvals


| Logo   | Approval                              | Certificate name |
|--|---------------------------------------|------------------|
|    | CCA<br>DEKRA Certification B.V.       | NTR NL 7670      |
|    | CSA<br>DEKRA Certification B.V.       | 70175030         |
|  | KEMA/KEUR<br>DEKRA Certification B.V. | 71-102882        |

















### Compatible products

















#### General accessories

|  |  |  |
|--|--|--|
|  | <b>Item no.: 2002-880/1000-411</b><br>Diode plug; 1N4007 (N-P); for 2001 - 2006 series feedthrough terminal blocks; 5.2 mm wide; gray            | <a href="http://www.wago.com/2002-880/1000-411">www.wago.com/2002-880/1000-411</a> |
|  | <b>Item no.: 2002-880/1000-541</b><br>LED plug; red LED (N-P); 12 - 30 V; for 2001 - 2006 series feedthrough terminal blocks; 10.4 mm wide; gray | <a href="http://www.wago.com/2002-880/1000-541">www.wago.com/2002-880/1000-541</a> |
|  | <b>Item no.: 2002-880/1000-542</b><br>LED plug; red LED (N-P); 30 - 65 V; for 2001 - 2006 series feedthrough terminal blocks; 10.4 mm wide; gray | <a href="http://www.wago.com/2002-880/1000-542">www.wago.com/2002-880/1000-542</a> |
|  | <b>Item no.: 2002-880/1000-836</b><br>LED plug; red LED (N-P); 230 V; for 2001 - 2006 series feedthrough terminal blocks; 10.4 mm wide; gray     | <a href="http://www.wago.com/2002-880/1000-836">www.wago.com/2002-880/1000-836</a> |

#### Jumper

|  |   |  |
|--|---|--|
|  | <b>Item no.: 2002-400</b><br>TOPJOB®S endless jumper; for 2002 series; insulated; 2-way; light-gray | <a href="http://www.wago.com/2002-400">www.wago.com/2002-400</a> |
|--|---|--|

|  |  |  |
|--|--|--|
|    | <b>Item no.: 2002-402</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way; light-gray                                    | <a href="http://www.wago.com/2002-402">www.wago.com/2002-402</a>                 |
|    | <b>Item no.: 2002-402/000-005</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way; red                                   | <a href="http://www.wago.com/2002-402/000-005">www.wago.com/2002-402/000-005</a> |
|    | <b>Item no.: 2002-402/000-006</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way; blue                                  | <a href="http://www.wago.com/2002-402/000-006">www.wago.com/2002-402/000-006</a> |
|    | <b>Item no.: 2002-403</b><br>TOPJOB®S jumper; for 2002 series; insulated; 3-way; light-gray                                    | <a href="http://www.wago.com/2002-403">www.wago.com/2002-403</a>                 |
|    | <b>Item no.: 2002-403/000-005</b><br>TOPJOB®S jumper; for 2002 series; insulated; 3-way; red                                   | <a href="http://www.wago.com/2002-403/000-005">www.wago.com/2002-403/000-005</a> |
|    | <b>Item no.: 2002-403/000-006</b><br>TOPJOB®S jumper; for 2002 series; insulated; 3-way; blue                                  | <a href="http://www.wago.com/2002-403/000-006">www.wago.com/2002-403/000-006</a> |
|    | <b>Item no.: 2002-404</b><br>TOPJOB®S jumper; for 2002 series; insulated; 4-way; light-gray                                    | <a href="http://www.wago.com/2002-404">www.wago.com/2002-404</a>                 |
|   | <b>Item no.: 2002-404/000-005</b><br>TOPJOB®S jumper; for 2002 series; insulated; 4-way; red                                   | <a href="http://www.wago.com/2002-404/000-005">www.wago.com/2002-404/000-005</a> |
|  | <b>Item no.: 2002-404/000-006</b><br>TOPJOB®S jumper; for 2002 series; insulated; 4-way; blue                                  | <a href="http://www.wago.com/2002-404/000-006">www.wago.com/2002-404/000-006</a> |
|  | <b>Item no.: 2002-405</b><br>TOPJOB®S jumper; for 2002 series; insulated; 5-way; light-gray                                    | <a href="http://www.wago.com/2002-405">www.wago.com/2002-405</a>                 |
|  | <b>Item no.: 2002-405/000-005</b><br>TOPJOB®S jumper; for 2002 series; insulated; 5-way; red                                   | <a href="http://www.wago.com/2002-405/000-005">www.wago.com/2002-405/000-005</a> |
|  | <b>Item no.: 2002-405/000-006</b><br>TOPJOB®S jumper; for 2002 series; insulated; 5-way; blue                                  | <a href="http://www.wago.com/2002-405/000-006">www.wago.com/2002-405/000-006</a> |
|  | <b>Item no.: 2002-405/011-000</b><br>TOPJOB®S jumper; Wye configuration; for 2002 series; insulated; 3-way (1-3-5); light-gray | <a href="http://www.wago.com/2002-405/011-000">www.wago.com/2002-405/011-000</a> |
|  | <b>Item no.: 2002-406</b><br>TOPJOB®S jumper; for 2002 series; insulated; 6-way; light-gray                                    | <a href="http://www.wago.com/2002-406">www.wago.com/2002-406</a>                 |
|  | <b>Item no.: 2002-406/000-005</b><br>TOPJOB®S jumper; for 2002 series; insulated; 6-way; red                                   | <a href="http://www.wago.com/2002-406/000-005">www.wago.com/2002-406/000-005</a> |
|  | <b>Item no.: 2002-406/000-006</b><br>TOPJOB®S jumper; for 2002 series; insulated; 6-way; blue                                  | <a href="http://www.wago.com/2002-406/000-006">www.wago.com/2002-406/000-006</a> |

|  |  |  |
|--|--|--|
|    | <b>Item no.: 2002-406/020-000</b><br>TOPJOB®S jumper; Delta configuration; for 2002 series; insulated; 6-way (1-2, 3-4, 5-6); light-gray | <a href="http://www.wago.com/2002-406/020-000">www.wago.com/2002-406/020-000</a> |
|    | <b>Item no.: 2002-407</b><br>TOPJOB®S jumper; for 2002 series; insulated; 7-way; light-gray  | <a href="http://www.wago.com/2002-407">www.wago.com/2002-407</a>                 |
|    | <b>Item no.: 2002-407/000-005</b><br>TOPJOB®S jumper; for 2002 series; insulated; 7-way; red   | <a href="http://www.wago.com/2002-407/000-005">www.wago.com/2002-407/000-005</a> |
|    | <b>Item no.: 2002-407/000-006</b><br>TOPJOB®S jumper; for 2002 series; insulated; 7-way; blue  | <a href="http://www.wago.com/2002-407/000-006">www.wago.com/2002-407/000-006</a> |
|    | <b>Item no.: 2002-408</b><br>TOPJOB®S jumper; for 2002 series; insulated; 8-way; light-gray  | <a href="http://www.wago.com/2002-408">www.wago.com/2002-408</a>                 |
|    | <b>Item no.: 2002-408/000-005</b><br>TOPJOB®S jumper; for 2002 series; insulated; 8-way; red   | <a href="http://www.wago.com/2002-408/000-005">www.wago.com/2002-408/000-005</a> |
|    | <b>Item no.: 2002-408/000-006</b><br>TOPJOB®S jumper; for 2002 series; insulated; 8-way; blue  | <a href="http://www.wago.com/2002-408/000-006">www.wago.com/2002-408/000-006</a> |
|   | <b>Item no.: 2002-409</b><br>TOPJOB®S jumper; for 2002 series; insulated; 9-way; light-gray  | <a href="http://www.wago.com/2002-409">www.wago.com/2002-409</a>                 |
|  | <b>Item no.: 2002-409/000-005</b><br>TOPJOB®S jumper; for 2002 series; insulated; 9-way; red   | <a href="http://www.wago.com/2002-409/000-005">www.wago.com/2002-409/000-005</a> |
|  | <b>Item no.: 2002-409/000-006</b><br>TOPJOB®S jumper; for 2002 series; insulated; 9-way; light-gray                                      | <a href="http://www.wago.com/2002-409/000-006">www.wago.com/2002-409/000-006</a> |
|  | <b>Item no.: 2002-410</b><br>TOPJOB®S jumper; for 2002 series; insulated; 10-way; light-gray   | <a href="http://www.wago.com/2002-410">www.wago.com/2002-410</a>                 |
|  | <b>Item no.: 2002-410/000-005</b><br>TOPJOB®S jumper; for 2002 series; insulated; 10-way; red  | <a href="http://www.wago.com/2002-410/000-005">www.wago.com/2002-410/000-005</a> |
|  | <b>Item no.: 2002-410/000-006</b><br>TOPJOB®S jumper; for 2002 series; insulated; 10-way; blue   | <a href="http://www.wago.com/2002-410/000-006">www.wago.com/2002-410/000-006</a> |
|  | <b>Item no.: 2002-423</b><br>TOPJOB®S endless jumper; for 2002 series; insulated; 2-way (1-3); light-gray                                | <a href="http://www.wago.com/2002-423">www.wago.com/2002-423</a>                 |
|  | <b>Item no.: 2002-423/000-005</b><br>TOPJOB®S endless jumper; for 2002 series; insulated; 2-way (1-3); red                               | <a href="http://www.wago.com/2002-423/000-005">www.wago.com/2002-423/000-005</a> |
|  | <b>Item no.: 2002-423/000-006</b><br>TOPJOB®S endless jumper; for 2002 series; insulated; 2-way (1-3); blue                              | <a href="http://www.wago.com/2002-423/000-006">www.wago.com/2002-423/000-006</a> |

|  |  |  |
|--|--|--|
|    | <b>Item no.: 2002-433</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-3); light-gray  | <a href="http://www.wago.com/2002-433">www.wago.com/2002-433</a>                 |
|    | <b>Item no.: 2002-434</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-4); light-gray  | <a href="http://www.wago.com/2002-434">www.wago.com/2002-434</a>                 |
|    | <b>Item no.: 2002-435</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-5); light-gray  | <a href="http://www.wago.com/2002-435">www.wago.com/2002-435</a>                 |
|    | <b>Item no.: 2002-436</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-6); light-gray  | <a href="http://www.wago.com/2002-436">www.wago.com/2002-436</a>                 |
|    | <b>Item no.: 2002-437</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-7); light-gray  | <a href="http://www.wago.com/2002-437">www.wago.com/2002-437</a>                 |
|    | <b>Item no.: 2002-438</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-8); light-gray  | <a href="http://www.wago.com/2002-438">www.wago.com/2002-438</a>                 |
|    | <b>Item no.: 2002-439</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-9); light-gray  | <a href="http://www.wago.com/2002-439">www.wago.com/2002-439</a>                 |
|    | <b>Item no.: 2002-440</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-10); light-gray   | <a href="http://www.wago.com/2002-440">www.wago.com/2002-440</a>                 |
|    | <b>Item no.: 2002-472</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 2-way; light-gray                                 | <a href="http://www.wago.com/2002-472">www.wago.com/2002-472</a>                 |
|   | <b>Item no.: 2002-473</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 3-way; light-gray                                 | <a href="http://www.wago.com/2002-473">www.wago.com/2002-473</a>                 |
|  | <b>Item no.: 2002-473/011-000</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; 2-way (preconfigured 1-3); light-gray                | <a href="http://www.wago.com/2002-473/011-000">www.wago.com/2002-473/011-000</a> |
|  | <b>Item no.: 2002-474</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 4-way; light-gray                                 | <a href="http://www.wago.com/2002-474">www.wago.com/2002-474</a>                 |
|  | <b>Item no.: 2002-475</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 5-way; light-gray                                 | <a href="http://www.wago.com/2002-475">www.wago.com/2002-475</a>                 |
|  | <b>Item no.: 2002-475/011-000</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 3-way (preconfigured 1-3-5); light-gray   | <a href="http://www.wago.com/2002-475/011-000">www.wago.com/2002-475/011-000</a> |
|  | <b>Item no.: 2002-476</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 6-way; light-gray                                 | <a href="http://www.wago.com/2002-476">www.wago.com/2002-476</a>                 |
|  | <b>Item no.: 2002-477</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 7-way; light-gray                                 | <a href="http://www.wago.com/2002-477">www.wago.com/2002-477</a>                 |
|  | <b>Item no.: 2002-477/011-000</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 4-way (preconfigured 1-3-5-7); light-gray | <a href="http://www.wago.com/2002-477/011-000">www.wago.com/2002-477/011-000</a> |
|  | <b>Item no.: 2002-478</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 8-way; light-gray                                 | <a href="http://www.wago.com/2002-478">www.wago.com/2002-478</a>                 |
|  | <b>Item no.: 2002-479</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 9-way; light-gray                                 | <a href="http://www.wago.com/2002-479">www.wago.com/2002-479</a>                 |

**Item no.: 2002-479/011-000**

TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 5-way (preconfigured 1-3-5-7-9); light-gray

[www.wago.com/2002-479/011-000](http://www.wago.com/2002-479/011-000)**Item no.: 2002-480**

TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 10-way; light-gray

[www.wago.com/2002-480](http://www.wago.com/2002-480)**Item no.: 2002-481**

TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 11-way; light-gray

[www.wago.com/2002-481](http://www.wago.com/2002-481)**Item no.: 2002-481/011-000**


TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 6-way (preconfigured 1-3-5-7-9-11); light-gray

[www.wago.com/2002-481/011-000](http://www.wago.com/2002-481/011-000)**Item no.: 2002-482**

TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 12-way; light-gray

[www.wago.com/2002-482](http://www.wago.com/2002-482)**Item no.: 2006-499**Step-down jumper; insulated; from 6/4 mm<sup>2</sup> to 4/2.5/1.5 mm<sup>2</sup>; Nominal current 32 A[www.wago.com/2006-499](http://www.wago.com/2006-499)**Item no.: 2009-412**TOPJOB®S wire jumper; insulated; 60 mm long; conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 series terminal blocks; gray[www.wago.com/2009-412](http://www.wago.com/2009-412)**Item no.: 2009-414**TOPJOB®S wire jumper; insulated; 110 mm long; conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 series terminal blocks; gray[www.wago.com/2009-414](http://www.wago.com/2009-414)**Item no.: 2009-416**TOPJOB®S wire jumper; insulated; 250 mm long; conductor cross section 1.5 mm<sup>2</sup>; suitable for 2001, 2002, 2003 and 2022 series terminal blocks; gray[www.wago.com/2009-416](http://www.wago.com/2009-416)**Item no.: 2016-499**Step-down jumper; insulated; from 16/10 mm<sup>2</sup> to 10/6/4/2.5 mm<sup>2</sup>; Nominal current 57 A[www.wago.com/2016-499](http://www.wago.com/2016-499)**Item no.: 210-103**

Wire commoning chain; insulated; 50 connections

[www.wago.com/210-103](http://www.wago.com/210-103)**Item no.: 210-123**

Wire commoning chain; insulated; 50 connections

[www.wago.com/210-123](http://www.wago.com/210-123)

### Marking accessories

**Item no.: 2002-161**

Marking strips

[www.wago.com/2002-161](http://www.wago.com/2002-161)**Item no.: 2009-110**

Marking strips; on reel; not stretchable; plain; snap-on type

[www.wago.com/2009-110](http://www.wago.com/2009-110)**Item no.: 2009-115**

WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

















[www.wago.com/2009-115](http://www.wago.com/2009-115)**Item no.: 2009-115/000-002**

WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/2009-115/000-002](http://www.wago.com/2009-115/000-002)**Item no.: 2009-115/000-006**

WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/2009-115/000-006](http://www.wago.com/2009-115/000-006)

|  |  |  |
|--|--|--|
|    | <b>Item no.: 2009-115/000-007</b><br>WMB-Inline; on reel; stretchable 5 - 5.2 mm; plain; snap-on type                        | <a href="http://www.wago.com/2009-115/000-007">www.wago.com/2009-115/000-007</a> |
|    | <b>Item no.: 2009-115/000-012</b><br>WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type      | <a href="http://www.wago.com/2009-115/000-012">www.wago.com/2009-115/000-012</a> |
|    | <b>Item no.: 2009-115/000-017</b><br>WMB-Inline; on reel; stretchable 5 - 5.2 mm; plain; snap-on type                        | <a href="http://www.wago.com/2009-115/000-017">www.wago.com/2009-115/000-017</a> |
|    | <b>Item no.: 2009-115/000-023</b><br>WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type      | <a href="http://www.wago.com/2009-115/000-023">www.wago.com/2009-115/000-023</a> |
|    | <b>Item no.: 2009-115/000-024</b><br>WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type      | <a href="http://www.wago.com/2009-115/000-024">www.wago.com/2009-115/000-024</a> |
|    | <b>Item no.: 2009-145</b><br>Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type         | <a href="http://www.wago.com/2009-145">www.wago.com/2009-145</a>                 |
|    | <b>Item no.: 2009-145/000-002</b><br>Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | <a href="http://www.wago.com/2009-145/000-002">www.wago.com/2009-145/000-002</a> |
|   | <b>Item no.: 2009-145/000-005</b><br>Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | <a href="http://www.wago.com/2009-145/000-005">www.wago.com/2009-145/000-005</a> |
|  | <b>Item no.: 2009-145/000-006</b><br>Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | <a href="http://www.wago.com/2009-145/000-006">www.wago.com/2009-145/000-006</a> |
|  | <b>Item no.: 2009-145/000-007</b><br>Mini-WSB Inline; plain; 1,700 Mini-WSB markers (5 mm) on roll; stretchable 5 - 5.2 mm   | <a href="http://www.wago.com/2009-145/000-007">www.wago.com/2009-145/000-007</a> |
|  | <b>Item no.: 2009-145/000-012</b><br>Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | <a href="http://www.wago.com/2009-145/000-012">www.wago.com/2009-145/000-012</a> |
|  | <b>Item no.: 2009-145/000-023</b><br>Mini-WSB Inline; on reel; stretchable 5 - 5.2 mm; plain; snap-on type                   | <a href="http://www.wago.com/2009-145/000-023">www.wago.com/2009-145/000-023</a> |
|  | <b>Item no.: 2009-145/000-024</b><br>Mini-WSB Inline; on reel; stretchable 5 - 5.2 mm; plain; snap-on type                   | <a href="http://www.wago.com/2009-145/000-024">www.wago.com/2009-145/000-024</a> |
|  | <b>Item no.: 2009-191</b><br>Group marker carrier  | <a href="http://www.wago.com/2009-191">www.wago.com/2009-191</a>                 |
|  | <b>Item no.: 2009-192</b><br>Group marker carrier  | <a href="http://www.wago.com/2009-192">www.wago.com/2009-192</a>                 |
|  | <b>Item no.: 2009-193</b><br>Group marker carrier  | <a href="http://www.wago.com/2009-193">www.wago.com/2009-193</a>                 |





**Item no.: 2009-198**  
Adaptor

[www.wago.com/2009-198](http://www.wago.com/2009-198)



**Item no.: 248-501**  
Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card

[www.wago.com/248-501](http://www.wago.com/248-501)



**Item no.: 248-501/000-002**  
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/248-501/000-002](http://www.wago.com/248-501/000-002)



**Item no.: 248-501/000-005**  
Mini-WSB marking card; as card; plain; snap-on type

[www.wago.com/248-501/000-005](http://www.wago.com/248-501/000-005)



**Item no.: 248-501/000-006**  
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/248-501/000-006](http://www.wago.com/248-501/000-006)



**Item no.: 248-501/000-007**  
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/248-501/000-007](http://www.wago.com/248-501/000-007)



**Item no.: 248-501/000-012**  
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/248-501/000-012](http://www.wago.com/248-501/000-012)



**Item no.: 248-501/000-017**  
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/248-501/000-017](http://www.wago.com/248-501/000-017)



**Item no.: 248-501/000-023**  
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/248-501/000-023](http://www.wago.com/248-501/000-023)



**Item no.: 248-501/000-024**  
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/248-501/000-024](http://www.wago.com/248-501/000-024)



**Item no.: 793-501**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501](http://www.wago.com/793-501)



**Item no.: 793-501/000-002**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-002](http://www.wago.com/793-501/000-002)



**Item no.: 793-501/000-005**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-005](http://www.wago.com/793-501/000-005)



**Item no.: 793-501/000-006**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-006](http://www.wago.com/793-501/000-006)



**Item no.: 793-501/000-007**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-007](http://www.wago.com/793-501/000-007)



**Item no.: 793-501/000-012**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-012](http://www.wago.com/793-501/000-012)



**Item no.: 793-501/000-017**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-017](http://www.wago.com/793-501/000-017)



**Item no.: 793-501/000-023**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-023](http://www.wago.com/793-501/000-023)



**Item no.: 793-501/000-024**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-024](http://www.wago.com/793-501/000-024)



**Item no.: 793-5501**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501](http://www.wago.com/793-5501)



**Item no.: 793-5501/000-002**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501/000-002](http://www.wago.com/793-5501/000-002)



**Item no.: 793-5501/000-005**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501/000-005](http://www.wago.com/793-5501/000-005)



**Item no.: 793-5501/000-006**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501/000-006](http://www.wago.com/793-5501/000-006)



**Item no.: 793-5501/000-007**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501/000-007](http://www.wago.com/793-5501/000-007)



**Item no.: 793-5501/000-012**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501/000-012](http://www.wago.com/793-5501/000-012)



**Item no.: 793-5501/000-017**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501/000-017](http://www.wago.com/793-5501/000-017)



**Item no.: 793-5501/000-023**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501/000-023](http://www.wago.com/793-5501/000-023)



**Item no.: 793-5501/000-024**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type


















[www.wago.com/793-5501/000-024](http://www.wago.com/793-5501/000-024)

















#### check








**Item no.: 2002-511**  
TOPJOB®S modular connector; for 2002 series; for jumper contact slot; 1-pole; gray

[www.wago.com/2002-511](http://www.wago.com/2002-511)

|  |  |  |
|--|--|--|
|    | <p><b>Item no.: 2002-549</b><br/>TOPJOB®S spacer module; for 2002-511; 5.2 mm wide; gray</p>   | <a href="http://www.wago.com/2002-549">www.wago.com/2002-549</a>   |
|    | <p><b>Item no.: 2002-552</b><br/>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 2-pole; gray</p>                                    | <a href="http://www.wago.com/2002-552">www.wago.com/2002-552</a>   |
|    | <p><b>Item no.: 2002-553</b><br/>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 3-pole; gray</p>                                    | <a href="http://www.wago.com/2002-553">www.wago.com/2002-553</a>   |
|    | <p><b>Item no.: 2002-554</b><br/>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 4-pole; gray</p>                                    | <a href="http://www.wago.com/2002-554">www.wago.com/2002-554</a>   |
|    | <p><b>Item no.: 2002-555</b><br/>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 5-pole; gray</p>                                    | <a href="http://www.wago.com/2002-555">www.wago.com/2002-555</a>   |
|    | <p><b>Item no.: 2002-556</b><br/>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 6-pole; gray</p>                                    | <a href="http://www.wago.com/2002-556">www.wago.com/2002-556</a>   |
|    | <p><b>Item no.: 2002-557</b><br/>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 7-pole; gray</p>                                    | <a href="http://www.wago.com/2002-557">www.wago.com/2002-557</a>   |
|    | <p><b>Item no.: 2002-558</b><br/>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 8-pole; gray</p>                                    | <a href="http://www.wago.com/2002-558">www.wago.com/2002-558</a>   |
|    | <p><b>Item no.: 2002-559</b><br/>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 9-pole; gray</p>                                    | <a href="http://www.wago.com/2002-559">www.wago.com/2002-559</a>   |
|   | <p><b>Item no.: 2002-560</b><br/>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 10-pole; gray</p>                                   | <a href="http://www.wago.com/2002-560">www.wago.com/2002-560</a>   |
|  | <p><b>Item no.: 2002-611</b><br/>TOPJOB®S modular connector; for 2002 series; for conductor entry way; 1-pole; gray</p>                                  | <a href="http://www.wago.com/2002-611">www.wago.com/2002-611</a>   |
|  | <p><b>Item no.: 2002-649</b><br/>TOPJOB®S spacer module; for 2002-611; 5.2 mm wide; gray</p>   | <a href="http://www.wago.com/2002-649">www.wago.com/2002-649</a>   |
|  | <p><b>Item no.: 2009-174</b><br/>TOPJOB®S test plug adapter; for test plug 4 mm Ø; for testing TOPJOB®S terminal blocks; gray</p>                        | <a href="http://www.wago.com/2009-174">www.wago.com/2009-174</a>   |
|  | <p><b>Item no.: 2009-182</b><br/>TOPJOB®S testing tap; tool-free; 12 AWG max; for testing TOPJOB®S terminal blocks; gray</p>                             | <a href="http://www.wago.com/2009-182">www.wago.com/2009-182</a>   |
| <b>End plate</b>   |  |  |
|  | <p><b>Item no.: 2102-1391</b><br/>End and intermediate plate; 0.8 mm thick; for 3-conductor terminal blocks</p>  | <a href="http://www.wago.com/2102-1391">www.wago.com/2102-1391</a> |
|  | <p><b>Item no.: 2102-1392</b><br/>End and intermediate plate; 0.8 mm thick; for 3-conductor terminal blocks</p>  | <a href="http://www.wago.com/2102-1392">www.wago.com/2102-1392</a> |
| <b>plug</b>  |  |  |
|  | <p><b>Item no.: 2002-880</b><br/>TOPJOB®S empty component plug housing; for 2001-2006 series feedthrough terminal blocks; 2-pole; 10.4 mm wide; gray</p> | <a href="http://www.wago.com/2002-880">www.wago.com/2002-880</a>   |
| <b>Carrier rail</b>  |  |  |
|  | <p><b>Item no.: 210-112</b></p>  |  |

|  |  |  |
|--|--|--|
|    | Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm   | <a href="http://www.wago.com/210-112">www.wago.com/210-112</a>   |
|    | <b>Item no.: 210-113</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715  | <a href="http://www.wago.com/210-113">www.wago.com/210-113</a>   |
|    | <b>Item no.: 210-114</b><br>Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715   | <a href="http://www.wago.com/210-114">www.wago.com/210-114</a>   |
|    | <b>Item no.: 210-115</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm   | <a href="http://www.wago.com/210-115">www.wago.com/210-115</a>   |
|    | <b>Item no.: 210-118</b><br>Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715   | <a href="http://www.wago.com/210-118">www.wago.com/210-118</a>   |
|    | <b>Item no.: 210-196</b><br>Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715   | <a href="http://www.wago.com/210-196">www.wago.com/210-196</a>   |
|    | <b>Item no.: 210-197</b><br>Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715   | <a href="http://www.wago.com/210-197">www.wago.com/210-197</a>   |
|    | <b>Item no.: 210-198</b><br>Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715  | <a href="http://www.wago.com/210-198">www.wago.com/210-198</a>   |
| <b>tools</b>   |  |  |
|   | <b>Item no.: 210-658</b><br>Operating tool with partially insulated shaft; Blade (3.5 x 0.5) mm; short; angled   | <a href="http://www.wago.com/210-658">www.wago.com/210-658</a>   |
|  | <b>Item no.: 210-720</b><br>Operating tool with partially insulated shaft; Type 2, blade (3.5 x 0.5) mm  | <a href="http://www.wago.com/210-720">www.wago.com/210-720</a>   |
| <b>Insulation stop</b>   |  |  |
|  | <b>Item no.: 2002-171</b><br>TOPJOB®S insulation stop; for 2002 series terminal blocks; 0.25 - 0.5 mm <sup>2</sup> ; 5/strip; light gray   | <a href="http://www.wago.com/2002-171">www.wago.com/2002-171</a> |
|  | <b>Item no.: 2002-172</b><br>TOPJOB®S insulation stop; for 2002 series terminal blocks; 0.75 - 1.0 mm <sup>2</sup> ; 5/strip; dark gray  | <a href="http://www.wago.com/2002-172">www.wago.com/2002-172</a> |
| <b>ferrule</b>   |  |  |
|  | <b>Item no.: 216-241</b><br>Ferrule; Sleeve for 0.5 mm <sup>2</sup> / AWG 22; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90  | <a href="http://www.wago.com/216-241">www.wago.com/216-241</a>   |
|  | <b>Item no.: 216-242</b><br>Ferrule; Sleeve for 0.75 mm <sup>2</sup> / AWG 20; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90 | <a href="http://www.wago.com/216-242">www.wago.com/216-242</a>   |
|  | <b>Item no.: 216-243</b><br>Ferrule; Sleeve for 1 mm <sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90    | <a href="http://www.wago.com/216-243">www.wago.com/216-243</a>   |
|  | <b>Item no.: 216-244</b><br>Ferrule; Sleeve for 1.5 mm <sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90  | <a href="http://www.wago.com/216-244">www.wago.com/216-244</a>   |
|  | <b>Item no.: 216-246</b><br>Ferrule; Sleeve for 2.5 mm <sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight   | <a href="http://www.wago.com/216-246">www.wago.com/216-246</a>   |

|  |  |  |
|--|--|--|
|  | crimped; acc. to DIN 46228, Part 4/09.90   |  |
|  | <b>Item no.: 216-262</b><br>Ferrule; Sleeve for 0.75 mm <sup>2</sup> / AWG 20; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90 | <a href="http://www.wago.com/216-262">www.wago.com/216-262</a> |
|  | <b>Item no.: 216-263</b><br>Ferrule; Sleeve for 1 mm <sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90    | <a href="http://www.wago.com/216-263">www.wago.com/216-263</a> |
|  | <b>Item no.: 216-264</b><br>Ferrule; Sleeve for 1.5 mm <sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90  | <a href="http://www.wago.com/216-264">www.wago.com/216-264</a> |
|  | <b>Item no.: 216-266</b><br>Ferrule; Sleeve for 2.5 mm <sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90  | <a href="http://www.wago.com/216-266">www.wago.com/216-266</a> |

**Downloads**

**Documentation**

**Bid Text**

|           |           |                 |          |
|-----------|-----------|-----------------|----------|
| 2102-5304 | 15.8.2018 | DOCX<br>15.1 kB | Download |
|-----------|-----------|-----------------|----------|

**CAD files**

**CAD data**

|                       |          |
|-----------------------|----------|
| 3D Download 2102-5304 | Download |
|-----------------------|----------|

Subject to changes.

WAGO Corporation  
 Germantown, WI 53022  
 32423 Minden  
 Phone: +49571 887-0 | Fax: (262) 255-6222  
 Email: [info.us@wago.com](mailto:info.us@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at {0}.