




Data sheet | Item number: 2201-1204

TOPJOB®S feedthrough terminal block with Push-buttons; rail mount; 2-conductor; 4.2 mm wide; blue



www.wago.com/2201-1204



Data
Electrical data



Ratings per IEC/EN 60664-1

| | |
|---------------------------------|--|
| Rated voltage (III / 3) | 800 V |
| Rated impulse voltage (III / 3) | 8 kV |
| Rated current | 18 A |
| Rated current (2) | 24 A |
| Legend (ratings) | (III / 3) \triangleq Overvoltage category III / Pollution degree 3 |

Approvals per UL 1059

| | |
|--------------------------------|-------|
| Rated voltage UL (Use Group B) | 600 V |
| Rated current UL (Use Group B) | 15 A |
| Rated voltage UL (Use Group C) | 600 V |
| Rated current UL (Use Group C) | 15 A |

Connection data

| | |
|---|--|
| Connection technology | Push-in CAGE CLAMP [®] |
| Actuation type | Push-in Push-button Operating tool |
| Connectable conductor materials | Copper |
| Nominal cross section | 1.5 mm ² |
| Solid conductor | 0.25 ... 2.5 mm ² / 22 ... 14 AWG |
| Solid conductor, push-in termination | 0.75 ... 2.5 mm ² / 18 ... 14 AWG |
| Fine-stranded conductor | 0.25 ... 2.5 mm ² / 22 ... 14 AWG |
| Fine-stranded conductor with ferrule, push-in termination, from | 0.75 mm ² / 18 AWG |
| Strip length | 9 ... 11 mm / 0.35 ... 0.43 Inch |
| Number of levels | 1 |
| Total number of connection points | 2 |
| Total number of potentials | 1 |
| Type of wiring | Front-entry wiring |

Geometrical Data

| | |
|---------------------------------------|----------------------|
| Width | 4.2 mm / 0.165 inch |
| Height from upper-edge of DIN-35 rail | 32.9 mm / 1.295 inch |
| Depth | 48.5 mm / 1.909 inch |

Mechanical data

| | |
|------------------|---------------------|
| Design | horizontal |
| Type of mounting | DIN-35 rail |
| Marking level | Center/side marking |

Material Data

| | |
|---------------------|----------------------|
| Color | blue |
| Insulating material | Polyamide 66 (PA 66) |
| Weight | 4.145 g |

Commercial data




| | |
|-------------------|---------------|
| Packaging type | BOX |
| Country of origin | DE |
| GTIN | 4055143694667 |

Approvals / Certificates

Ex-Approvals

| Logo | Approval | Certificate name |
|--|---|--|
|  | AEx UL International Germany GmbH c/o Physikalisch Technische Bundesanstalt | E185892 sec. 25 |
|  | ATEX Physikalisch Technische Bundesanstalt | PTB 18 ATEX 1004 U (II 2 G Ex eb IIC Gb bzw. I M 2 Ex eb I Mb) |
|  | IECEX Physikalisch Technische Bundesanstalt | IECEX PTB 18.0011U (Ex eb IIC Gb and Ex eb I Mb) |

Country specific Approvals

| Logo | Approval | Certificate name |
|--|--|------------------|
|  | CCA DEKRA Certification B.V. | NTR NL 7664 |
|  | CSA DEKRA Certification B.V. | 70173738 |
|  | KEMA/KEUR DEKRA Certification B.V. | 71-102875 |

UL-Approvals

| Logo | Approval | Certificate name |
|------|--|------------------|
| | cURus Underwriters Laboratories Inc. | 4788308064 |



Compatible products

Insulation stop



Item no.: 2001-171

TOPJOB®S insulation stop; for 2001 series terminal blocks; 0.25 - 0.5 mm²; 5/strip; light gray

www.wago.com/2001-171

Carrier rail



Item no.: 210-112

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm

www.wago.com/210-112



Item no.: 210-113

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715

www.wago.com/210-113



Item no.: 210-114

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715

www.wago.com/210-114



Item no.: 210-115

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm

www.wago.com/210-115



Item no.: 210-118

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

www.wago.com/210-118



Item no.: 210-196

Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715

www.wago.com/210-196



Item no.: 210-197

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715

www.wago.com/210-197



Item no.: 210-198

Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

www.wago.com/210-198

Jumper



Item no.: 2001-402

TOPJOB®S jumper; for 2001 series; insulated; 2-way; light-gray

www.wago.com/2001-402



Item no.: 2001-403

TOPJOB®S jumper; for 2001 series; insulated; 3-way; light-gray

www.wago.com/2001-403



Item no.: 2001-404

TOPJOB®S jumper; for 2001 series; insulated; 4-way; light-gray

www.wago.com/2001-404



Item no.: 2001-405

TOPJOB®S jumper; for 2001 series; insulated; 5-way; light-gray




















www.wago.com/2001-405



Item no.: 2001-405/011-000

TOPJOB®S jumper; Wye configuration; for 2001 series; insulated; 3-way (1-3-5); light-gray

www.wago.com/2001-405/011-000

| | | |
|--|--|--|
|  | Item no.: 2001-406 TOPJOB®S jumper; for 2001 series; insulated; 6-way; light-gray | www.wago.com/2001-406 |
|  | Item no.: 2001-406/020-000 TOPJOB®S jumper; Delta configuration; for 2001 series; insulated; 6-way (1-2, 3-4, 5-6); light-gray | www.wago.com/2001-406/020-000 |
|  | Item no.: 2001-407 TOPJOB®S jumper; for 2001 series; insulated; 7-way; light-gray | www.wago.com/2001-407 |
|  | Item no.: 2001-408 TOPJOB®S jumper; for 2001 series; insulated; 8-way; light-gray | www.wago.com/2001-408 |
|  | Item no.: 2001-409 TOPJOB®S jumper; for 2001 series; insulated; 9-way; light-gray | www.wago.com/2001-409 |
|  | Item no.: 2001-410 TOPJOB®S jumper; for 2001 series; insulated; 10-way; light-gray | www.wago.com/2001-410 |
|  | Item no.: 2001-433 TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-3); light-gray | www.wago.com/2001-433 |
|  | Item no.: 2001-434 TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-4); light-gray | www.wago.com/2001-434 |
|  | Item no.: 2001-435 TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-5); light-gray | www.wago.com/2001-435 |
|  | Item no.: 2001-436 TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-6); light-gray | www.wago.com/2001-436 |
|  | Item no.: 2001-437 TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-7); light-gray | www.wago.com/2001-437 |
|  | Item no.: 2001-438 TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-8); light-gray | www.wago.com/2001-438 |
|  | Item no.: 2001-439 TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-9); light-gray | www.wago.com/2001-439 |
|  | Item no.: 2001-440 TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-10); light-gray | www.wago.com/2001-440 |
|  | Item no.: 2006-499 Step-down jumper; insulated; from 6/4 mm ² to 4/2.5/1.5 mm ² ; Nominal current 32 A | www.wago.com/2006-499 |
|  | Item no.: 2009-412 TOPJOB®S wire jumper; insulated; 60 mm long; conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 series terminal blocks; gray | www.wago.com/2009-412 |
|  | Item no.: 2009-414 TOPJOB®S wire jumper; insulated; 110 mm long; conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 series terminal blocks; gray | www.wago.com/2009-414 |
|  | Item no.: 2009-416 TOPJOB®S wire jumper; insulated; 250 mm long; conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 series terminal blocks; gray | www.wago.com/2009-416 |
|  | Item no.: 210-103 Wire commoning chain; insulated; 50 connections | www.wago.com/210-103 |



Item no.: 210-123

Wire commoning chain; insulated; 50 connections

www.wago.com/210-123

Marking accessories



Item no.: 2009-110

Marking strips; on reel; not stretchable; plain; snap-on type

www.wago.com/2009-110

Item no.: 2009-114

WMB-Inline; for smartPRINTER; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/2009-114

Item no.: 2009-114/000-002

WMB-Inline; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/2009-114/000-002

Item no.: 2009-114/000-005

WMB-Inline; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/2009-114/000-005

Item no.: 2009-114/000-006

WMB-Inline; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/2009-114/000-006

Item no.: 2009-114/000-007

WMB-Inline; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/2009-114/000-007

Item no.: 2009-114/000-012

WMB-Inline; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/2009-114/000-012

Item no.: 2009-114/000-023

WMB-Inline; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/2009-114/000-023

Item no.: 2009-114/000-024

WMB-Inline; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/2009-114/000-024

Item no.: 793-4501

WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/793-4501

Item no.: 793-4501/000-002

WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/793-4501/000-002

Item no.: 793-4501/000-005

WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/793-4501/000-005

Item no.: 793-4501/000-006

WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/793-4501/000-006

Item no.: 793-4501/000-007

WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/793-4501/000-007



Item no.: 793-4501/000-012
WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/793-4501/000-012



Item no.: 793-4501/000-017
WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/793-4501/000-017



Item no.: 793-4501/000-023
WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/793-4501/000-023



Item no.: 793-4501/000-024
WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

www.wago.com/793-4501/000-024

check



Item no.: 2001-511
TOPJOB®S modular connector; for 2001 series; for jumper contact slot; 1-pole; gray

www.wago.com/2001-511



Item no.: 2001-549
TOPJOB®S spacer module; for 2001-511; 4.2 mm wide; gray

www.wago.com/2001-549



Item no.: 2001-552
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 2-pole; gray

www.wago.com/2001-552



Item no.: 2001-553
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 3-pole; gray

www.wago.com/2001-553



Item no.: 2001-554
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 4-pole; gray

www.wago.com/2001-554



Item no.: 2001-555
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 5-pole; gray

www.wago.com/2001-555



Item no.: 2001-556
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 6-pole; gray

www.wago.com/2001-556



Item no.: 2001-557
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 7-pole; gray

www.wago.com/2001-557



Item no.: 2001-558
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 8-pole; gray

www.wago.com/2001-558



Item no.: 2001-559
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 9-pole; gray

www.wago.com/2001-559



Item no.: 2001-560
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 10-pole; gray

www.wago.com/2001-560



Item no.: 2009-174
TOPJOB®S test plug adapter; for test plug 4 mm Ø; for testing TOPJOB®S terminal blocks; gray


www.wago.com/2009-174







Item no.: 2009-182
TOPJOB®S testing tap; tool-free; 12 AWG max; for testing TOPJOB®S terminal blocks; gray

www.wago.com/2009-182





plug

| | | |
|--|--|--|
|  | Item no.: 2002-880 TOPJOB®S empty component plug housing; for 2001-2006 series feedthrough terminal blocks; 2-pole; 10.4 mm wide; gray | www.wago.com/2002-880 |
|--|--|--|




End plate

| | | |
|--|--|--|
|  | Item no.: 2002-1291 TOPJOB®S end/intermediate plate; for 2002-12xx series terminal blocks; 0.8 mm wide; gray | www.wago.com/2002-1291 |
|  | Item no.: 2002-1292 TOPJOB®S end/intermediate plate; for 2002-12xx series terminal blocks; 0.8 mm wide; orange | www.wago.com/2002-1292 |
|  | Item no.: 2002-1293 TOPJOB®S end/intermediate plate; for 2002-12xx series terminal blocks; 2.0 mm wide; gray | www.wago.com/2002-1293 |
|  | Item no.: 2002-1294 TOPJOB®S end/intermediate plate; for 2002-12xx series terminal blocks; 2.0 mm wide; orange | www.wago.com/2002-1294 |




ferrule

| | | |
|---|--|--|
|  | Item no.: 216-241 Ferrule; Sleeve for 0.5 mm ² / AWG 22; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90 | www.wago.com/216-241 |
|  | Item no.: 216-242 Ferrule; Sleeve for 0.75 mm ² / AWG 20; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90 | www.wago.com/216-242 |
|  | Item no.: 216-243 Ferrule; Sleeve for 1 mm ² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90 | www.wago.com/216-243 |
|  | Item no.: 216-244 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90 | www.wago.com/216-244 |

tools

| | | |
|--|--|--|
|  | Item no.: 210-647 Operating tool with partially insulated shaft; Blade (2.5 x 0.4) mm; short | www.wago.com/210-647 |
|  | Item no.: 210-648 Operating tool with partially insulated shaft; Blade (2.5 x 0.4) mm; short; angled | www.wago.com/210-648 |
|  | Item no.: 210-719 Operating tool with partially insulated shaft; Type 1, blade (2.5 x 0.4) mm | www.wago.com/210-719 |

General accessories

| | | |
|--|--|--|
|  | Item no.: 2002-880/1000-411 Diode plug; 1N4007 (N-P); for 2001 - 2006 series feedthrough terminal blocks; 5.2 mm wide; gray | www.wago.com/2002-880/1000-411 |
|  | Item no.: 2002-880/1000-541 LED plug; red LED (N-P); 12 - 30 V; for 2001 - 2006 series feedthrough terminal blocks; 10.4 mm wide; gray | www.wago.com/2002-880/1000-541 |
|  | Item no.: 2002-880/1000-542 LED plug; red LED (N-P); 30 - 65 V; for 2001 - 2006 series feedthrough terminal blocks; 10.4 mm wide; gray | www.wago.com/2002-880/1000-542 |



Item no.: 2002-880/1000-836

LED plug; red LED (N-P); 230 V; for 2001 - 2006 series feedthrough terminal blocks; 10.4 mm wide; gray

www.wago.com/2002-880/1000-836

Downloads

Documentation

Bid Text

| | | | |
|-----------|-----------|-----------------|----------|
| 2201-1204 | 15.8.2018 | DOCX 15.0 kB | Download |
|-----------|-----------|-----------------|----------|

CAD files

CAD data

| | |
|-----------------------|----------|
| 3D Download 2201-1204 | Download |
|-----------------------|----------|

Subject to changes.