




NOTES:

1. MATERIALS:
HOUSING: GLASS FILLED PBT
COLOR : NATURAL/WHITE
CONTACTS: SILVER PLATED COPPER ALLOY
2. FOR SOLID AND STRANDED WIRE
AWG 22-18
3. COMPLIES WITH
DIRECTIVE 2002/95/EC (ROHS)
4. M3 SCREW TO BE USED FOR MOUNTING
5. DATE CODE YY-WW-D ANY WHERE
EXCEPT OVER LOGO OR +/- SIGN.




SECTION H-H




2213580-1 AS SHOWN
LUMAWISE LED HOLDER Z50 LOW PROFILE


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
H	-		4	UPDATED LED CAVITY DIMENSIONS	28NOV2014	MVE	OL
			A	ECR-15-003196 (PRODUCT RELEASE)	26FEB2015	KR	OL
			A1	ECR-16-001206	27JAN2016	KR	MvE



SCALE 3:2



LUMAWISE LED HOLDER Z50 STANDARD PROFILE 1924	2213580-2
LUMAWISE LED HOLDER Z50 LOW PROFILE 1924	2213580-1
DESCRIPTION	PART NO





THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009.		DWN M.V.ESSSEN 3 NOV'14	 TE Connectivity			
		CHK C.V.STEENDEREN 6 NOV'14				
		APVD O.LFIJNSE 7 NOV'14	NAME LUMAWISE LED HOLDER Z50 1924			
DIMENSIONS: mm		PRODUCT SPEC 108-133008				
		APPLICATION SPEC 114-32048				
MATERIAL -		WEIGHT -	SIZE A3	CAGE CODE 00779	DRAWING NO C-2213580	RESTRICTED TO -
			Customer Drawing			
			SCALE 2:1	SHEET 1	OF 3	REV A1

THIS DRAWING IS UNPUBLISHED.


RELEASED FOR PUBLICATION

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
H	-		-	SEE SHEET 1	-	-



SCALE 3:2



2213580-2 AS SHOWN
LUMAWISE LED HOLDER Z50 STANDARD PROFILE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.V.ESSSEN 3 NOV'14 CHK C.V.STEENDEREN 6 NOV'14 APVD O.L.FIJNSE 7 NOV'14		TE TE Connectivity	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	NAME LUMAWISE LED HOLDER Z50 1924		SIZE A3 CAGE CODE 00779 DRAWING NO C-2213580	
	0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±	PRODUCT SPEC 108-133008		RESTRICTED TO	
	FINISH -	APPLICATION SPEC 114-32048		WEIGHT -	
MATERIAL -		Customer Drawing		SCALE -	SHEET 2 OF 3 REV A1

4


3

2

1

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
H	-		-	SEE SHEET 1	-	-

THE SKETCH BELOW IS SHOWING THE NOMINAL LED COB DIMENSIONS TO MATCH WITH THE LUMAWISE LED HOLDER Z50 1924.
FOR TECHNICAL DETAILS ABOUT A PROPER MATCH WITH A SPECIFIC LED COB ARRAY PLEASE CONTACT A REPRESENTATIVE AT TE-CONNECTIVITY.



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL -

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH -

DWN
M.V.ESSSEN
3 NOV'14

CHK
C.V.STEENDEREN
6 NOV'14

APVD
O.LFIJNSE
7 NOV'14

PRODUCT SPEC
108-133008

APPLICATION SPEC
114-32048

WEIGHT
-

Customer Drawing

TE Connectivity

NAME
LUMAWISE LED HOLDER Z50 1924

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-2213580

RESTRICTED TO
-

SCALE
-

SHEET
3

OF
3

REV
A1