



Product information

Erem®

812N

Code No. : **T812N**

Side cutter - oval head

- This is the most widely used head shape.
- Fits for all cutting applications where easy access is given
- It is robust and size for size offers the highest cutting capacity.

Technical Data

| | |
|---------------------------------|----------------------|
| Cut: | Semi-flush |
| Length: | 120 mm / 4,724 Inch |
| Weight: | 67 g / 2.36 oz. |
| Length of cutting edges: | 15 mm / .590 Inch |
| Head width: | 13,5 mm / .531 Inch |
| Head thickness: | 7,5 mm / .295 Inch |
| Head length: | 21 mm / .827 Inch |
| Max. cutting capability | |
| Hard wire: | Ø 0,6 mm / .023 Inch |
| Medium hardness: | Ø 1,2 mm / .047 Inch |
| Copper wire: | Ø 1,8 mm / .070 Inch |

Series 800 Maxi

- Maxi-sized cutter for general cutting applications in electronics
- Made from high grade tool steel, cutting edges hardened to Rockwell 63-65 HRC
- Cuts large wire diameters
- Non reflecting surface, ESDsafe and resharpenable

Erem Cutters and Tip Cutters

- Internal patented Erem Magic Spring
 - Reduce costs by long life
 - Constant spring force
 - Guarantees more than 1 million operations
- High precision screw joint
 - Smooth jaw action with no play
 - Smooth cutting operation with no jaw overlapping
- Induction-hardened cutting edges in Rockwell hardness 63 - 65 HRc for exceptionally long life
- EMOS maximum opening stop
 - limits the cutting-edge tips from opening more than 5 mm / .197 Inch. The limited extent to which the handles can open prevent user hand fatigue.
- Ergonomically shaped handles
 - for high comfort, better grip and added safety
- Erem cut:
 - Options for semi flush, full flush or super flush cuts