


Data sheet | Item number: 2022-2237/427-000

2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin ground terminal block; 2.5 mm²; PE; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; green-yellow

www.wago.com/2022-2237/427-000



Data

Electrical data

Ratings per IEC/EN

Ratings per IEC/EN 60947-7-2

Connection data

Connection technology	Push-in CAGE CLAMP®
Actuation type	Open Tool Slot Push-in
Connectable conductor materials	Copper
Nominal cross-section	2.5 mm ²
Solid conductor	0.25 ... 4 mm ² / 22 ... 12 AWG
Solid conductor; push-in termination	0.75 ... 4 mm ² / 18 ... 12 AWG
Fine-stranded conductor	0.25 ... 4 mm ² / 22 ... 12 AWG
Fine-stranded conductor; with insulated ferrule	1 ... 2.5 mm ² / 18 ... 14 AWG

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Fine-stranded conductor; with ferrule; push-in termination	1 ... 2.5 mm ² / 18 ... 14 AWG
Note (conductor cross-section)	Depending on the conductor characteristic, a conductor with a smaller cross-section can also be inserted via push-in termination.
Strip length	10 ... 12 mm / 0.39 ... 0.47 inch
Total number of connection points	2
Total number of potentials	1
Number of levels	2
Wiring type	Front-entry wiring

Physical data

Width	5.2 mm / 0.205 inch
Height	80.1 mm / 3.154 inch

Mechanical data

Potential marking	PE
Design	horizontal type
Mounting type	DIN-35 rail
Marking level	Side marking

Material data

Color	green-yellow
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Weight	15.7 g

Commercial data

Packaging type	BOX
Country of origin	CN
GTIN	4055143508551
Customs tariff number	85366990990

Approvals / Certificates

Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CSA DEKRA Certification B.V.	C22.2 No. 158	2437422

Subject to changes. Please also observe the further product documentation!





KEMA/KEUR
DEKRA Certification B.V.


EN 60947

71-
116567

Ship Approvals



Logo	Approval	Additional Approval Text	Certificate name
	ABS American Bureau of Shipping	EN 60947	20- HG1941090- PDA
	DNV GL Det Norske Veritas, Germanischer Lloyd	-	TAE00001V2

UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UL Underwriters Laboratories Inc.	UL 1059	E45172

Required accessories

End plate

	Item no.: 2022-2291 End and intermediate plate; 1 mm thick; gray	www.wago.com/2022-2291
	Item no.: 2022-2292 End and intermediate plate; 1 mm thick; orange	www.wago.com/2022-2292

Compatible products

Coding
















	Item no.: 2022-100 Carrier with 6 coding pins; for coding of female plugs; orange	www.wago.com/2022-100
--	---	--

Push-In type wire jumper

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

	Item no.: 2009-412 Push-in type wire jumper; insulated; 60 mm long; black	www.wago.com/2009-412
	Item no.: 2009-414 Push-in type wire jumper; 1.5 mm²; insulated; 110 mm long; black	www.wago.com/2009-414
	Item no.: 2009-414/000-005 Push-in type wire jumper; 1.5 mm²; insulated; 110 mm long; black	www.wago.com/2009-414/000-005
	Item no.: 2009-414/000-006 Push-in type wire jumper; insulated; 110 mm long; black	www.wago.com/2009-414/000-006
	Item no.: 2009-416 Push-in type wire jumper; 1.5 mm²; insulated; 250 mm long; black	www.wago.com/2009-416
ferrule		
	Item no.: 216-241 Ferrule; Sleeve for 0.5 mm² / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; white	www.wago.com/216-241
	Item no.: 216-242 Ferrule; Sleeve for 0.75 mm² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray	www.wago.com/216-242
	Item no.: 216-243 Ferrule; Sleeve for 1 mm² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red	www.wago.com/216-243
	Item no.: 216-244 Ferrule; Sleeve for 1.5 mm² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black	www.wago.com/216-244
	Item no.: 216-246 Ferrule; Sleeve for 2.5 mm² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue	www.wago.com/216-246
	Item no.: 216-262 Ferrule; Sleeve for 0.75 mm² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray	www.wago.com/216-262
	Item no.: 216-263 Ferrule; Sleeve for 1 mm² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red	www.wago.com/216-263
	Item no.: 216-264 Ferrule; Sleeve for 1.5 mm² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black	www.wago.com/216-264
	Item no.: 216-266 Ferrule; Sleeve for 2.5 mm² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue	www.wago.com/216-266
	Item no.: 216-284 Ferrule; Sleeve for 1.5 mm² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black	www.wago.com/216-284
Item no.: 216-286		

Subject to changes. Please also observe the further product documentation!



Ferrule; Sleeve for 2.5 mm² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue

www.wago.com/216-286

tools



Item no.: 210-720
Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft; multicoloured

www.wago.com/210-720

Insulation stop



Item no.: 2002-171
Insulation stop; 0.25 - 0.5 mm²; 5 pieces/strip; light gray

www.wago.com/2002-171



Item no.: 2002-172
Insulation stop; 0.75 - 1 mm²; 5 pieces/strip; dark gray

www.wago.com/2002-172

Protective Warning Marker



Item no.: 2002-115
Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow

www.wago.com/2002-115

Female plug



Item no.: 2022-101
1-conductor female plug; 2.5 mm²; 1-pole; 2,50 mm²; gray

www.wago.com/2022-101



Item no.: 2022-101/000-006
1-conductor female plug; 1-pole; 2,50 mm²; blue

www.wago.com/2022-101/000-006



Item no.: 2022-101/000-012
1-conductor female plug; 1-pole; 2,50 mm²; orange

www.wago.com/2022-101/000-012



Item no.: 2022-101/000-016
1-conductor female plug; 1-pole; 2,50 mm²; green-yellow

www.wago.com/2022-101/000-016

Item no.: 2022-101/122-000
1-conductor female plug; 1-pole; 2,50 mm²; gray

www.wago.com/2022-101/122-000

Item no.: 2022-101/122-006
1-conductor female plug; 1-pole; 2,50 mm²; blue

www.wago.com/2022-101/122-006

Item no.: 2022-101/122-016
1-conductor female plug; 1-pole; 2,50 mm²; green-yellow

www.wago.com/2022-101/122-016







Item no.: 2022-101/132-000
1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm²; gray

www.wago.com/2022-101/132-000











Item no.: 2022-101/132-006
1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm²; blue

www.wago.com/2022-101/132-006












Subject to changes. Please also observe the further product documentation!

	Item no.: 2022-101/132-016 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-101/132-016
	Item no.: 2022-101/142-000 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; gray	www.wago.com/2022-101/142-000
	Item no.: 2022-101/142-006 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; blue	www.wago.com/2022-101/142-006
	Item no.: 2022-101/142-016 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-101/142-016
	Item no.: 2022-102 1-conductor female plug; 2,5 mm ² ; 2-pole; 2,50 mm ² ; gray	www.wago.com/2022-102
	Item no.: 2022-102/000-006 1-conductor female plug; 2,5 mm ² ; 2-pole; 2,50 mm ² ; blue	www.wago.com/2022-102/000-006
	Item no.: 2022-102/000-016 1-conductor female plug; 2,5 mm ² ; 2-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-102/000-016
	Item no.: 2022-102/122-000 1-conductor female plug; Locking lever; 2,5 mm ² ; 2-pole; 2,50 mm ² ; gray	www.wago.com/2022-102/122-000
	Item no.: 2022-102/132-000 1-conductor female plug; Strain relief plate; 2,5 mm ² ; 2-pole; 2,50 mm ² ; gray	www.wago.com/2022-102/132-000
	Item no.: 2022-102/142-000 1-conductor female plug; Strain relief plate; 2,5 mm ² ; 2-pole; 2,50 mm ² ; gray	www.wago.com/2022-102/142-000
	Item no.: 2022-103 1-conductor female plug; 2,5 mm ² ; 3-pole; 2,50 mm ² ; gray	www.wago.com/2022-103
	Item no.: 2022-103/000-006 1-conductor female plug; 2,5 mm ² ; 3-pole; 2,50 mm ² ; blue	www.wago.com/2022-103/000-006
	Item no.: 2022-103/000-016 1-conductor female plug; 2,5 mm ² ; 3-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-103/000-016
	Item no.: 2022-103/000-036 1-conductor female plug; 2,5 mm ² ; 3-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-103/000-036

Subject to changes. Please also observe the further product documentation!

	Item no.: 2022-103/000-037 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-103/000-037
	Item no.: 2022-103/000-038 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-103/000-038
	Item no.: 2022-103/000-039 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-103/000-039
	Item no.: 2022-103/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray	www.wago.com/2022-103/123-000
	Item no.: 2022-103/133-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray	www.wago.com/2022-103/133-000
	Item no.: 2022-103/143-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray	www.wago.com/2022-103/143-000
	Item no.: 2022-104 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray	www.wago.com/2022-104
	Item no.: 2022-104/000-006 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; blue	www.wago.com/2022-104/000-006
	Item no.: 2022-104/000-016 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-104/000-016
	Item no.: 2022-104/000-036 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-104/000-036
	Item no.: 2022-104/000-037 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-104/000-037
	Item no.: 2022-104/000-038 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-104/000-038
	Item no.: 2022-104/000-039 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-104/000-039

Subject to changes. Please also observe the further product documentation!

	Item no.: 2022-104/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray	www.wago.com/2022-104/123-000
	Item no.: 2022-104/133-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray	www.wago.com/2022-104/133-000
	Item no.: 2022-104/143-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray	www.wago.com/2022-104/143-000
	Item no.: 2022-105 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray	www.wago.com/2022-105
	Item no.: 2022-105/000-006 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; blue	www.wago.com/2022-105/000-006
	Item no.: 2022-105/000-016 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-105/000-016
	Item no.: 2022-105/000-036 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-105/000-036
	Item no.: 2022-105/000-037 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-105/000-037
	Item no.: 2022-105/000-038 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-105/000-038
	Item no.: 2022-105/000-039 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-105/000-039
	Item no.: 2022-105/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray	www.wago.com/2022-105/123-000
	Item no.: 2022-105/134-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray	www.wago.com/2022-105/134-000
	Item no.: 2022-105/144-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray	www.wago.com/2022-105/144-000
	Item no.: 2022-106 1-conductor female plug; 2.5 mm ² ; 6-pole; 2,50 mm ² ; gray	www.wago.com/2022-106

Subject to changes. Please also observe the further product documentation!



Item no.: 2022-106/000-006
1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; blue

www.wago.com/2022-106/000-006



Item no.: 2022-106/000-016
1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow

www.wago.com/2022-106/000-016



Item no.: 2022-106/000-036
1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-106/000-036



Item no.: 2022-106/000-037
1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-106/000-037



Item no.: 2022-106/000-038
1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-106/000-038



Item no.: 2022-106/000-039
1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-106/000-039

Item no.: 2022-106/123-000
1-conductor female plug; Locking lever; 2.5 mm²; 6-pole; 2,50 mm²; gray

www.wago.com/2022-106/123-000

Item no.: 2022-106/134-000
1-conductor female plug; Strain relief plate; 2.5 mm²; 6-pole; 2,50 mm²; gray

www.wago.com/2022-106/134-000

Item no.: 2022-106/144-000
1-conductor female plug; Strain relief plate; 2.5 mm²; 6-pole; 2,50 mm²; gray

www.wago.com/2022-106/144-000



Item no.: 2022-107
1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; gray

www.wago.com/2022-107



Item no.: 2022-107/000-006
1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; blue

www.wago.com/2022-107/000-006



Item no.: 2022-107/000-016
1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; green-yellow

www.wago.com/2022-107/000-016



Item no.: 2022-107/000-036
1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-107/000-036

Subject to changes. Please also observe the further product documentation!



Item no.: 2022-107/000-037

1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-107/000-037



Item no.: 2022-107/000-038

1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-107/000-038



Item no.: 2022-107/000-039

1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-107/000-039

Item no.: 2022-107/123-000

1-conductor female plug; Locking lever; 2.5 mm²; 7-pole; 2,50 mm²; gray

www.wago.com/2022-107/123-000

Item no.: 2022-107/135-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 7-pole; 2,50 mm²; gray

www.wago.com/2022-107/135-000

Item no.: 2022-107/145-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 7-pole; 2,50 mm²; gray

www.wago.com/2022-107/145-000



Item no.: 2022-108

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; gray

www.wago.com/2022-108



Item no.: 2022-108/000-006

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; blue

www.wago.com/2022-108/000-006



Item no.: 2022-108/000-016

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; green-yellow

www.wago.com/2022-108/000-016



Item no.: 2022-108/000-036

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-108/000-036



Item no.: 2022-108/000-037

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-108/000-037



Item no.: 2022-108/000-038

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-108/000-038



Item no.: 2022-108/000-039

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-108/000-039

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27









32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169











Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

	Item no.: 2022-108/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 8-pole; 2,50 mm ² ; gray	www.wago.com/2022-108/123-000
	Item no.: 2022-108/135-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 8-pole; 2,50 mm ² ; gray	www.wago.com/2022-108/135-000
	Item no.: 2022-108/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 8-pole; 2,50 mm ² ; gray	www.wago.com/2022-108/145-000
	Item no.: 2022-109 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm ² ; gray	www.wago.com/2022-109
	Item no.: 2022-109/000-006 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm ² ; blue	www.wago.com/2022-109/000-006
	Item no.: 2022-109/000-016 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-109/000-016
	Item no.: 2022-109/000-036 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-109/000-036
	Item no.: 2022-109/000-037 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-109/000-037
	Item no.: 2022-109/000-038 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-109/000-038
	Item no.: 2022-109/000-039 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-109/000-039
	Item no.: 2022-109/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 9-pole; 2,50 mm ² ; gray	www.wago.com/2022-109/123-000
	Item no.: 2022-109/135-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 9-pole; 2,50 mm ² ; gray	www.wago.com/2022-109/135-000
	Item no.: 2022-109/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 9-pole; 2,50 mm ² ; gray	www.wago.com/2022-109/145-000
	Item no.: 2022-110 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray	www.wago.com/2022-110

Subject to changes. Please also observe the further product documentation!

	Item no.: 2022-110/000-006 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; blue	www.wago.com/2022-110/000-006
	Item no.: 2022-110/000-016 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-110/000-016
	Item no.: 2022-110/000-036 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-110/000-036
	Item no.: 2022-110/000-037 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-110/000-037
	Item no.: 2022-110/000-038 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-110/000-038
	Item no.: 2022-110/000-039 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-110/000-039
	Item no.: 2022-110/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray	www.wago.com/2022-110/123-000
	Item no.: 2022-110/135-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray	www.wago.com/2022-110/135-000
	Item no.: 2022-110/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray	www.wago.com/2022-110/145-000
	Item no.: 2022-111 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray	www.wago.com/2022-111
	Item no.: 2022-111/000-006 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; blue	www.wago.com/2022-111/000-006
	Item no.: 2022-111/000-016 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-111/000-016
	Item no.: 2022-111/000-036 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-111/000-036

Subject to changes. Please also observe the further product documentation!



Item no.: 2022-111/000-037

1-conductor female plug; 2.5 mm²; 11-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-111/000-037



Item no.: 2022-111/000-038

1-conductor female plug; 2.5 mm²; 11-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-111/000-038



Item no.: 2022-111/000-039

1-conductor female plug; 2.5 mm²; 11-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-111/000-039

Item no.: 2022-111/126-000

1-conductor female plug; Locking lever; 2.5 mm²; 11-pole; 2,50 mm²; gray

www.wago.com/2022-111/126-000

Item no.: 2022-111/136-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 11-pole; 2,50 mm²; gray

www.wago.com/2022-111/136-000

Item no.: 2022-111/146-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 11-pole; 2,50 mm²; gray

www.wago.com/2022-111/146-000



Item no.: 2022-112

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; gray

www.wago.com/2022-112



Item no.: 2022-112/000-006

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; blue

www.wago.com/2022-112/000-006



Item no.: 2022-112/000-016

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; green-yellow

www.wago.com/2022-112/000-016



Item no.: 2022-112/000-036

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-112/000-036



Item no.: 2022-112/000-037

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-112/000-037



Item no.: 2022-112/000-038

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-112/000-038



Item no.: 2022-112/000-039

1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-112/000-039

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27









32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

	Item no.: 2022-112/126-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 12-pole; 2,50 mm ² ; gray	www.wago.com/2022-112/126-000
	Item no.: 2022-112/136-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 12-pole; 2,50 mm ² ; gray	www.wago.com/2022-112/136-000
	Item no.: 2022-112/146-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 12-pole; 2,50 mm ² ; gray	www.wago.com/2022-112/146-000
	Item no.: 2022-113 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray	www.wago.com/2022-113
	Item no.: 2022-113/000-006 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; blue	www.wago.com/2022-113/000-006
	Item no.: 2022-113/000-016 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-113/000-016
	Item no.: 2022-113/000-036 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-113/000-036
	Item no.: 2022-113/000-037 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-113/000-037
	Item no.: 2022-113/000-038 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-113/000-038
	Item no.: 2022-113/000-039 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-113/000-039
	Item no.: 2022-113/126-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray	www.wago.com/2022-113/126-000
	Item no.: 2022-113/136-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray	www.wago.com/2022-113/136-000
	Item no.: 2022-113/146-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray	www.wago.com/2022-113/146-000
	Item no.: 2022-114 1-conductor female plug; 2.5 mm ² ; 14-pole; 2,50 mm ² ; gray	www.wago.com/2022-114

Subject to changes. Please also observe the further product documentation!



Item no.: 2022-114/000-006
1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; blue

www.wago.com/2022-114/000-006



Item no.: 2022-114/000-016
1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; green-yellow

www.wago.com/2022-114/000-016



Item no.: 2022-114/000-036
1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-114/000-036



Item no.: 2022-114/000-037
1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-114/000-037



Item no.: 2022-114/000-038
1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-114/000-038



Item no.: 2022-114/000-039
1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-114/000-039

Item no.: 2022-114/126-000
1-conductor female plug; Locking lever; 2.5 mm²; 14-pole; 2,50 mm²; gray

www.wago.com/2022-114/126-000

Item no.: 2022-114/136-000
1-conductor female plug; Strain relief plate; 2.5 mm²; 14-pole; 2,50 mm²; gray

www.wago.com/2022-114/136-000

Item no.: 2022-114/146-000
1-conductor female plug; Strain relief plate; 2.5 mm²; 14-pole; 2,50 mm²; gray

www.wago.com/2022-114/146-000



Item no.: 2022-115
1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; gray

www.wago.com/2022-115



Item no.: 2022-115/000-006
1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; blue

www.wago.com/2022-115/000-006



Item no.: 2022-115/000-016
1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; green-yellow













www.wago.com/2022-115/000-016



Item no.: 2022-115/000-036
1-conductor female plug; 2.5 mm²; 15-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-115/000-036

Subject to changes. Please also observe the further product documentation!

	Item no.: 2022-115/000-037 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-115/000-037
	Item no.: 2022-115/000-038 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-115/000-038
	Item no.: 2022-115/000-039 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-115/000-039
	Item no.: 2022-115/127-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 15-pole; 2,50 mm ² ; gray	www.wago.com/2022-115/127-000
	Item no.: 2022-115/137-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 15-pole; 2,50 mm ² ; gray	www.wago.com/2022-115/137-000
	Item no.: 2022-115/147-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 15-pole; 2,50 mm ² ; gray	www.wago.com/2022-115/147-000
	Item no.: 2022-161 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray	www.wago.com/2022-161
	Item no.: 2022-162 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; orange	www.wago.com/2022-162
	Item no.: 2022-164 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; blue	www.wago.com/2022-164
	Item no.: 2022-167 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-167
	Item no.: 2022-171 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray	www.wago.com/2022-171
	Item no.: 2022-172 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; orange	www.wago.com/2022-172
	Item no.: 2022-174 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; blue	www.wago.com/2022-174
	Item no.: 2022-177 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-177
	Item no.: 2022-181 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray	www.wago.com/2022-181

Subject to changes. Please also observe the further product documentation!

**Item no.: 2022-182**End module for 1-conductor female connector; 2.5 mm²; 1-pole; 2,50 mm²; orangewww.wago.com/2022-182**Item no.: 2022-184**End module for 1-conductor female connector; 2.5 mm²; 1-pole; 2,50 mm²; bluewww.wago.com/2022-184**Item no.: 2022-187**End module for 1-conductor female connector; 2.5 mm²; 1-pole; 2,50 mm²; green-yellowwww.wago.com/2022-187**Jumper****Item no.: 2002-400**

Continuous jumper; 2-way; insulated; light gray

www.wago.com/2002-400**Item no.: 2002-402**

Jumper; 2-way; insulated; light gray

www.wago.com/2002-402**Item no.: 2002-402/000-005**

Jumper; 2-way; insulated; red

www.wago.com/2002-402/000-005**Item no.: 2002-402/000-006**

Jumper; 2-way; insulated; blue

www.wago.com/2002-402/000-006**Item no.: 2002-403**

Jumper; 3-way; insulated; light gray

www.wago.com/2002-403**Item no.: 2002-403/000-005**

Jumper; 3-way; insulated; red

www.wago.com/2002-403/000-005**Item no.: 2002-403/000-006**

Jumper; 3-way; insulated; blue

www.wago.com/2002-403/000-006**Item no.: 2002-404**

Jumper; 4-way; insulated; light gray

www.wago.com/2002-404**Item no.: 2002-404/000-005**

Jumper; 4-way; insulated; red

www.wago.com/2002-404/000-005**Item no.: 2002-404/000-006**

Jumper; 4-way; insulated; blue

www.wago.com/2002-404/000-006**Item no.: 2002-405**

Jumper; 5-way; insulated; light gray

www.wago.com/2002-405**Item no.: 2002-405/000-005**

Jumper; 5-way; insulated; red

www.wago.com/2002-405/000-005

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27















32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

	Item no.: 2002-405/000-006 Jumper; 5-way; insulated; blue	www.wago.com/2002-405/000-006
	Item no.: 2002-405/011-000 Star point jumper; 3-way; insulated; light gray	www.wago.com/2002-405/011-000
	Item no.: 2002-406 Jumper; 6-way; insulated; light gray	www.wago.com/2002-406
	Item no.: 2002-406/000-005 Jumper; 6-way; insulated; red	www.wago.com/2002-406/000-005
	Item no.: 2002-406/000-006 Jumper; 6-way; insulated; blue	www.wago.com/2002-406/000-006
	Item no.: 2002-406/020-000 Delta jumper; insulated; light gray	www.wago.com/2002-406/020-000
	Item no.: 2002-407 Jumper; 7-way; insulated; light gray	www.wago.com/2002-407
	Item no.: 2002-407/000-005 Jumper; 7-way; insulated; red	www.wago.com/2002-407/000-005
	Item no.: 2002-407/000-006 Jumper; 7-way; insulated; blue	www.wago.com/2002-407/000-006
	Item no.: 2002-408 Jumper; 8-way; insulated; light gray	www.wago.com/2002-408
	Item no.: 2002-408/000-005 Jumper; 8-way; insulated; red	www.wago.com/2002-408/000-005
	Item no.: 2002-408/000-006 Jumper; 8-way; insulated; blue	www.wago.com/2002-408/000-006
	Item no.: 2002-409 Jumper; 9-way; insulated; light gray	www.wago.com/2002-409
	Item no.: 2002-409/000-005 Jumper; 9-way; insulated; red	www.wago.com/2002-409/000-005
	Item no.: 2002-409/000-006 Jumper; 9-way; insulated; blue	www.wago.com/2002-409/000-006

Subject to changes. Please also observe the further product documentation!



Item no.: 2002-410
Jumper; 10-way; insulated; light gray

www.wago.com/2002-410



Item no.: 2002-410/000-005
Jumper; 10-way; insulated; red

www.wago.com/2002-410/000-005



Item no.: 2002-410/000-006
Jumper; 10-way; insulated; blue

www.wago.com/2002-410/000-006



Item no.: 2002-423
Continuous jumper; from 1 to 3; insulated; light gray

www.wago.com/2002-423



Item no.: 2002-423/000-005
Continuous jumper; from 1 to 3; insulated; red

www.wago.com/2002-423/000-005



Item no.: 2002-423/000-006
Continuous jumper; from 1 to 3; insulated; blue

www.wago.com/2002-423/000-006



Item no.: 2002-433
Jumper; from 1 to 3; insulated; light gray

www.wago.com/2002-433



Item no.: 2002-434
Jumper; from 1 to 4; insulated; light gray

www.wago.com/2002-434



Item no.: 2002-435
Jumper; from 1 to 5; insulated; light gray

www.wago.com/2002-435



Item no.: 2002-436
Jumper; from 1 to 6; insulated; light gray

www.wago.com/2002-436



Item no.: 2002-437
Jumper; from 1 to 7; insulated; light gray

www.wago.com/2002-437



Item no.: 2002-438
Jumper; from 1 to 8; insulated; light gray

www.wago.com/2002-438



Item no.: 2002-439
Jumper; from 1 to 9; insulated; light gray

www.wago.com/2002-439



Item no.: 2002-440
Jumper; from 1 to 10; insulated; light gray

www.wago.com/2002-440



Item no.: 2002-472
Staggered jumper; 2-way; insulated; light gray

www.wago.com/2002-472















Item no.: 2002-473
Staggered jumper; 3-way; insulated; light gray

www.wago.com/2002-473

Subject to changes. Please also observe the further product documentation!















WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.















	Item no.: 2002-473/011-000 Staggered jumper; 2-way; from 1 to 3; insulated; light gray	www.wago.com/2002-473/011-000
	Item no.: 2002-474 Staggered jumper; 4-way; insulated; light gray	www.wago.com/2002-474
	Item no.: 2002-475 Staggered jumper; 5-way; insulated; light gray	www.wago.com/2002-475
	Item no.: 2002-475/011-000 Staggered jumper; 3-way; insulated; light gray	www.wago.com/2002-475/011-000
	Item no.: 2002-476 Staggered jumper; 6-way; insulated; light gray	www.wago.com/2002-476
	Item no.: 2002-477 Staggered jumper; 7-way; insulated; light gray	www.wago.com/2002-477
	Item no.: 2002-477/011-000 Staggered jumper; insulated; light gray	www.wago.com/2002-477/011-000
	Item no.: 2002-478 Staggered jumper; 8-way; insulated; light gray	www.wago.com/2002-478
	Item no.: 2002-479 Staggered jumper; 9-way; insulated; light gray	www.wago.com/2002-479
	Item no.: 2002-479/011-000 Staggered jumper; insulated; light gray	www.wago.com/2002-479/011-000
	Item no.: 2002-480 Staggered jumper; 10-way; insulated; light gray	www.wago.com/2002-480
	Item no.: 2002-481 Staggered jumper; 11-way; insulated; light gray	www.wago.com/2002-481
	Item no.: 2002-481/011-000 Staggered jumper; insulated; light gray	www.wago.com/2002-481/011-000
	Item no.: 2002-482 Staggered jumper; 12-way; insulated; light gray	www.wago.com/2002-482
	Item no.: 210-103 Wire commoning chain; insulated; black	www.wago.com/210-103
	Item no.: 210-123 Wire commoning chain; insulated; blue	www.wago.com/210-123

Marking accessories

Subject to changes. Please also observe the further product documentation!

	Item no.: 2009-110 Marking strips; for Smart Printer; on reel; not stretchable; plain; snap-on type; white	www.wago.com/2009-110
	Item no.: 2009-115 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white	www.wago.com/2009-115
	Item no.: 2009-115/000-002 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow	www.wago.com/2009-115/000-002
	Item no.: 2009-115/000-006 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue	www.wago.com/2009-115/000-006
	Item no.: 2009-115/000-007 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray	www.wago.com/2009-115/000-007
	Item no.: 2009-115/000-012 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange	www.wago.com/2009-115/000-012
	Item no.: 2009-115/000-017 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; light green	www.wago.com/2009-115/000-017
	Item no.: 2009-115/000-023 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green	www.wago.com/2009-115/000-023
	Item no.: 2009-115/000-024 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet	www.wago.com/2009-115/000-024
	Item no.: 2009-145 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white	www.wago.com/2009-145
	Item no.: 2009-145/000-002 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow	www.wago.com/2009-145/000-002
	Item no.: 2009-145/000-005 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; red	www.wago.com/2009-145/000-005
	Item no.: 2009-145/000-006 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue	www.wago.com/2009-145/000-006
	Item no.: 2009-145/000-007 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray	www.wago.com/2009-145/000-007

Subject to changes. Please also observe the further product documentation!

	Item no.: 2009-145/000-012 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange	www.wago.com/2009-145/000-012
	Item no.: 2009-145/000-023 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green	www.wago.com/2009-145/000-023
	Item no.: 2009-145/000-024 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet	www.wago.com/2009-145/000-024
	Item no.: 2009-198 Adaptor; gray	www.wago.com/2009-198
	Item no.: 248-501 Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card	www.wago.com/248-501
	Item no.: 248-501/000-002 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; yellow	www.wago.com/248-501/000-002
	Item no.: 248-501/000-005 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; red	www.wago.com/248-501/000-005
	Item no.: 248-501/000-006 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; blue	www.wago.com/248-501/000-006
	Item no.: 248-501/000-007 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; gray	www.wago.com/248-501/000-007
	Item no.: 248-501/000-012 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; orange	www.wago.com/248-501/000-012
	Item no.: 248-501/000-017 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; light green	www.wago.com/248-501/000-017
	Item no.: 248-501/000-023 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; green	www.wago.com/248-501/000-023
	Item no.: 248-501/000-024 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; violet	www.wago.com/248-501/000-024
	Item no.: 793-501 WMB marking card; as card; not stretchable; plain; snap-on type; white	www.wago.com/793-501

Subject to changes. Please also observe the further product documentation!



Item no.: 793-501/000-002
WMB marking card; as card; not stretchable; plain; snap-on type; yellow

www.wago.com/793-501/000-002



Item no.: 793-501/000-005
WMB marking card; as card; not stretchable; plain; snap-on type; red

www.wago.com/793-501/000-005



Item no.: 793-501/000-006
WMB marking card; as card; not stretchable; plain; snap-on type; blue

www.wago.com/793-501/000-006



Item no.: 793-501/000-007
WMB marking card; as card; not stretchable; plain; snap-on type; gray

www.wago.com/793-501/000-007



Item no.: 793-501/000-012
WMB marking card; as card; not stretchable; plain; snap-on type; orange

www.wago.com/793-501/000-012



Item no.: 793-501/000-017
WMB marking card; as card; not stretchable; plain; snap-on type; light green

www.wago.com/793-501/000-017



Item no.: 793-501/000-023
WMB marking card; as card; not stretchable; plain; snap-on type; green

www.wago.com/793-501/000-023



Item no.: 793-501/000-024
WMB marking card; as card; not stretchable; plain; snap-on type; violet

www.wago.com/793-501/000-024



Item no.: 793-5501
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; white

www.wago.com/793-5501



Item no.: 793-5501/000-002
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

www.wago.com/793-5501/000-002



Item no.: 793-5501/000-005
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; red

www.wago.com/793-5501/000-005



Item no.: 793-5501/000-006
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; blue

www.wago.com/793-5501/000-006



Item no.: 793-5501/000-007
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; gray

www.wago.com/793-5501/000-007



Item no.: 793-5501/000-012
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

www.wago.com/793-5501/000-012

Subject to changes. Please also observe the further product documentation!

type; orange

**Item no.: 793-5501/000-017**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; green

www.wago.com/793-5501/000-017**Item no.: 793-5501/000-023**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; light green

www.wago.com/793-5501/000-023**Item no.: 793-5501/000-024**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; violet

www.wago.com/793-5501/000-024**Carrier rail****Item no.: 210-112**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm; silver-colored

www.wago.com/210-112**Item no.: 210-113**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715; silver-colored

www.wago.com/210-113**Item no.: 210-114**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored

www.wago.com/210-114**Item no.: 210-115**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm; silver-colored

www.wago.com/210-115**Item no.: 210-118**

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; silver-colored

www.wago.com/210-118**Item no.: 210-196**

Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored

www.wago.com/210-196**Item no.: 210-197**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715; silver-colored

www.wago.com/210-197**Item no.: 210-198**

Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored

www.wago.com/210-198**Item no.: 210-504**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; galvanized; according to EN 60715; silver-colored

www.wago.com/210-504**Item no.: 210-505**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; galvanized; according to EN 60715; silver-colored

www.wago.com/210-505**Item no.: 210-506**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; galvanized; similar to EN 60715; silver-colored

www.wago.com/210-506**Item no.: 210-508**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; galvanized; similar to EN 60715; silver-colored

www.wago.com/210-508

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

check



Item no.: 859-500

Test pin; 1 mm Ø; with solder connection for test wire

www.wago.com/859-500

Downloads

Documentation

Additional Information

Technical explanations	3. 4. 2019	pdf 2.2 MB	Download
------------------------	------------	---------------	----------

CAD/CAE-Data

CAE data

EPLAN Data Portal 2022-2237/427-000	URL	Download
EPLAN Data Portal 2022-2237/427-000	URL	Download

Environmental Product Compliance

Compliance Search


Environmental Product Compliance 2022-2237/427-000	URL	Download
--	-----	----------

2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin ground terminal block; 2.5 mm²; PE; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; green-yellow

Installation Notes

Coding


Subject to changes. Please also observe the further product documentation!




Insert coding pin into the corresponding slot and twist it off.



Coding a female plug: remove coding finger using a suitable tool.



Insert coded female plug into X-COM®S-SYSTEM terminal block assembly.




1-conductor female plug


Double-deck carrier terminal blocks can be commoned via 2002 Series Push-In Type Jumper Bars and tested via 859-500 Test Pin.

Marking


Subject to changes. Please also observe the further product documentation!



Clear marking via large marking area



Group marking with height-adjustable group marker carrier (2009-163)



Marking via marker carrier (2009-198)

Product family

X-COM S

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.