

Data sheet

284-624

**DISTRIBUTION TERMINAL BLOCK LATERAL MARKING
FRONT-/SIDE-ENTRY CAGE CLAMP / SCREW CLAMP CONNECTION
HORIZONTAL TYPE**



Technical data

Package size 15 pieces.

Cross section from [mm ²]	0.2 mm ²
Cross section to [mm ²]	10 mm ²
Cross section from [AWG]	24 AWG
Cross section to [AWG]	08 AWG
Voltage UL	600 V
Voltage CSA	600 V
Current UL	115 A
Current CSA	110 A
Cross section from [mm ²]	6 mm ²
Cross section to [mm ²]	35 mm ²
Cross section from [AWG]	08 AWG
Cross section to [AWG]	02 AWG
Measured voltage EN	800 V
Measured shock voltage	8 kV
Pollution degree	3
Current intensity EN	125 A
Weight	55.6 g
Color	blue
Wiring type	Front-/Side-entry
No. of connection Points	4
No. of potentials	1
Height	39.5 mm
Height	1.55 in

Data sheet**284-624****DISTRIBUTION TERMINAL BLOCK LATERAL MARKING
FRONT-/SIDE-ENTRY CAGE CLAMP / SCREW CLAMP CONNECTION
HORIZONTAL TYPE**

Width	17.5 mm
Width	0.689 in
Depth	89 mm
Depth	3.507 in
Strip length from	12 mm
Strip length to	14 mm
Strip length	0.51 in

Data sheet

284-624

**DISTRIBUTION TERMINAL BLOCK LATERAL MARKING
FRONT-/SIDE-ENTRY CAGE CLAMP / SCREW CLAMP CONNECTION
HORIZONTAL TYPE**

Approval	Voltage	Current	Approval number	Notes
BV			07436/C0	
CB-certificateChina	500	125	NL3291	
CCA	500	125	NL-4207	
CSA	600	110	154112-1536073	
DNV	500	125	E6999	
GL	500	125	17295-00HH	
KEMA	800	125	99.1580.01	
LR	500	125	91/20112(E1)	
RMR	500	125	99.00007.250	
UL	600	115	E45172	

Data sheet

284-624

DISTRIBUTION TERMINAL BLOCK LATERAL MARKING FRONT-/SIDE-ENTRY CAGE CLAMP / SCREW CLAMP CONNECTION HORIZONTAL TYPE

Accessories

Item number

ALUMINIUM CARRIER RAIL 35 X 7.5 MM, 1.5 MM / 0.059 IN THICK	210-196
COMB TYPE JUMPER BAR INSULATED	284-412
COPPER CARRIER RAIL 35 X 15 MM, 2.3 MM / 0.091 IN THICK	210-198
COVER CARRIER TYPE 2	709-168
COVER TYPE 2	709-154
FINGER GUARD COVER	284-400
HOLD BLOCK FOR ISOLATED MOUNTING ON DIN 35 RAIL	209-106
Individual wire jumpers	individual jumper
Open individual wire jumpers ends	individual jumper open end
OPERATING STICKER FOR FRONT-ENTRY RAIL-MOUNTED TERMINAL BLOCKS	210-186
PIVOTABLE GROUP MARKER CARRIER	249-105
PROTECTIVE WARNING MARKER WITH HIGH VOLTAGE SYMBOL, BLACK	284-415
SCREWDRIVER Type 3, bar (5,5 x 0,8) mm	210-121
SCREWDRIVER WITH PARTIALLY INSULATED SHAFT Type 3, bar (5,5 x 0,8) mm	210-621
SCREWLESS END STOP 10 MM / 0.394 IN WIDE	249-117
SCREWLESS END STOP 6 MM / 0.236 IN WIDE	249-116
SPARE FIXING / RETAINING SCREWS	209-196
SPARE KNURLED NUT	210-549
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-114
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-197
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-506
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-508
STEEL CARRIER RAIL 35 X 15 MM, 2.3 MM / 0.091 IN THICK	210-118
STEEL CARRIER RAIL 35 X 15 MM, 2.3 MM / 0.091 IN THICK	210-548
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-112
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-113
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-162
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-229
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-504
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-505
WMB MULTI MARKING SYSTEM PLAIN	793-501
WMB MULTI MARKING SYSTEM PLAIN	793-5501
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-006
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-005
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-002
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-007
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-012
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-017

Data sheet

284-624

**DISTRIBUTION TERMINAL BLOCK LATERAL MARKING
FRONT-/SIDE-ENTRY CAGE CLAMP / SCREW CLAMP CONNECTION
HORIZONTAL TYPE**

WMB MULTI MARKING SYSTEM PLAIN	793-501/000-023
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-024
WSB QUICK MARKING SYSTEM PLAIN	209-501
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-002
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-005
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-006
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-007
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-012
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-017
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-023
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-024