



Product information



Code No.: T599TFO

High precision tool for optical fibres - special tool steel, ESD-safe

- Side cutter with cutting edges made from tungsten carbide.
- Suitable for cutting Kevlar® silks, Vectran™-sheated wires, optical fibres and small stainless wires.

Technical Data

Cut:	Semi-flush
Length:	115 mm / 4.527 Inch
Weight:	67 g / 2.36 oz.
Length of cutting edges:	12 mm / .354 Inch
Head width:	10,5 mm / .354 Inch
Head thickness:	6,5 mm / .236 Inch
Head length:	19 mm / .590 Inch
Suitable for cutting Kevlar® silks, Vectran TM -sheated wires, optical fibres and small stainless wires	

Erem Cutters and Tip Cutters

- Internal patented Erem Magic Spring
 - Reduce costs by long life
 - Constant spring force
 - Guarantees more than 1 million operations
- High precision screw joint
 - Smooth jaw action with no play
 - Smooth cutting operation with no jaw overlapping
- Induction-hardened cutting edges in Rockwell hardness 63 65 HRc for exceptionally long life



- EMOS maximum opening stop limits the cutting-edge tips from opening more than 5 mm / .197 Inch. The limited extent to which the handles can open prevent user hand fatigue.
- Ergonomically shaped handles for high comfort, better grip and added safety
- Erem cut:
 Options for semi flush, full flush or super flush cuts