


# KGG-PC 4/ 3-F - Cable housing

1837324

<https://www.phoenixcontact.com/sk/products/1837324>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable housing, product range: KGG-PC 4/..-F

## Commercial data

Item number	1837324
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	AAH
Product key	AAHZDG
Catalog page	Page 523 (C-1-2013)
GTIN	4017918111335
Weight per piece (including packing)	16.7 g
Weight per piece (excluding packing)	14.85 g
Customs tariff number	39269097
Country of origin	PL

# KGG-PC 4/ 3-F - Cable housing



1837324

<https://www.phoenixcontact.com/sk/products/1837324>

## Technical data

### Product properties

Product type	Cable housing
Product family	KGG-PC 4/..-F
Number of positions	3
Pitch	0 mm

### Data management status

Article revision	05
------------------	----

### Material specifications

Flammability rating according to UL 94	HB
--	----

### Dimensions

Pitch	0 mm
-------	------

# KGG-PC 4/ 3-F - Cable housing



1837324

<https://www.phoenixcontact.com/sk/products/1837324>

## Classifications

### ECLASS

ECLASS-11.0	27460402
ECLASS-13.0	27460402
ECLASS-12.0	27460402

### ETIM

ETIM 9.0	EC002943
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# KGG-PC 4/ 3-F - Cable housing

1837324

<https://www.phoenixcontact.com/sk/products/1837324>



## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

### China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

### EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

# KGG-PC 4/ 3-F - Cable housing

1837324

<https://www.phoenixcontact.com/sk/products/1837324>




## Accessories

### KGS-MSTB 2,5/ DST - Cable housing

1784914

<https://www.phoenixcontact.com/sk/products/1784914>



Transparent label carrier, can be marked with marker strips SBS 2.5/7.5

---

### CUC-DST-ABK-CP6,5 - Bend protection sleeve

1419790

<https://www.phoenixcontact.com/sk/products/1419790>



Bend protection sleeve, degree of protection: IP20, color: black

# KGG-PC 4/ 3-F - Cable housing

1837324


<https://www.phoenixcontact.com/sk/products/1837324>



## PC 4/ 3-ST-7,62 - PCB connector

1804917

<https://www.phoenixcontact.com/sk/products/1804917>



PCB connector, nominal cross section: 4 mm<sup>2</sup>, color: green, nominal current: 20 A, rated voltage (III/2): 630 V, contact surface: Sn, contact connection type: Socket, number of potentials: 3, number of rows: 1, number of positions: 3, number of connections: 3, product range: PC 4/..-ST, pitch: 7.62 mm, connection method: Screw connection with tension sleeve, screw head form: L Slotted, conductor/PCB connection direction: 0 °, locking clip: - Locking clip, plug-in system: COMBICON PC 4, locking: without, mounting: without, type of packaging: packed in cardboard

---

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT s.r.o.

Námestie Mateja Korvína 1

811 07 Bratislava

+421 2 3210 1470

[obchod.sk@phoenixcontact.com](mailto:obchod.sk@phoenixcontact.com)