Data sheet Product LA 34 250 48



Cooling aggregates>Cooling aggregates with axial fan

80 x 83 mm, with axial fan

Features

width:	**80 mm**
height:	**83 mm**
length:	**250 mm**
thermal resistance:	**0.2 - 0.117 K/W**
surface:	• **aluminium natural/degreased/cutting edges not deburred (by the metre not degreased/cutting edges not deburred)** • **mounting area(s) milled flat**

Technical Drawing





Fan

type:	**ebmpapst 8212 JH4**
dimensions:	**80x80x38 mm**
tension:	**12 V DC**
power inout:	**39 W**

max. air volume:	**222 m^3/h**
temperature range:	**-20°C... +70°C**
noise level:	**71 dB(A)**
speed:	**14,000 min^{-1}**
weight:	**200 g**
failure rate (L_{10}):	**L_{10} > 50,000 h (40°C)**

type:	**ebmpapst 8214 JH4**
dimensions:	**80x80x38 mm**
tension:	**24 V DC**
power inout:	**38 W**
max. air volume:	**222 m^3/h**
temperature range:	**-20°C... +70°C**
noise level:	**71 dB(A)**
speed:	**14,000 min^{-1}**
weight:	**200 g**
failure rate (L_{10}):	**L_{10} > 50,000 h (40°C)**

type:	**ebmpapst 8218 JH4**
dimensions:	**80x80x38 mm**
tension:	**48 V DC**
power inout:	**36 W**
max. air volume:	**222 m^3/h**
temperature range:	**-20°C... +70°C**
noise level:	**71 dB(A)**
speed:	**14,000 min^{-1}**
weight:	**200 g**
failure rate (L_{10}):	**L_{10} > 50,000 h (40°C)**

Fischer Elektronik GmbH & Co. KG
DEUTSCHLAND • GERMANY • ALLEMAGNE
Nottebohmstraße 28
58511 Lüdenscheid
Telefon +49 2351 435-0
Telefax +49 2351 45754
info@fischerelektronik.de
www.fischerelektronik.de