



Terminals & Splices > PCB Terminals



PCB Terminal Type: **Tab**

PCB Thickness (Recommended): 2.36 – 3.05 mm [.093 – .12 in]

Mating Tab Width: 6.35 mm [.25 in]

Mating Tab Thickness: .81 mm [.032 in]

PCB Hole Diameter: 1.4 mm [.06 in]

Features

Product Type Features

Insertion Force	Normal
-----------------	--------

Contact Features

PCB Terminal Type	Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Plating Material	Tin
Contact Underplating Material	Nickel
Terminal Size	6.35
Terminal Orientation	Straight

Termination Features

Termination Method to PCB	Through Hole - Solder
Product Terminates To	Printed Circuit Board

Dimensions

Extension Below Board	3.8 mm[.149 in]
-----------------------	-----------------



Terminal Material Thickness	.81 mm[.032 in]
PCB Thickness (Recommended)	2.36 – 3.05 mm[.093 – .12 in]
PCB Hole Diameter	1.4 mm[.06 in]
Profile Height from PCB	12.7 mm[.506 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-30 – 110 °C[-22 – 230 °F]

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

 TE Part # 140814-2 250 FASTON,TAB,TPBR	 TE Part # 216843-1 250 FASTON,TAB,PCB,TPPB	 TE Part # 1217558-2 250 FASTON,TAB,TPBR	 TE Part # 1-726386-2 250 FASTON,TAB,TPBR
 TE Part # 141878-2 250 FASTON,TAB,TPBR	 TE Part # 60447-1 250 FASTON TAB BR	 TE Part # 726386-2 250 FASTON TAB TPBR	 TE Part # 726387-2 250 FASTON TAB TPBR
 TE Part # 216905-1 POSITIVE LOCK POWER RECEPTACLE TPPHBRZ	 TE Part # 140596 250 FASTON,TAB,TPBR	 TE Part # 60447-2 250 FASTON TAB CRST	 TE Part # 216926-1 POSITIVE LOCK 250 TAB PHBRZ
 TE Part # 63038-2 250 FASTON TAB BR			

Also in the Series | FASTON 250

 Compression Connectors(4)	 Crimp Terminal Housings(117)	 Insertion & Extraction Tools(6)	 Insulation Boots & Sleeves(16)
--	---	--	---



Magnet Wire Terminals(1)



PCB Terminals(131)



Quick Disconnects(411)



Splices(4)

Customers Also Bought



TE Part #T4143012121-000
M12,FRONT MOUNT,FEMALE,A,12P,
SOLDER PCB




TE Part #1SNG625072R0000
EM-SGL-PG16-MET-C



TE Part #ANT-418-CW-RAH
Antenna 1/4 Wave R-Angle 418MHz
RPS



TE Part #BAT-HLD-001-TR
Hldr for CR2032 Battery, SMT, T&R Pkg
RPS



TE Part #1-215079-6
MICRO-MATCH FOB.16P



TE Part #8-1622824-1
RL73H 3A R20 1% 1K RL




TE Part #1879354-7
RR03 5% R56 AMMO



TE Part #1-2176611-1
EP 2W (SS) 2R7 5%



TE Part #1624363-1
NTC0805 5% 47K



TE Part #1SNA117263R2400
ACPS-5

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_725964-2_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_725964-2_D.3d_igs.zip



English

Customer View Model

[ENG_CVM_CVM_725964-2_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[FASTON TERMINALS \(INSULATED AND UNINSULATED\) - FULL CATALOG](#)

English

Product Specifications

[Application Specification](#)

English