NB17012001 ~ ACTIVE

RAYCHEM | RAYCHEM DWP-125

TE Internal #: NB17012001 Black, 3:1, Dual Wall Tubing, Shrinks To 13.46 mm [.53 in], Irradiated Modified Polyolefin, 38.1 mm [1.5 in] Inner Diameter, RAYCHEM DWP-125

View on TE.com >

Heat Shrink Tubing > DWP-125 Heat Shrink Tubing



Primary Product Color: Black

Wall Type: Dual Wall

Expanded Inside Diameter (Min): 38.1 mm [1.5 in]

Recovered Inside Diameter (Max): 13.46 mm [.53 in]

Shrink Ratio: 3:1

All DWP-125 Heat Shrink Tubing (87)



Features

Product Type Features	
Wall Type	Dual Wall
Electrical Characteristics	
Operating Voltage (Max)	.6 kV
Body Features	
Fluid Type	Hydraulic Fluid, Lubricating Oil, Water
Primary Product Color	Black
Shrink Ratio	3:1
Primary Product Material	Irradiated Modified Polyolefin
Flexibility	Flexible
Dimensions	
Recovered Wall Thickness (Nominal)	2.5 mm[.1 in]
Product Length	1220 mm[48.031 in]

NB17012001

Black, 3:1, Dual Wall Tubing, Shrinks To 13.46 mm [.53 in], Irradiated Modified Polyolefin, 38.1 mm [1.5 in] Inner Diameter, RAYCHEM DWP-125



Expanded Inside Diameter (Min)	38.1 mm[1.5 in]
Recovered Inside Diameter (Max)	13.46 mm[.53 in]
Tubing Size Range	13.5 – 38.1 mm[.53 – 1.5 in]
Usage Conditions	
Shrink Temperature (Min)	80 °C
Resistance Properties	Moisture
Tubing Flammability Type	Flame-Retardant
Operating Temperature Range	-40 – 110 °C
Recovery Temperature	125 °C
Operation/Application	
Mechanical Resistance	Fluids, Mechanical Damage
Product Availability	
Applicable Region	Global
Packaging Features	
Packaging Method	Bag & Box
Other	
Meets Low Outgassing Requirements	No

Product Source

Czech Republic

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability
Product Compliance Disclaimer	

NB17012001

Black, 3:1, Dual Wall Tubing, Shrinks To 13.46 mm [.53 in], Irradiated Modified Polyolefin, 38.1 mm [1.5 in] Inner Diameter, RAYCHEM DWP-125




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # EG1114-000 CV1981-ST-230V1600W-EU

Also in the Series | RAYCHEM DWP-125



Customers Also Bought



NB17012001

Black, 3:1, Dual Wall Tubing, Shrinks To 13.46 mm [.53 in], Irradiated Modified Polyolefin, 38.1 mm [1.5 in] Inner Diameter, RAYCHEM DWP-125





Documents

Product Drawings DWP-125-1-1/2-0-STK

English

Datasheets & Catalog Pages

DWP-125 Pages from 9-1773447-9

English

Product Specifications Application Specification

English