



## Item description

Contains

TOPJOB® S Rail-Mount Terminal Blocks

- 10 x 3-conductor through terminal block; with Push-in CAGE CLAMP®; 0.25 ... 2.5 (4) mm<sup>2</sup>; gray (2002-1301)
- 8 x 2-conductor through terminal block; with Push-in CAGE CLAMP®; 0.5 ... 4 (6) mm<sup>2</sup>; gray (2004-1201)
- 20 x 2-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 0.25 ... 2.5 (4) mm<sup>2</sup>; gray (2102-1201)
- 6 x 3-conductor through terminal block; with lever and push-button; 0.25 ... 2.5 (4) mm<sup>2</sup>; gray (2102-5301)
- 2 x 3-conductor through terminal block; with lever and push-button; 0.25 ... 2.5 (4) mm<sup>2</sup>; blue (2102-5304)
- 2 x 3-conductor ground terminal block; with lever and push-button; 0.25 ... 2.5 (4) mm<sup>2</sup>; green-yellow (2102-5307)
- 6 x 3-conductor through terminal block; with lever and push-button; 0.5 ... 6 (10) mm<sup>2</sup>; gray (2106-5301)
- 2 x 3-conductor through terminal block; with lever and push-button; 0.5 ... 6 (10) mm<sup>2</sup>; blue (2106-5304)
- 2 x 3-conductor ground terminal block; with lever and push-button; 0.5 ... 6 (10) mm<sup>2</sup>; green-yellow (2106-5307)
- 6 x 3-conductor through terminal block; with lever and push-button; 0.5 ... 16 (25) mm<sup>2</sup>; gray (2116-5301)
- 2 x 3-conductor through terminal block; with lever and push-button; 0.5 ... 16 (25) mm<sup>2</sup>; blue (2116-5304)
- 2 x 3-conductor ground terminal block; with lever and push-button; 0.5 ... 16 (25) mm<sup>2</sup>; green-yellow (2116-5307)
- 25 x 4-conductor through terminal block; with push-button; 0.14 ... 1 (1.5) mm<sup>2</sup>; gray (2200-1401)
- 10 x 3-conductor through terminal block; with push-button; 0.25 ... 2.5 (4) mm<sup>2</sup>; gray (2202-1301)
- 8 x 2-conductor through terminal block; with push-button; 0.5 ... 4 (6) mm<sup>2</sup>; gray (2204-1201)

—  
Subject to changes. Please also observe the further product documentation!



- 6 x 2-conductor through terminal block; with push-button; 0.5 ... 10 (16) mm<sup>2</sup>; gray (2210-1201)
- 2 x 2-conductor through terminal block; with push-button; 0.5 ... 10 (16) mm<sup>2</sup>; blue (2210-1204)
- 2 x 2-conductor ground terminal block; with push-button; 0.5 ... 10 (16) mm<sup>2</sup>; green-yellow (2210-1207)

#### Accessories

- 10 x Screwless end stop; for DIN-35 rail; 6 mm wide; gray (249-116)
- 25 x Push-in type jumper bar; insulated; 2-way; Nominal current: 14 A; light gray (2000-402)
- 10 x End and intermediate plate; for 4-conductor terminal blocks; gray (2000-1491)
- 25 x Adjacent jumper for continuous commoning; insulated; 2-way; Nominal current: 25 A; light gray (2002-400)
- 25 x Push-in type jumper bar; insulated; 2-way; Nominal current: 25 A; light gray (2002-402)
- 10 x End and intermediate plate; for 3-conductor terminal blocks; gray (2002-1391)
- 10 x Push-in type jumper bar; insulated; 2-way; Nominal current: 32 A; light gray (2004-402)
- 10 x End and intermediate plate; for 2-conductor terminal blocks; gray (2004-1291)
- 10 x Push-in type jumper bar; insulated; 2-way; Nominal current: 41 A; light gray (2006-402)
- 5 x Push-in type jumper bar; insulated; 2-way; Nominal current: 57 A; light gray (2010-402)
- 5 x End and intermediate plate; for 2-conductor terminal blocks; gray (2010-1291)
- 10 x Push-in type jumper bar; insulated; 2-way; Nominal current: 76 A; light gray (2016-402)
- 10 x End and intermediate plate; for 2-conductor terminal blocks; gray (2102-1291)
- 5 x End and intermediate plate; for 3-conductor terminal blocks; gray (2102-1391)
- 5 x End and intermediate plate; for 3-conductor terminal blocks; gray (2106-1391)
- 5 x End and intermediate plate; for 3-conductor terminal blocks; gray (2116-1391)

#### Data

##### Physical data

Width	445 mm / 17.52 inch
Height	118 mm / 4.646 inch
Depth	358 mm / 14.094 inch

##### Material data

Fire load	7.255 MJ
Weight	5160 g

##### Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4055143890960

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Customs tariff number

85369010000

## Downloads

### Documentation

#### Additional Information

Technical explanations	3. 4. 2019	pdf 2.2 MB	Download
------------------------	------------	---------------	----------

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 821-154	URL	Download
Rail-mount terminal block set; L-BOXX® 102; 20xx, 21xx, 22xx Series		

## Installation Notes

### Product family

#### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!