


Data sheet | Item number: 280-485

Jumper; 5-way; insulated; gray

www.wago.com/280-485



 Picture differs from the item.

RoHS 
Compliant

[BOMcheck.net](https://www.bomcheck.net)

Color: 

Data

Physical data

Width	25 mm / 0.984 inch
Height	4 mm / 0.157 inch

Material data

Color	gray
Fire load	0.017 MJ
Weight	2.4 g

Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4045454083519
Customs tariff number	85366990990

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Compatible products

tools

	Item no.: 280-435 Operating tool; made of insulating material; 5-way; gray	www.wago.com/280-435
---	--	--

Downloads

Documentation

Bid Text

280-485 doc - Datei	27. 4. 2017	doc 24.6 kB	Download
------------------------	-------------	----------------	----------

280-485 X81 - Datei	19. 2. 2019	xml 2.6 kB	Download
------------------------	-------------	---------------	----------

Additional Information

Technical explanations	3. 4. 2019	pdf 2.2 MB	Download
------------------------	------------	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 280-485	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 280-485	URL	Download
------------------------	-----	----------

ZUKEN Portal 280-485	URL	Download
----------------------	-----	----------

EPLAN Data Portal 280-485	URL	Download
---------------------------	-----	----------

Environmental Product Compliance


Compliance Search

Environmental Product Compliance 280-485 Jumper; 5-way; insulated; gray	URL	Download
--	-----	----------

Subject to changes. Please also observe the further product documentation!

Installation Notes


Commoning



Commoning using comb-style jumper bars.

Push comb-style jumper bars down until fully inserted.

Commoning




4-conductor through terminal blocks, angled type,

formation of groups with 3-way, comb-style jumper bars

Commoning

Subject to changes. Please also observe the further product documentation!




Carrier terminal blocks with component plugs,

alternate comb-style jumper bars,

3-way comb-style jumper bar

Commoning



Commoning front-entry disconnect terminal blocks via comb-style jumper bar using a 10-pole operating tool

Subject to changes. Please also observe the further product documentation!