

Data sheet | Item number: 258-5030

Cutter; for Smart Printer; for marking strips, equipment markers, conductor and cable markers; Durable; High accuracy

www.wago.com/258-5030



RoHS
Compliant ✓

BOMcheck.net



Hardware requirements:

- Printer model: Smart Printer
- From manufacturing month/year: 0814 – August 2014
 - Firmware version: 1.UW7i
 - Printer driver: Version 7.4.2

Software requirements:

- Smart Scr

Item description

Hardware requirements:

- Printer model: Smart Printer
- From manufacturing month/year: 0814 – August 2014
- Firmware version: 1.UW7i
- Printer driver: Version 7.4.2

Software requirements:

- Smart Script: Version 4.2 or higher
- WAGO Printer Settings: Version 2.4.0.0 or higher

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Approved print material to be cut:

- Marking Strips: 2009-110, 709-177, 709-178, 757-901/000-005
- Self-Adhesive Marking Strips: 210-702, 210-870 ... -882/000-002
- Cable Tie Markers: 211-835 ... -836, 211-836/000-002
- Self-Laminating Labels: 211-855 ... -857
- Conductor Markers for Thread-On Mounting: 211-861 ... -863
- Type Labels: 210-801 ... -804, 210-812
- Continuous Labels: 210-831 ... -834
- Label for Circuit Identification: 210-813

Dimensions of printing materials:

- Width (max.): 46 mm
- Thickness (max.): 250 µm

Data

Technical data

Marking device	Smart Printer (Thermal Transfer Printer)
----------------	--

Physical data

Height	107 mm
Width	60 mm
Depth	131 mm

Material data

Weight	1050 g
--------	--------

Commercial data

Packaging type	BOX
Country of origin	JP
GTIN	4055143479899
Customs tariff number	84433900000

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Downloads

Documentation

Operating Instructions

Cutter instructions	004.01.2020 20. 1. 2020	pdf 506.3 kB	Download
---------------------	----------------------------	-----------------	----------

Additional Information

Cutting Unit V2	1 27. 4. 2020	pdf 620.4 kB	Download
-----------------	------------------	-----------------	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 258-5030	URL	Download
Cutter; for Smart Printer; for marking strips, equipment markers, conductor and cable markers; Durable; High accuracy		

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Hardware requirements:

- Printer model: Smart Printer
- From manufacturing month/year:
0814 – August 2014
- Firmware version: 1.UW7i
- Printer driver: Version 7.4.2

Software requirements:

- Smart Script: Version 4.2 or higher
- WAGO printer settings: Version
2.4.0.0 or higher

Approved print material to be cut:

- Marking Strips: 2009-110, 709-177,
709-178, 757-901/000-005
- Self-Adhesive Marking Strips: 210-
702, 210-870 ... -882/000-002
- Cable Tie Markers: 211-835 ... -836,
211-836/000-002
- Self-Laminating Labels: 211-855 ...
-857
- Conductor Markers for Thread-On
Mounting: 211-861 ... -863
- Type Labels: 210-801 ... -804, 210-
812
- Continuous Labels: 210-831 ... -834
- Label for Circuit Identification: 210-
813

Dimensions of printing materials:

- Max. width: 46 mm
- Max. thickness: 250 µm

Subject to changes. Please also observe the further product documentation!