






DIM	DIM A	DIM B	DIM C	DIM D	DIM E	DIM F	DIM G
PIN NUMBER							
060	26.12	15.72	18.72	20.72	14.50	21.95	23.95
080	31.12	20.72	23.72	25.72	19.50	26.95	28.95
100	36.12	25.72	28.72	30.72	24.50	31.95	33.95

REV.	DESCRIPTION	DRAWN	DATE
1	INITIAL RELEASE	FROS	2025/06/27

3	SOLDER PEG	Copper alloy, matte tin over nickel plating			
2	CONTACT	Copper alloy, 5u" gold plating on contact area matte tin plating on solder area, under plating nickel over all			
1	HOUSING	Thermoplastic, black			
NO.	PART NAME	DESCRIPTION			
UNLESS OTHERWISE SPECIFIED TOLERANCE		 ATTEND www.attend.com.tw			
UNIT: mm	DECIMAL		LINEAR	ANGLES	
	X.		±0.50	±5°	
	X.X		±0.25	±3°	
	X.XX		±0.12	±1°	
DRAWN	Fros	2025/06/27	DRAWN NAME: Board to Board Floating Plug, Male 100 pin, Right Angel		
CHECKED	Tim	2025/06/27			
APPROVED	Ken	2025/06/27			
		PRODUCT NO.	320A-P100R00		
	SCALE 2.5/1	SHEET 1/1	SIZE A4	FILE NAME	320A-P100R00_B_1



UNLESS OTHERWISE SPECIFIED TOLERANCE					 ATTEND		
UNIT:	DECIMAL	LINEAR	ANGLES				
	X.	±0.50	±5°				
	X.X	±0.25	±3°				
	X.XX	±0.12	±1°				
					www.attend.com.tw		
DRAWN		Fros		2025/06/27		DRAWN NAME: Board to Board Floating Plug, Male 100 pin, Right Angel	
CHECKED		Tim		2025/06/27			
APPROVED		Ken		2025/06/27		PRODUCT NO.	320A-P100R00
		SCALE 5/1	SHEET 2/2	SIZE A4	FILE NAME	320A-P100R00_B_1	



PACKAGING SPECIFICATION:

1. MATERIAL

- 1.1 Embossed Carrier Tape: PS Black
- 1.2 Top Cover Tape: PET
- 1.3 Taping Reel: Plastic

2. PACKING

- 2.1 Quantity:
 - 350 Piece/Reel
 - 1400 Piece/Outer Carton