# 293735-1 - ACTIVE

TE Internal #: 293735-1 Rectangular Caps & Covers, Strain Relief Coverpart Kit, Receptacle, Power, Cable Mount (Free-Hanging), -20 – 85 °C [-4 – 185 °F], UL 94V-0

#### View on TE.com >



Connectors > Rectangular Connectors > Rectangular Connector Accessories > Rectangular Caps & Covers



#### Protection & Strain Relief Accessory Type: Strain Relief Coverpart Kit

Compatible With Connector Style: Receptacle

Sealable: No

Circuit Application: Power

Connector Mounting Type: Cable Mount (Free-Hanging)

## Features

#### **Product Type Features**

Product Type	Accessory
Protection & Strain Relief Accessory Type	Strain Relief Coverpart Kit
Sealable	No

#### **Body Features**

Color	Black
Material	Nylon
Mechanical Attachment	
Connector Mounting Type	Cable Mount (Free-Hanging)
Usage Conditions	
Compatible With Connector Style	Receptacle
Operating Temperature Range	-20 – 85 °C[-4 – 185 °F]
Operation/Application	
For Use With	Receptacle housing
Circuit Application	Power
Industry Standards	
VDE Tested	No
UL Flammability Rating	UL 94V-0
Packaging Features	

## 293735-1

 $\mathbf{C}$ 

Rectangular Caps & Covers, Strain Relief Coverpart Kit, Receptacle, Power, Cable Mount (Free-Hanging), -20 – 85 °C [-4 – 185 °F], UL 94V-0



Packaging Method	Box & Carton
Packaging Quantity	500
Other	
Comment	Kit includes MNL Hsg 794616-4, cover halves 293728-1 and 293729-1

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

## 293735-1

Rectangular Caps & Covers, Strain Relief Coverpart Kit, Receptacle, Power, Cable Mount (Free-Hanging), -20 – 85 °C [-4 – 185 °F], UL 94V-0





# Documents

Product Drawings 4 pos. coverpart (kit) for P/N 794616-4 English

\_\_\_\_\_

**Product Specifications Application Specification** English