





DIM	DIM A	DIM B	DIM C	DIM D	DIM E	DIM F	DIM G
PIN NUMBER							
060	26.12	15.72	18.72	20.72	14.50	21.95	23.95
080	31.12	20.72	23.72	25.72	19.50	26.95	28.95
100	36.12	25.72	28.72	30.72	24.50	31.95	33.95


REV.	DESCRIPTION	DRAWN	DATE
1	INITIAL RELEASE	FROS	2025/06/27

3	SOLDER PEG	Copper alloy, matte tin over nickel plating		
2	CONTACT	Copper alloy, 5u" gold plating on contact area matte tin plating on solder area, under plating nickel over all		
1	HOUSING	Thermoplastic, black		
NO.	PART NAME	DESCRIPTION		
UNLESS OTHERWISE SPECIFIED TOLERANCE		 ATTEND www.attend.com.tw		
UNIT: mm	DECIMAL		LINEAR	ANGLES
	X.		±0.50	±5°
	X.X		±0.25	±3°
	X.XX		±0.12	±1°
DRAWN	Fros	2025/06/27	DRAWN NAME: Board to Board Floating Plug, Male 60 pin, Right Angel	
CHECKED	Tim	2025/06/27		
APPROVED	Ken	2025/06/27	PRODUCT NO.	320A-P060R00
	SCALE 2.5/1	SHEET 1/2	SIZE A4	FILE NAME 320A-P060R00_B_1



Assembly Dimensions

UNLESS OTHERWISE SPECIFIED TOLERANCE				 ATTEND	
UNIT: mm	DECIMAL	LINEAR	ANGLES		
	X.	±0.50	±5°		
	X.X	±0.25	±3°		
	X.XX	±0.12	±1°		
				www.attend.com.tw	
DRAWN	Fros	2025/06/27	DRAWN NAME: Board to Board Floating Plug, Male 60 pin, Right Angel		
CHECKED	Tim	2025/06/27			
APPROVED	Ken	2025/06/27	PRODUCT NO.	320A-P060R00	
	SCALE	SHEET	SIZE	FILE NAME	320A-P060R00_B_1
	5/1	2/2	A4		



REV.	DESCRIPTION	DRAWN	DATE
1	INITIAL RELEASE	FROS	2025/06/27

PACKAGING SPECIFICATION:

- MATERIAL
 - Embossed Carrier Tape: PS Black
 - Top Cover Tape: PET
20-80g(Peel Speed 300mm/Minute)
 - Taping Reel: Plastic
- PACKING
 - Quantity:
350 Piece/Reel
1750 Piece/Outer Carton

UNLESS OTHERWISE SPECIFIED TOLERANCE				ATTEND www.attend.com.tw		
mm	UNIT:	DECIMAL	LINEAR			ANGLES
		X.	±0.50			±5°
		X.X	±0.25			±3°
		X.XX	±0.12			±1°
DRAWN		Fros		2025/06/27		
CHECKED		Tim		2025/06/27		
APPROVED		Ken		2025/06/27		
		SCALE N/A	SHEET 1/1	SIZE A4	FILE NAME	
					320A-P060R00	
					320A-P060R00_B_1	