

Interzoll | PCB holder and fixing material



BFS/M 2100

Order no.: 86000210 

SHR S M 2.5x8, galvanised steel, cross-head, for ST/M (-EMV), LKH/M 02, 03

* = Available on request.

Configure mast mounting



Quickly and easily configure the appropriate modules based on your requirements to obtain the optimal mast mounting solution for your application.

» Configure now

Important: Suitable pressure compensation element



To compensate for pressure when temperatures change and cause moisture in the enclosure, we recommend that you use a **pressure compensation** element.

In order to ensure that you can determine the correct quantity of elements for your application, we are providing you here with a DAE calculator.

» Calculate now

Characteristics

Colour of enclosure group

--

Product drawing



Do your requirements go beyond the listed specifications? We'd be happy to develop a suitable solution together. Simply request your desired articles via the shopping cart and share your requirements with us in the "Your message" field.

Enclosure Material

Profile Al Mg; Si 0.5; for details see Technical Information


Scope of delivery

LKH/M: 10 pieces

BFS/M: 20 pieces

 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP
 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP
 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP
 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP
 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP
 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP	 BFS-M 2000 Screw 2 x 12,5 x 1,5-SP

Enclosure concept



Technical documentation / Downloads

Technical drawings

3D product data in STEP format:

Login to download

Drawing for mechanical processing:

86000210 BFSM-G.dxf
(447.2 KB)

Milling contours are shown here as a DXF file. (Sub D, USB, HDMI, cable glands, ...)

Product drawing in PDF format:

86000210 BFSM.pdf
(57.6 KB)

Product drawing in DXF format:

86000210 BFSM.dxf
(447.2 KB)

Product information

19 Inch Standard Overview EN.pdf

(4.6 MB)

interzoll en.pdf

(4.1 MB)

