


Item no.: 285-154
Product description: 2-conductor through terminal block



Produkt kann von Bild abweichen / product may differ

Packing unit 5 pieces

RoHS compliant

Cross section [mm ²]	10 - 50 mm ²
Cross section [AWG]	8 - 1 AWG
Connection method	POWER CAGE CLAMP
Cross section [mm ²]	10 - 70 mm ²
Cross section [AWG]	8 - 2/0 AWG
Wiring method	f
Connection method	POWER CAGE CLAMP
Measured voltage EN	1000 V
Measured shock voltage	8 kV
Pollution degree	3
Current intensity EN	150 A
Weight	157.22 g
Color	blue
Wiring type	Side-entry
No. of connection Points	2
No. of potentials	1
Height	87 mm
Height	3.425 in
Width	20 mm

Width	0.787 in
Depth	94 mm
Depth	3.701 in



Strip length from	30 mm
Strip length to	30 mm
Strip length	1.18 in
Customs Tariff No.	85369010
Country of Origin	Polen



Item number	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm ²]
285-154	CCA	NL6390	1000	150	50
285-154	CSA	114112-1327714	600	150	8-1/0
285-154	KEMA	2116735.01	1000	150	50
285-154	UR	E45172	600	150	8-2/0

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected