




Data sheet | Item number: 2201-1307

TOPJOB®S ground terminal block with Push-buttons; rail mount; 3-conductor; 4.2 mm wide; green-yellow



[www.wago.com/2201-1307](http://www.wago.com/2201-1307)



#### Data

#### Connection data

Connection technology

Push-in CAGE CLAMP®

Actuation type

Push-in



	Push-button Operating tool
Connectable conductor materials	Copper
Nominal cross section	1.5 mm <sup>2</sup>
Solid conductor	0.25 ... 2.5 mm <sup>2</sup> / 22 ... 14 AWG
Solid conductor, push-in termination	0.75 ... 2.5 mm <sup>2</sup> / 18 ... 14 AWG
Fine-stranded conductor	0.25 ... 2.5 mm <sup>2</sup> / 22 ... 14 AWG
Fine-stranded conductor with ferrule, push-in termination, from	0.75 mm <sup>2</sup> / 18 AWG
Strip length	9 ... 11 mm / 0.35 ... 0.43 Inch
Number of levels	1
Total number of connection points	3
Total number of potentials	1
Type of wiring	Front-entry wiring

### Geometrical Data

Width	4.2 mm / 0.165 inch
Height from upper-edge of DIN-35 rail	32.9 mm / 1.295 inch
Depth	59.2 mm / 2.33 inch

### Mechanical data

Design	horizontal
Type of mounting	DIN-35 rail
Marking level	Center/side marking

### Material Data


Color	green-yellow
Insulating material	Polyamide 66 (PA 66)
Weight	7.89 g

### Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4055143696838

### Approvals / Certificates

#### Ex-Approvals

Logo	Approval	Certificate name
	AEx UL International Germany GmbH c/o Physikalisch Technische Bundesanstalt	E185892 sec. 25



ATEX  
Physikalisch Technische Bundesanstalt




PTB 18 ATEX 1004 U (II 2 G Ex eb IIC Gb bzw. I M 2 Ex eb I Mb)



IECEX  
Physikalisch Technische Bundesanstalt

IECEX PTB 18.0011U (Ex eb IIC Gb and Ex eb I Mb)





#### Country specific Approvals

Logo	Approval	Certificate name
	CCA DEKRA Certification B.V.	NTR NL 7664
	CSA DEKRA Certification B.V.	70173738
	KEMA/KEUR DEKRA Certification B.V.	71-102875

#### UL-Approvals

Logo	Approval	Certificate name
	cURus Underwriters Laboratories Inc.	4788308064

#### Compatible products

ferrule		
	<b>Item no.: 216-241</b> Ferrule; Sleeve for 0.5 mm <sup>2</sup> / AWG 22; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90	<a href="http://www.wago.com/216-241">www.wago.com/216-241</a>
	<b>Item no.: 216-242</b> Ferrule; Sleeve for 0.75 mm <sup>2</sup> / AWG 20; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90	<a href="http://www.wago.com/216-242">www.wago.com/216-242</a>
	<b>Item no.: 216-243</b> Ferrule; Sleeve for 1 mm <sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90	<a href="http://www.wago.com/216-243">www.wago.com/216-243</a>
	<b>Item no.: 216-244</b> Ferrule; Sleeve for 1.5 mm <sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90	<a href="http://www.wago.com/216-244">www.wago.com/216-244</a>

#### plug

Item no.: 2002-880



TOPJOB®S empty component plug housing; for 2001-2006 series feedthrough terminal blocks; 2-pole; 10.4 mm wide; gray

[www.wago.com/2002-880](http://www.wago.com/2002-880)

#### check



**Item no.: 2001-511**  
TOPJOB®S modular connector; for 2001 series; for jumper contact slot; 1-pole; gray

[www.wago.com/2001-511](http://www.wago.com/2001-511)



**Item no.: 2001-549**  
TOPJOB®S spacer module; for 2001-511; 4.2 mm wide; gray

[www.wago.com/2001-549](http://www.wago.com/2001-549)



**Item no.: 2001-552**  
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 2-pole; gray

[www.wago.com/2001-552](http://www.wago.com/2001-552)



**Item no.: 2001-553**  
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 3-pole; gray

[www.wago.com/2001-553](http://www.wago.com/2001-553)



**Item no.: 2001-554**  
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 4-pole; gray

[www.wago.com/2001-554](http://www.wago.com/2001-554)



**Item no.: 2001-555**  
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 5-pole; gray

[www.wago.com/2001-555](http://www.wago.com/2001-555)



**Item no.: 2001-556**  
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 6-pole; gray

[www.wago.com/2001-556](http://www.wago.com/2001-556)



**Item no.: 2001-557**  
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 7-pole; gray

[www.wago.com/2001-557](http://www.wago.com/2001-557)



**Item no.: 2001-558**  
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 8-pole; gray

[www.wago.com/2001-558](http://www.wago.com/2001-558)



**Item no.: 2001-559**  
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 9-pole; gray

[www.wago.com/2001-559](http://www.wago.com/2001-559)



**Item no.: 2001-560**  
TOPJOB®S connector strip; for 2001 series; for jumper contact slot; 10-pole; gray

[www.wago.com/2001-560](http://www.wago.com/2001-560)



**Item no.: 2009-174**  
TOPJOB®S test plug adapter; for test plug 4 mm Ø; for testing TOPJOB®S terminal blocks; gray

[www.wago.com/2009-174](http://www.wago.com/2009-174)



**Item no.: 2009-182**  
TOPJOB®S testing tap; tool-free; 12 AWG max; for testing TOPJOB®S terminal blocks; gray

[www.wago.com/2009-182](http://www.wago.com/2009-182)

#### Jumper



**Item no.: 2001-402**  
TOPJOB®S jumper; for 2001 series; insulated; 2-way; light-gray

[www.wago.com/2001-402](http://www.wago.com/2001-402)



**Item no.: 2001-403**  
TOPJOB®S jumper; for 2001 series; insulated; 3-way; light-gray

[www.wago.com/2001-403](http://www.wago.com/2001-403)






















**Item no.: 2001-404**  
TOPJOB®S jumper; for 2001 series; insulated; 4-way; light-gray


[www.wago.com/2001-404](http://www.wago.com/2001-404)



**Item no.: 2001-405**  
TOPJOB®S jumper; for 2001 series; insulated; 5-way; light-gray

[www.wago.com/2001-405](http://www.wago.com/2001-405)

	<b>Item no.: 2001-405/011-000</b> TOPJOB®S jumper; Wye configuration; for 2001 series; insulated; 3-way (1-3-5); light-gray	<a href="http://www.wago.com/2001-405/011-000">www.wago.com/2001-405/011-000</a>
	<b>Item no.: 2001-406</b> TOPJOB®S jumper; for 2001 series; insulated; 6-way; light-gray	<a href="http://www.wago.com/2001-406">www.wago.com/2001-406</a>
	<b>Item no.: 2001-406/020-000</b> TOPJOB®S jumper; Delta configuration; for 2001 series; insulated; 6-way (1-2, 3-4, 5-6); light-gray	<a href="http://www.wago.com/2001-406/020-000">www.wago.com/2001-406/020-000</a>
	<b>Item no.: 2001-407</b> TOPJOB®S jumper; for 2001 series; insulated; 7-way; light-gray	<a href="http://www.wago.com/2001-407">www.wago.com/2001-407</a>
	<b>Item no.: 2001-408</b> TOPJOB®S jumper; for 2001 series; insulated; 8-way; light-gray	<a href="http://www.wago.com/2001-408">www.wago.com/2001-408</a>
	<b>Item no.: 2001-409</b> TOPJOB®S jumper; for 2001 series; insulated; 9-way; light-gray	<a href="http://www.wago.com/2001-409">www.wago.com/2001-409</a>
	<b>Item no.: 2001-410</b> TOPJOB®S jumper; for 2001 series; insulated; 10-way; light-gray	<a href="http://www.wago.com/2001-410">www.wago.com/2001-410</a>
	<b>Item no.: 2001-433</b> TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-3); light-gray	<a href="http://www.wago.com/2001-433">www.wago.com/2001-433</a>
	<b>Item no.: 2001-434</b> TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-4); light-gray	<a href="http://www.wago.com/2001-434">www.wago.com/2001-434</a>
	<b>Item no.: 2001-435</b> TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-5); light-gray	<a href="http://www.wago.com/2001-435">www.wago.com/2001-435</a>
	<b>Item no.: 2001-436</b> TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-6); light-gray	<a href="http://www.wago.com/2001-436">www.wago.com/2001-436</a>
	<b>Item no.: 2001-437</b> TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-7); light-gray	<a href="http://www.wago.com/2001-437">www.wago.com/2001-437</a>
	<b>Item no.: 2001-438</b> TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-8); light-gray	<a href="http://www.wago.com/2001-438">www.wago.com/2001-438</a>
	<b>Item no.: 2001-439</b> TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-9); light-gray	<a href="http://www.wago.com/2001-439">www.wago.com/2001-439</a>
	<b>Item no.: 2001-440</b> TOPJOB®S jumper; for 2001 series; insulated; 2-way (1-10); light-gray	<a href="http://www.wago.com/2001-440">www.wago.com/2001-440</a>
	<b>Item no.: 2009-412</b> TOPJOB®S wire jumper; insulated; 60 mm long; conductor cross section 1.5 mm <sup>2</sup> ; suitable for 2001, 2002, 2003 and 2022 series terminal blocks; gray	<a href="http://www.wago.com/2009-412">www.wago.com/2009-412</a>
	<b>Item no.: 2009-414</b> TOPJOB®S wire jumper; insulated; 110 mm long; conductor cross section 1.5 mm <sup>2</sup> ; suitable for 2001, 2002, 2003 and 2022 series terminal blocks; gray	<a href="http://www.wago.com/2009-414">www.wago.com/2009-414</a>
	<b>Item no.: 2009-416</b> TOPJOB®S wire jumper; insulated; 250 mm long; conductor cross section 1.5 mm <sup>2</sup> ; suitable for 2001, 2002, 2003 and 2022 series terminal blocks; gray	<a href="http://www.wago.com/2009-416">www.wago.com/2009-416</a>
	<b>Item no.: 210-103</b> Wire commoning chain; insulated; 50 connections	<a href="http://www.wago.com/210-103">www.wago.com/210-103</a>

**Item no.: 210-123**

Wire commoning chain; insulated; 50 connections

[www.wago.com/210-123](http://www.wago.com/210-123)**tools****Item no.: 210-647**

Operating tool with partially insulated shaft; Blade (2.5 x 0.4) mm; short

[www.wago.com/210-647](http://www.wago.com/210-647)**Item no.: 210-648**

Operating tool with partially insulated shaft; Blade (2.5 x 0.4) mm; short; angled

[www.wago.com/210-648](http://www.wago.com/210-648)**Item no.: 210-719**

Operating tool with partially insulated shaft; Type 1, blade (2.5 x 0.4) mm

[www.wago.com/210-719](http://www.wago.com/210-719)**End plate****Item no.: 2002-1391**

TOPJOB®S end/intermediate plate; for 2002-13xx series terminal blocks; 0.8 mm wide; gray

[www.wago.com/2002-1391](http://www.wago.com/2002-1391)**Item no.: 2002-1392**

TOPJOB®S end/intermediate plate; for 2002-13xx series terminal blocks; 0.8 mm wide; orange

[www.wago.com/2002-1392](http://www.wago.com/2002-1392)**Item no.: 2002-1393**

TOPJOB®S end/intermediate plate; for 2002-13xx series terminal blocks; 2.0 mm wide; gray

[www.wago.com/2002-1393](http://www.wago.com/2002-1393)**Item no.: 2002-1394**

TOPJOB®S end/intermediate plate; for 2002-13xx series terminal blocks; 2.0 mm wide; orange

[www.wago.com/2002-1394](http://www.wago.com/2002-1394)**Insulation stop****Item no.: 2001-171**TOPJOB®S insulation stop; for 2001 series terminal blocks; 0.25 - 0.5 mm<sup>2</sup>; 5/strip; light gray[www.wago.com/2001-171](http://www.wago.com/2001-171)**Carrier rail****Item no.: 210-112**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm

[www.wago.com/210-112](http://www.wago.com/210-112)**Item no.: 210-113**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715

[www.wago.com/210-113](http://www.wago.com/210-113)**Item no.: 210-114**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715

[www.wago.com/210-114](http://www.wago.com/210-114)**Item no.: 210-115**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm

[www.wago.com/210-115](http://www.wago.com/210-115)**Item no.: 210-118**

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

[www.wago.com/210-118](http://www.wago.com/210-118)**Item no.: 210-196**

Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715

[www.wago.com/210-196](http://www.wago.com/210-196)**Item no.: 210-197**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715

[www.wago.com/210-197](http://www.wago.com/210-197)



**Item no.: 210-198**

Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

[www.wago.com/210-198](http://www.wago.com/210-198)

**Marking accessories**



**Item no.: 2009-110**

Marking strips; on reel; not stretchable; plain; snap-on type

[www.wago.com/2009-110](http://www.wago.com/2009-110)



**Item no.: 2009-114**

WMB-Inline; for smartPRINTER; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/2009-114](http://www.wago.com/2009-114)



**Item no.: 2009-114/000-002**

WMB-Inline; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/2009-114/000-002](http://www.wago.com/2009-114/000-002)



**Item no.: 2009-114/000-005**

WMB-Inline; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/2009-114/000-005](http://www.wago.com/2009-114/000-005)



**Item no.: 2009-114/000-006**

WMB-Inline; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/2009-114/000-006](http://www.wago.com/2009-114/000-006)



**Item no.: 2009-114/000-007**

WMB-Inline; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/2009-114/000-007](http://www.wago.com/2009-114/000-007)



**Item no.: 2009-114/000-012**

WMB-Inline; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/2009-114/000-012](http://www.wago.com/2009-114/000-012)



**Item no.: 2009-114/000-023**

WMB-Inline; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/2009-114/000-023](http://www.wago.com/2009-114/000-023)



**Item no.: 2009-114/000-024**

WMB-Inline; on reel; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/2009-114/000-024](http://www.wago.com/2009-114/000-024)



**Item no.: 793-4501**

WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/793-4501](http://www.wago.com/793-4501)



**Item no.: 793-4501/000-002**

WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/793-4501/000-002](http://www.wago.com/793-4501/000-002)



**Item no.: 793-4501/000-005**

WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/793-4501/000-005](http://www.wago.com/793-4501/000-005)



**Item no.: 793-4501/000-006**

WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/793-4501/000-006](http://www.wago.com/793-4501/000-006)



**Item no.: 793-4501/000-007**

WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/793-4501/000-007](http://www.wago.com/793-4501/000-007)



Item no.: 793-4501/000-012  
WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/793-4501/000-012](http://www.wago.com/793-4501/000-012)



Item no.: 793-4501/000-017  
WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/793-4501/000-017](http://www.wago.com/793-4501/000-017)



Item no.: 793-4501/000-023  
WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/793-4501/000-023](http://www.wago.com/793-4501/000-023)



Item no.: 793-4501/000-024  
WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type

[www.wago.com/793-4501/000-024](http://www.wago.com/793-4501/000-024)

## Downloads

### Documentation

#### Bid Text

2201-1307	15.8.2018	DOCX 15.1 kB	Download
-----------	-----------	-----------------	----------

### CAD files

#### CAD data

3D Download 2201-1307	Download
-----------------------	----------

Subject to changes.

WAGO Corporation  
Germantown, WI 53022  
32423 Minden  
Phone: +49571 887-0 | Fax: (262) 255-6222  
Email: [info.us@wago.com](mailto:info.us@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at {0}.