



**Product information**

## Erem®

**822N**

Code No. : **T822N**

Side cutter - oval head

- This is the most widely used head shape.
- Fits for all cutting applications where easy access is given
- It is robust and size for size offers the highest cutting capacity.

**Technical Data**

<b>Cut:</b>	Flush
<b>Length:</b>	120 mm / 4,724 Inch
<b>Weight:</b>	67 g / 2.36 oz.
<b>Length of cutting edges:</b>	15 mm / .590 Inch
<b>Head width:</b>	13,5 mm / .531 Inch
<b>Head thickness:</b>	7,5 mm / .295 Inch
<b>Head length:</b>	21 mm / .827 Inch
<b>Max. cutting capability</b>	
<b>Hard wire:</b>	-
<b>Medium hardness:</b>	Ø 1,2 mm / .047 Inch
<b>Copper wire:</b>	Ø 1,8 mm / .070 Inch

Series 800 Maxi

- Maxi-sized cutter for general cutting applications in electronics
- Made from high grade tool steel, cutting edges hardened to Rockwell 63-65 HRC
- Cuts large wire diameters
- Non reflecting surface, ESDsafe and resharpenable

Erem Cutters and Tip Cutters

- Internal patented Erem Magic Spring
  - Reduce costs by long life
  - Constant spring force
  - Guarantees more than 1 million operations
- High precision screw joint
  - Smooth jaw action with no play
  - Smooth cutting operation with no jaw overlapping
- Induction-hardened cutting edges in Rockwell hardness 63 - 65 HRc for exceptionally long life
- EMOS maximum opening stop
  - limits the cutting-edge tips from opening more than 5 mm / .197 Inch. The limited extent to which the handles can open prevent user hand fatigue.
- Ergonomically shaped handles
  - for high comfort, better grip and added safety
- Erem cut:
  - Options for semi flush, full flush or super flush cuts