


Data sheet | Item number: 821-155

Rail-mount terminal block set; L-BOXX® 102; 2002, 2006, 2016 Series

www.wago.com/821-155



Item description

Contains

TOPJOB® S Rail-Mount Terminal Blocks

- 75 x 2-conductor through terminal block; 0.25 ... 2.5 (4) mm²; gray (2002-1201)
- 25 x 2-conductor through terminal block; 0.25 ... 2.5 (4) mm²; blue (2002-1204)
- 25 x 2-conductor ground terminal block; 0.25 ... 2.5 (4) mm²; green-yellow (2002-1207)
- 9 x 2-conductor through terminal block; 0.5 ... 6 (10) mm²; gray (2006-1201)
- 3 x 2-conductor through terminal block; 0.5 ... 6 (10) mm²; blue (2006-1204)
- 3 x 2-conductor ground terminal block; 0.5 ... 6 (10) mm²; green-yellow (2006-1207)
- 12 x 2-conductor through terminal block; 0.5 ... 16 (25) mm²; gray (2016-1201)
- 6 x 2-conductor through terminal block; 0.5 ... 16 (25) mm²; blue (2016-1204)
- 6 x 2-conductor ground terminal block; 0.5 ... 16 (25) mm²; green-yellow (2016-1207)

Accessories

- 1 x Felt-tip pen (210-110)
- 1 x Operating tool set; with a partially insulated shaft (210-722)
- 5 x Height-adjustable group marker carrier (249-119)
- 10 x Screwless end stop; for DIN-35 rail; 10 mm wide; gray (249-117)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



- 2 x WMB marker card; plain (793-5501)
- 2 x WMB marker card; marking 1 ... 50 (793-5566)
- 1 x WMB marker card; marking L1, L2, L3, N, GND (793-5472)
- 25 x Adjacent jumper for continuous commoning; insulated; 2-way; Nominal current: 25 A; light gray (2002-400)
- 25 x End and intermediate plate; for 2-conductor terminal blocks; orange (2002-1292)
- 25 x Push-in type jumper bar; insulated; 2-way; Nominal current: 41 A; light gray (2016-402)
- 10 x End and intermediate plate; for 2-conductor terminal blocks; orange (2006-1292)
- 1 x Marking strip; white; 1 m long (2009-110)
- 5 x Testing tap; for max. 2.5 mm² (2009-182)
- 1 x Operating tool; 3.5 x 0.5 mm and 5.5 x 0.8 mm blades (2009-310)
- 25 x Push-in type jumper bar; insulated; 2-way; Nominal current: 76 A; light gray (2016-402)
- 10 x End and intermediate plate; for 2-conductor terminal blocks; orange (2016-1292)

Data

Physical data

Width	445 mm / 17.52 inch
Height	118 mm / 4.646 inch
Depth	358 mm / 14.094 inch

Material data

Fire load	31.065 MJ
Weight	5540 g

Commercial data

Packaging type	BOX
Country of origin	QU
GTIN	4055143891011
Customs tariff number	80808080888

Downloads

Documentation

Additional Information

Technical explanations	3. 4. 2019	pdf 2.2 MB	Download
------------------------	------------	---------------	----------

Environmental Product Compliance

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Compliance Search

Environmental Product Compliance 821-155

URL

Download

Rail-mount terminal block set; L-BOXX® 102; 2002, 2006, 2016 Series

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.