

794772-2 ✓ ACTIVE

MATE-N-LOK | Mini-Universal MATE-N-LOK


TE Internal #: 794772-2

Interface Seal, Urethane Foam, -40 - 90 °C [-40 - 194 °F] Operating Temperature, Mini-Universal MATE-N-LOK

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Interface Seal**

Primary Product Material: **Urethane Foam**

Operating Temperature (Max): **90 °C [194 °F]**

Operating Temperature Range: **-40 - 90 °C [-40 - 194 °F]**

Features

Product Type Features

| | |
|----------------------------|----------------|
| Connector Seal & Plug Type | Interface Seal |
|----------------------------|----------------|

Body Features

| | |
|--------------------------|---------------|
| Primary Product Material | Urethane Foam |
|--------------------------|---------------|

Usage Conditions

| | |
|-----------------------------|---------------------------|
| Operating Temperature (Max) | 90 °C[194 °F] |
| Operating Temperature Range | -40 - 90 °C[-40 - 194 °F] |

Packaging Features

| | |
|--------------------|---------|
| Packaging Quantity | 1000 |
| Packaging Method | Bag/Box |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Out of Scope |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2024 (240)

Candidate List Declared Against: JAN 2024 (240)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-770966-0
02P MINI UMNL R/A HDR ASSY SN



TE Part # 794894-1
02P MINI UMNL PLUGS WIRE HOLES



TE Part # 1-770872-0
02P MINI UMNL HDR ASSY SN



TE Part # 794896-1
2 CIR MINI UMNL RND WIRE HOLES



TE Part # 1-770966-1
02P MINI UMNL R/A HDR ASSY AU



TE Part # 1-770872-1
02P MINI UMNL HDR ASSY AU LF







TE Part # 794758-1
MINI UMNL WIRE SEAL,18-26AWG



TE Part # 1586359-2
02P MINIUMNL GANG WIRE SEAL DR




Also in the Series | Mini-Universal MATE-N-LOK



Customers Also Bought





Documents

Product Drawings

[02P MINI UMNL SEAL,DIE CUT](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_794772-2_C.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_794772-2_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_794772-2_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG](#)

English

Product Specifications

[Application Specification](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)



English