


Data sheet

870-508

DOUBLE DECK TERMINAL BLOCK LATERAL MARKING 4-CONDUCTOR THROUGH CARRIER RAIL DIN 35 FRONT-ENTRY



Technical data

Package size 50 pieces.

Cross section from [mm ²]	0.08 mm ²
Cross section to [mm ²]	2.5 mm ²
Cross section from [AWG]	28 AWG
Cross section to [AWG]	14 AWG
Cross section from [mm ²]	0.08 mm ²
Cross section to [mm ²]	4 mm ²
Cross section from [AWG]	28 AWG
Cross section to [AWG]	12 AWG
Wiring method	f
Measured voltage EN	500 V
Measured shock voltage	6 kV
Pollution degree	3
Current intensity EN	24 A
Weight	10.4 g
Color	grey
Wiring type	Front-entry
No. of connection Points	4
No. of potentials	1
Height	40 mm
Height	1.57 in
Width	5 mm
Width	0.197 in
Depth	70 mm

Data sheet

870-508

**DOUBLE DECK TERMINAL BLOCK LATERAL MARKING
4-CONDUCTOR THROUGH CARRIER RAIL DIN 35 FRONT-ENTRY**

Depth	2.76 in
Strip length from	6 mm
Strip length to	7 mm
Strip length	0.26 in

Data sheet

870-508

**DOUBLE DECK TERMINAL BLOCK LATERAL MARKING
4-CONDUCTOR THROUGH CARRIER RAIL DIN 35 FRONT-ENTRY**

Approval	Voltage	Current	Approval number	Notes
BBJ	500		B/12/83/03	
CCA	500		NL5521	
cURus	300/600	20/5	E45172	
GL	500		17295-00HH	
KEMA	500		2061395.01	
LR	500		91/20112(E1)	

Data sheet

870-508

DOUBLE DECK TERMINAL BLOCK LATERAL MARKING 4-CONDUCTOR THROUGH CARRIER RAIL DIN 35 FRONT-ENTRY

Accessories

Item number

ALUMINIUM CARRIER RAIL 35 X 7.5 MM, 1.5 MM / 0.059 IN THICK	210-196
ANGLED SUPPORT BRACKET WITHOUT SCREW	210-148
BLIND MODULE MODULE WIDTH 5 MM / 0.197 IN	870-427
END AND INTERMEDIATE PLATE 2 MM / 0.079 IN THICK	870-518
END AND INTERMEDIATE PLATE 2 MM / 0.079 IN THICK	870-519
HOLD BLOCK FOR ISOLATED MOUNTING ON DIN 35 RAIL	209-106
Individual wire jumpers	individual jumper
INSULATION STOP 0.08 - 0.2 MM ²	280-470
INSULATION STOP 0.25 - 0.5 MM ²	280-471
INSULATION STOP 0.75 - 1 MM ²	280-472
MARKER STRIP FOR CENTRE MARKING - GROUP MARKING	709-196
MINIATURE WSB QUICK MARKING SYSTEM PLAIN	248-501
MINIATURE WSB QUICK MARKING SYSTEM PLAIN	248-501/000-002
MINIATURE WSB QUICK MARKING SYSTEM PLAIN	248-501/000-005
MINIATURE WSB QUICK MARKING SYSTEM PLAIN	248-501/000-006
MINIATURE WSB QUICK MARKING SYSTEM PLAIN	248-501/000-007
MINIATURE WSB QUICK MARKING SYSTEM PLAIN	248-501/000-012
MINIATURE WSB QUICK MARKING SYSTEM PLAIN	248-501/000-017
MINIATURE WSB QUICK MARKING SYSTEM PLAIN	248-501/000-023
MINIATURE WSB QUICK MARKING SYSTEM PLAIN	248-501/000-024
Open individual wire jumpers ends	individual jumper open end
PUSH-IN TYPE JUMPER BAR 10-WAY	870-410
PUSH-IN TYPE JUMPER BAR 2-WAY	870-402
PUSH-IN TYPE JUMPER BAR 3-WAY	870-403
PUSH-IN TYPE JUMPER BAR 4-WAY	870-404
PUSH-IN TYPE JUMPER BAR 5-WAY	870-405
PUSH-IN TYPE JUMPER BAR 6-WAY	870-406
PUSH-IN TYPE JUMPER BAR 7-WAY	870-407
PUSH-IN TYPE JUMPER BAR 8-WAY	870-408
PUSH-IN TYPE JUMPER BAR 9-WAY	870-409
PUSH-IN TYPE JUMPER BAR FROM 1 TO 10	870-440
PUSH-IN TYPE JUMPER BAR FROM 1 TO 3	870-433
PUSH-IN TYPE JUMPER BAR FROM 1 TO 4	870-434
PUSH-IN TYPE JUMPER BAR FROM 1 TO 5	870-435
PUSH-IN TYPE JUMPER BAR FROM 1 TO 6	870-436
PUSH-IN TYPE JUMPER BAR FROM 1 TO 7	870-437
PUSH-IN TYPE JUMPER BAR FROM 1 TO 8	870-438
PUSH-IN TYPE JUMPER BAR FROM 1 TO 9	870-439

Data sheet

870-508

DOUBLE DECK TERMINAL BLOCK LATERAL MARKING 4-CONDUCTOR THROUGH CARRIER RAIL DIN 35 FRONT-ENTRY

SCREW M 5 X 8	210-149
SCREWLESS END STOP 10 MM / 0.394 IN WIDE	249-117
SCREWLESS END STOP 6 MM / 0.236 IN WIDE	249-116
SECONDARY CONNECTION MODULES MODULE WIDTH 5 MM / 0.197 IN	870-426
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-114
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-197
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-506
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-508
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-112
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-113
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-162
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-229
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-504
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-505
WIRE COMMONING CHAIN INSULATED	709-110
WIRE COMMONING CHAIN INSULATED	709-111
WIRE COMMONING CHAIN INSULATED	709-112
WMB MULTI MARKING SYSTEM PLAIN	793-501
WMB MULTI MARKING SYSTEM PLAIN	793-5501
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-006
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-005
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-002
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-007
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-012
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-017
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-023
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-024