

CONFIDENTIAL

VERTRAULICH

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF MARQUARDT. WITHOUT THEIR CONSENT IT MAY NOT BE REPRODUCED OR GIVEN TO THIRD PARTIES.

Alle Rechte bei Marquardt, auch fuer den Fall von Schutzrechtsanmeldungen. Jede Veruegungsbefugnis, wie Kopier- und Weitergaberecht, bei uns.

	1	2	3	4
A	Recommended terminal layout, side of component, tolerances as per DIN IEC 326 item 3 very fine		recommended cut-out for snap-in fixing (edge opposite to snap-in direction)	
			wall thickness	length of cut-out
			0.75 to 1.25	19.2 -0.1
			1.25 to 2	19.4 -0.1
			2 to 3	19.8 -0.1
B				
C				
D	<p>Marking</p> <p>Ⓜ</p> <p>18..</p> <p>6(4)/250~ 5E4</p> <p>10(4)/250~ T100/55</p> <p>5/50A 250V~</p>		<p>SPST</p> <p>Suitable for appliances of class II</p>	
E	<p>6A 125-250V AC</p> <p>1/4 HP 125V AC</p> <p>1/2 HP 250V AC</p> <p>R30 </p>			

Marking



18..

6(4)/250~ 5E4

10(4)/250~ T100/55

5/50A 250V~



6A 125-250V AC

1/4 HP 125V AC

1/2 HP 250V AC

R30

Code of manufacture: place/year/week

-	-	-	1801.5429-XX
Figure	Type	Customer Part No.	Art.No.-PI
Shape and location	Angle ± 2 °	Sheet 01	
	Edge tolerance	Ident. K	Document number 18015429
Ⓜ		Index b	Appliance Switch
		All dimensions are in millimetres	
b	137838	2021-08-12	MOHITEN
a	43724	2005-07-20	vor
	40437	2004-05-25	HHE
Index	MEC-No.	Date (YYYY-MM-DD)	Edited by
			System NX V1872
			Replacement of
			Zg.gl.Nr.v.25.05.2004

