
Item no.: 284-691
Product description: 2-conductor Ex e II through terminal block SUITABLE FOR EX
E APPLICATIONS



Produkt kann von Bild abweichen / product may differ

Packing unit 25 pieces

RoHS compliant

Product group	1 (Rail Mounted Terminal Blocks)
Cross section [mm ²]	0.5 - 10 mm ²
Cross section [AWG]	20 - 8 AWG
Connection method	CAGE CLAMP® CONNECTION
Measured voltage EN	550 V
Current intensity EN	53 A
Weight	19.1 g
Color	light gray
Wiring type	Front-entry
No. of connection Points	2
No. of potentials	1
Height	33.5 mm
Height	1.32 in
Width	10 mm
Width	0.394 in
Depth	69 mm
Depth	2.72 in
Strip length from	12 mm
Strip length to	13 mm

Strip length
Mounting

0.49 in
TS 35



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm ²]
284-691	ABS	05-HG476175/3-PDA	800	57	10
284-691	AEX	E185892	550	50	24-8
284-691	BV	07436/C0			0,2-10
284-691	CCA	NL5918	800	57	10
284-691	CSA	154112-1536073	600		24-8
284-691	DNV	E-10423	800	57	10
284-691	GL	17295-00HH	800	57	10
284-691	KEMA	2085859.13	800	57	10
284-691	KR	HMB05880-EL001	800	63	10
284-691	LR	91/20112(E6)	800	57	10
284-691	PRS	TE/1718/880590/08	800	57	10
284-691	PTB	PTB98A tex3133U	550	53	10
284-691	RosTest	8189158	550	53	10
284-691	UR	E45172	600	50	24-8

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected