


Item no.: 770-2305
 Product description: SOCKET SNAP IN TYPE 5 POLE 100% PROTECTED AGAINST MISMATING



Produkt kann von Bild abweichen / product may differ

Packing unit 100 pieces

RoHS compliant

pole count	5
Cross section [mm ²]	0.5 - 4 mm ²
Cross section [AWG]	20 - 12 AWG
Connection method	CAGE CLAMP®S Connection
Measured voltage EN	400 V
Measured shock voltage	6 kV
Pollution degree	3
Current intensity EN	25 A
Weight	19.25 g
Color	red
No. of connection Points	10
No. of potentials	5
Height	18.5 mm
Height	0.728 in
Width	55.5 mm
Width	2.185 in
Depth	36 mm
Depth	1.417 in
Strip length from	9 mm

Strip length to
Strip length
Customs Tariff No.
Country of Origin

9 mm
0.35 in
85366990
Deutschland



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm ²]
770-2305	ABS	06-HG154986/11-PDA	400	32	0,5-4,0
770-2305	CCA		400	32	0,5-4,0
770-2305	cURus	E45171	600	20	12
770-2305	KEMA		400	25	0,5-4,0
770-2305	PSE	JET0695-43009-1002	600	20	12

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected