


Data sheet

281-530

**RAIL-MOUNTED QUADRUPLE DECK TERMINAL BLOCK CENTRE-/ LATERAL MARKING
CARRIER RAIL DIN 35 FRONT-ENTRY CAGE CLAMP CONNECTION**



Technical data

Package size 50 pieces.

Cross section from [mm ²]	0.08 mm ²
Cross section to [mm ²]	4 mm ²
Cross section from [AWG]	28 AWG
Cross section to [AWG]	12 AWG
Voltage CSA	300 V
Current CSA	25 A
Measured voltage EN	400 V
Measured shock voltage	6 kV
Pollution degree	3
Current intensity EN	20 A
Current intensity EN	25 A
Weight	23.332 g
Color	grey
Wiring type	Front-entry
No. of connection Points	7
No. of potentials	4
Height	62.5 mm
Height	2.46 in
Width	6 mm
Width	0.236 in
Depth	100 mm
Depth	3.94 in
Strip length from	8 mm

Data sheet

281-530

**RAIL-MOUNTED QUADRUPLE DECK TERMINAL BLOCK CENTRE-/ LATERAL
MARKING
CARRIER RAIL DIN 35 FRONT-ENTRY CAGE CLAMP CONNECTION**

Strip length to	9 mm
Strip length	0.33 in

Data sheet

281-530

**RAIL-MOUNTED QUADRUPLE DECK TERMINAL BLOCK CENTRE-/ LATERAL
MARKING
CARRIER RAIL DIN 35 FRONT-ENTRY CAGE CLAMP CONNECTION**

Approval	Voltage	Current	Approval number	Notes
BV	400	25	07436/C0	
CCA	400	25	NL5591/1	
CSA	300	25	154112-1505034	
cURus	300	20	E45172	
DNV	400	25	E6999	
GL	400	25	17295-00HH	
KEMA	400	25	2076376.01	
LR	400	25	91/20112(E1)	
RMR	400	25	99.00007.250	
RosTesT	400	25	B09523	

Data sheet

281-530

RAIL-MOUNTED QUADRUPLE DECK TERMINAL BLOCK CENTRE-/ LATERAL MARKING CARRIER RAIL DIN 35 FRONT-ENTRY CAGE CLAMP CONNECTION

Accessories

Item number

ALUMINIUM CARRIER RAIL 35 X 7.5 MM, 1.5 MM / 0.059 IN THICK	210-196
COPPER CARRIER RAIL 35 X 15 MM, 2.3 MM / 0.091 IN THICK	210-198
END AND INTERMEDIATE PLATE 1 MM / 0.039 IN THICK	281-365
END AND INTERMEDIATE PLATE 1 MM / 0.039 IN THICK	281-366
GROUP MARKER CARRIER FOR UP TO 1 WMB-MARKER OR 2 MARKER TAGS	209-142
GROUP MARKER CARRIER FOR UP TO 2 WMB-MARKER OR 5 MARKER TAGS	209-141
GROUP MARKER CARRIER FOR UP TO 3 WMB-MARKER OR 8 MARKER TAGS	209-140
Individual wire jumpers	individual jumper
INSULATION STOP 0.08 - 0.2 MM ²	281-470
INSULATION STOP 0.25 - 0.5 MM ²	281-471
INSULATION STOP 0.25 - 1.5 MM ²	281-472
Open individual wire jumpers ends	individual jumper open end
PIVOTABLE GROUP MARKER CARRIER	249-105
PUSH-IN TYPE WIRE JUMPERS L = 180 MM/7.087 IN	249-123
PUSH-IN TYPE WIRE JUMPERS WIRE LENGTH 110 MM / 4.331 IN	249-126
PUSH-IN TYPE WIRE JUMPERS WIRE LENGTH 250 MM / 9.843 IN	249-127
PUSH-IN TYPE WIRE JUMPERS WIRE LENGTH 60 MM / 2.362 IN	249-125
SCREWDRIVER Type 2, bar (3,5 x 0,5) mm	210-120
SCREWDRIVER WITH PARTIALLY INSULATED SHAFT Type 2, bar (3,5 x 0,5) mm	210-620
SCREWLESS END STOP 10 MM / 0.394 IN WIDE	249-117
SCREWLESS END STOP 6 MM / 0.236 IN WIDE	249-116
STEEL CARRIER RAIL 15 X 5.5 MM, 1 MM / 0.039 IN THICK	210-111
STEEL CARRIER RAIL 15 X 5.5 MM, 1 MM / 0.039 IN THICK	210-541
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-114
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-197
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-506
STEEL CARRIER RAIL 35 X 15 MM, 1.5 MM / 0.059 IN THICK	210-508
STEEL CARRIER RAIL 35 X 15 MM, 2.3 MM / 0.091 IN THICK	210-118
STEEL CARRIER RAIL 35 X 15 MM, 2.3 MM / 0.091 IN THICK	210-548
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-112
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-113
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-162
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-229
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-504
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-505
TEST PLUG 2 MM / 0.079 IN WIDE	210-136
TEST PLUG 2.3 MM / 0.091 IN WIDE	210-137
WIRE COMMONING CHAIN INSULATED	210-103

Data sheet**281-530****RAIL-MOUNTED QUADRUPLE DECK TERMINAL BLOCK CENTRE-/ LATERAL MARKING
CARRIER RAIL DIN 35 FRONT-ENTRY CAGE CLAMP CONNECTION**

WIRE COMMONING CHAIN INSULATED	210-123
WIRE COMMONING CHAIN INSULATED	709-110
WIRE COMMONING CHAIN INSULATED	709-111
WIRE COMMONING CHAIN INSULATED	709-112
WMB MULTI MARKING SYSTEM PLAIN	793-501
WMB MULTI MARKING SYSTEM PLAIN	793-5501
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-006
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-005
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-002
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-007
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-012
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-017
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-023
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-024
WSB QUICK MARKING SYSTEM PLAIN	209-501
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-002
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-005
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-006
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-007
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-012
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-017
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-023
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-024