
Item no.: 2002-6307
Product description: 3-CONDUCTOR GROUND TERMINAL BLOCK SUITABLE FOR EX E APPLICATIONS



Produkt kann von Bild abweichen / product may differ

Packing unit 100 pieces

RoHS compliant

Product group	22 (TOPJOB S RAIL-MOUNTED TERMINAL BLOCKS)
Cross section [mm ²]	0.25 - 2.5 mm ²
Cross section [AWG]	22 - 12 AWG
Connection method	CAGE CLAMP®S Connection
Cross section [mm ²]	0.25 - 4 mm ²
Cross section [AWG]	22 - 12 AWG
Wiring method	e+f
Connection method	CAGE CLAMP®S Connection
Weight	8.995 g
Color	green-yellow
Wiring type	Front-entry
No. of connection Points	3
No. of potentials	1
Height	39 mm
Height	1.535 in
Width	5.2 mm
Width	0.205 in
Depth	52 mm

Depth	2.047 in
Strip length from	10 mm
Strip length to	12 mm
Strip length	0.43 in



Customs Tariff No.

85369010

Country of Origin

China

NOTE

Ex e II approvals (pending)

Mounting

TS 35



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm ²]
2002-6307	AEX	E185892			22-12
2002-6307	CCA	NL6387			0,2-2,5/4
2002-6307	CSA	154112-1536069			22-12
2002-6307	GL	26187-05HH			0,25-2,5
2002-6307	KEMA	NL2116586.02			0,5-4
2002-6307	LR	91/20112(E6)			0,5-4
2002-6307	PTB	IECEXPTB03.0004U			0,2-4
2002-6307	PTB	PTB03Atex1162U			0,2-4
2002-6307	RosTest	8189158			0,2-4
2002-6307	UR	E45172			22-12

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected