



Connectors > Automotive Connectors > Automotive Housings > DEUTSCH DRC Housings



Connector System: **Wire-to-Wire**

Number of Positions: **50**

Connector & Housing Type: **Housing for Female Terminals**

Centerline (Pitch): **4.42 mm [ .174 in ]**

Sealable: **Yes**

[All DEUTSCH DRC Housings \(112\)](#)

Features

Product Type Features

Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Contact Retainer

Configuration Features

Number of Positions	50
Number of Rows	5

Electrical Characteristics

Operating Voltage	250 VAC
Nominal Voltage Architecture	24 V, 48 V

Body Features

Cable Exit Angle	180°
Primary Product Color	Black
Connector & Keying Code	01



Contact Features

Contact Size	Size 20
Contact Type	Socket
Mating Pin Diameter	1.02 mm[.04 in]
Contact Current Rating (Max)	7.5 A

Mechanical Attachment

Terminal Position Assurance	No
Strain Relief	With
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PA GF
Centerline (Pitch)	4.42 mm[.174 in]

Dimensions

Connector Height	36.45 mm[1.435 in]
Product Width	68.58 mm[2.7 in]
Product Length	32.36 mm[1.274 in]
Row-to-Row Spacing	4.42 mm[.174 in]
Compatible Insulation Diameter Range	1.02 – 2.41 mm[.04 – .095 in]

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

Degree of Protection	Not Tested
Agency/Standard	SAE J2030
UL Flammability Rating	20mm Flame Test per Standard UL-94

Packaging Features

Packaging Quantity	125
--------------------	-----



Packaging Method	Box
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>














EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (.5% in Component Part) Dodecamethylcyclohexasiloxane (D6) (.5% in Component Part) Decamethylcyclopentasiloxane (D5) (.5% in Component Part) <b>Article Safe Usage Statements:</b> Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



 <p>TE Part # CAT-D48-SP729 DEUTSCH Sealing Plugs</p>	 <p>TE Part # CAT-D799-H342 DEUTSCH DRC Headers</p>	 <p>TE Part # CAT-D799-B128 DEUTSCH DRC Backshells</p>	 <p>TE Part # CAT-D48-ST273 DEUTSCH Solid Contacts</p>
 <p>TE Part # 0411-240-2005 EXT TOOL, SIZE 20, 16-22 AWG, N, RED</p>	 <p>TE Part # 1062-20-0622 SOC, SF, SIZE 20, 14-16, NI/NI</p>	 <p>TE Part # 1062-20-0244 SOC, SF, SIZE 20, 16-22, AU/SN</p>	 <p>TE Part # 1062-20-0222 SOC, SF, SIZE 20, 16-22, NI/NI</p>
 <p>TE Part # 1062-20-0322 SOC, SF, SIZE 20, 16-22, SLEVLSS, NI /NI</p>	 <p>TE Part # 1062-20-0122 SOC, SF, SIZE 20, 16-22, NI/NI</p>	 <p>TE Part # 1062-20-0144 SOC, SF, SIZE 20, 16-22, AU/SN</p>	 <p>TE Part # 1062-20-0377 SOC, SF, SIZE 20, 16-22, SLEVLSS, SN /SN</p>
 <p>TE Part # 1062-20-0177 SOC, SF, SIZE 20, 16-22, SN/SN</p>	 <p>TE Part # 1062-20-0277 SOC, SF, SIZE 20, 16-22, SN/SN</p>	 <p>TE Part # 1062-20-0344 SOC, SF, SIZE 20, 16-22, SLEVLSS, AU /SN</p>	 <p>TE Part # 1062-20-0644 SOC, SF, SIZE 20, 14-16, AU/SN</p>
 <p>TE Part # 1062-20-0677 SOC, SF, SIZE 20, 14-16, SN/SN</p>	 <p>TE Part # DRC26-50BT BOOT, 50P, 20SZ, PLG/REC, ST, BLK</p>	 <p>TE Part # 0515-018-5005 PROTECT CVR, 38/50/60P, PLG, WHT, DRC20</p>	 <p>TE Part # 1060-20-0677 PIN, SF, SIZE 20, 14-16, SN/SN</p>

Also in the Series | **DEUTSCH DRC**





Automotive Connector Caps & Covers  
(3)




Automotive Housings(112)



Connector Backshells(6)



Insertion & Extraction Tools(7)



PCB Headers & Receptacles(44)

Customers Also Bought



TE Part #DRC26-38S01-P017  
DEUTSCH DRC Housings



TE Part #DTM06-12SB  
DEUTSCH DTM Housings



TE Part #WM-12S  
WEDGE LOCK, 12P, PLG, ORG, DTM



TE Part #0462-201-20141  
SOC, SOLID, SIZE 20, 20AWG, NI



TE Part #0413-204-2005  
SEALING PLUG, SIZE 20, RED



TE Part #1-2600047-0  
18CCT PLUG BLACK KEYING E W /SEAL & HS



TE Part #DT06-12SC-C017  
PLG, 12P, GRN, BLOCKED, C

Documents

Product Drawings  
PLG, 50P, BLK, N, 01

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_DRC26-50S01\_99\_c-drc26-50s01-99.2d\_dxf.zip



English

Customer View Model

[ENG\\_CVM\\_CVM\\_DRC26-50S01\\_99\\_c-drc26-50s01-99.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_DRC26-50S01\\_99\\_c-drc26-50s01-99.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[ICT Terminals and Connectors Catalogue](#)

English

Product Specifications

[Product Specification](#)

English

Agency Approvals

[UL Report](#)

English