




Data sheet | Item number: 2102-1307

TOPJOB®S ground terminal block with Lever and Open Tool Slots; rail mount; 3-conductor; 5.2 mm wide; green-yellow



[www.wago.com/2102-1307](http://www.wago.com/2102-1307)



Data

Connection data

|                                 |                     |
|---------------------------------|---------------------|
| Connection technology           | Push-in CAGE CLAMP® |
| Actuation type                  | Push-in<br>Lever    |
| Connectable conductor materials | Copper              |



|   |  |
|---|--|
| Nominal cross section   | 2.5 mm <sup>2</sup>                        |
| Solid conductor   | 0.25 ... 4 mm <sup>2</sup> / 22 ... 12 AWG |
| Solid conductor, push-in termination                            | 0.75 ... 4 mm <sup>2</sup> / 18 ... 12 AWG |
| Fine-stranded conductor   | 0.25 ... 4 mm <sup>2</sup> / 22 ... 12 AWG |
| Fine-stranded conductor with ferrule, push-in termination, from | 0.75 mm <sup>2</sup> / 18 AWG              |
| Strip length  | 10 ... 12 mm / 0.39 ... 0.47 Inch          |
| Actuation type 2  | Push-in<br>Operating tool                  |
| Number of levels  | 1  |
| Total number of connection points                               | 3  |
| Total number of potentials                                      | 1  |
| Type of wiring  | Front-entry wiring                         |

### Geometrical Data

|                                       |                      |
|---------------------------------------|----------------------|
| Width                                 | 5.2 mm / 0.205 inch  |
| Height from upper-edge of DIN-35 rail | 32.9 mm / 1.295 inch |
| Depth                                 | 72.2 mm / 2.843 inch |

### Mechanical data

|                  |                     |
|------------------|---------------------|
| Design           | horizontal          |
| Type of mounting | DIN-35 rail         |
| Marking level    | Center/side marking |

### Material Data

|                     |                      |
|---------------------|----------------------|
| Color               | green-yellow         |
| Insulating material | Polyamide 66 (PA 66) |
| Fire load           | 0.156 MJ             |
| Weight              | 11.006 g             |

### Commercial data

|                   |               |
|-------------------|---------------|
| Packaging type    | BOX           |
| Country of origin | DE            |
| GTIN              | 4055143741811 |

### Approvals / Certificates

#### Country specific Approvals

| Logo | Approval                        | Certificate name |
|------|---------------------------------|------------------|
|      | CCA<br>DEKRA Certification B.V. | NTR NL 7670      |



CSA  
DEKRA Certification B.V.

70175030































KEMA/KEUR  
DEKRA Certification B.V.



















71-102882

















## Compatible products

### Jumper

|  |   |  |
|--|---|--|
|    | <b>Item no.: 2002-400</b><br>TOPJOB®S endless jumper; for 2002 series; insulated; 2-way; light-gray | <a href="http://www.wago.com/2002-400">www.wago.com/2002-400</a>                 |
|    | <b>Item no.: 2002-402</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way; light-gray         | <a href="http://www.wago.com/2002-402">www.wago.com/2002-402</a>                 |
|    | <b>Item no.: 2002-402/000-005</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way; red        | <a href="http://www.wago.com/2002-402/000-005">www.wago.com/2002-402/000-005</a> |
|   | <b>Item no.: 2002-402/000-006</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way; blue       | <a href="http://www.wago.com/2002-402/000-006">www.wago.com/2002-402/000-006</a> |
|  | <b>Item no.: 2002-403</b><br>TOPJOB®S jumper; for 2002 series; insulated; 3-way; light-gray         | <a href="http://www.wago.com/2002-403">www.wago.com/2002-403</a>                 |
|  | <b>Item no.: 2002-403/000-005</b><br>TOPJOB®S jumper; for 2002 series; insulated; 3-way; red        | <a href="http://www.wago.com/2002-403/000-005">www.wago.com/2002-403/000-005</a> |
|  | <b>Item no.: 2002-403/000-006</b><br>TOPJOB®S jumper; for 2002 series; insulated; 3-way; blue       | <a href="http://www.wago.com/2002-403/000-006">www.wago.com/2002-403/000-006</a> |
|  | <b>Item no.: 2002-404</b><br>TOPJOB®S jumper; for 2002 series; insulated; 4-way; light-gray         | <a href="http://www.wago.com/2002-404">www.wago.com/2002-404</a>                 |
|  | <b>Item no.: 2002-404/000-005</b><br>TOPJOB®S jumper; for 2002 series; insulated; 4-way; red        | <a href="http://www.wago.com/2002-404/000-005">www.wago.com/2002-404/000-005</a> |
|  | <b>Item no.: 2002-404/000-006</b><br>TOPJOB®S jumper; for 2002 series; insulated; 4-way; blue       | <a href="http://www.wago.com/2002-404/000-006">www.wago.com/2002-404/000-006</a> |
|  | <b>Item no.: 2002-405</b><br>TOPJOB®S jumper; for 2002 series; insulated; 5-way; light-gray         | <a href="http://www.wago.com/2002-405">www.wago.com/2002-405</a>                 |
|  | <b>Item no.: 2002-405/000-005</b><br>TOPJOB®S jumper; for 2002 series; insulated; 5-way; red        | <a href="http://www.wago.com/2002-405/000-005">www.wago.com/2002-405/000-005</a> |
















|  |  |  |
|--|--|--|
|    | <p><b>Item no.: 2002-405/000-006</b><br/>TOPJOB®S jumper; for 2002 series; insulated; 5-way; blue</p>  | <a href="http://www.wago.com/2002-405/000-006">www.wago.com/2002-405/000-006</a> |
|    | <p><b>Item no.: 2002-405/011-000</b><br/>TOPJOB®S jumper; Wye configuration; for 2002 series; insulated; 3-way (1-3-5); light-gray</p>           | <a href="http://www.wago.com/2002-405/011-000">www.wago.com/2002-405/011-000</a> |
|    | <p><b>Item no.: 2002-406</b><br/>TOPJOB®S jumper; for 2002 series; insulated; 6-way; light-gray</p>  | <a href="http://www.wago.com/2002-406">www.wago.com/2002-406</a>                 |
|    | <p><b>Item no.: 2002-406/000-005</b><br/>TOPJOB®S jumper; for 2002 series; insulated; 6-way; red</p>   | <a href="http://www.wago.com/2002-406/000-005">www.wago.com/2002-406/000-005</a> |
|    | <p><b>Item no.: 2002-406/000-006</b><br/>TOPJOB®S jumper; for 2002 series; insulated; 6-way; blue</p>  | <a href="http://www.wago.com/2002-406/000-006">www.wago.com/2002-406/000-006</a> |
|    | <p><b>Item no.: 2002-406/020-000</b><br/>TOPJOB®S jumper; Delta configuration; for 2002 series; insulated; 6-way (1-2, 3-4, 5-6); light-gray</p> | <a href="http://www.wago.com/2002-406/020-000">www.wago.com/2002-406/020-000</a> |
|    | <p><b>Item no.: 2002-407</b><br/>TOPJOB®S jumper; for 2002 series; insulated; 7-way; light-gray</p>  | <a href="http://www.wago.com/2002-407">www.wago.com/2002-407</a>                 |
|   | <p><b>Item no.: 2002-407/000-005</b><br/>TOPJOB®S jumper; for 2002 series; insulated; 7-way; red</p>   | <a href="http://www.wago.com/2002-407/000-005">www.wago.com/2002-407/000-005</a> |
|  | <p><b>Item no.: 2002-407/000-006</b><br/>TOPJOB®S jumper; for 2002 series; insulated; 7-way; blue</p>  | <a href="http://www.wago.com/2002-407/000-006">www.wago.com/2002-407/000-006</a> |
|  | <p><b>Item no.: 2002-408</b><br/>TOPJOB®S jumper; for 2002 series; insulated; 8-way; light-gray</p>  | <a href="http://www.wago.com/2002-408">www.wago.com/2002-408</a>                 |
|  | <p><b>Item no.: 2002-408/000-005</b><br/>TOPJOB®S jumper; for 2002 series; insulated; 8-way; red</p>   | <a href="http://www.wago.com/2002-408/000-005">www.wago.com/2002-408/000-005</a> |
|  | <p><b>Item no.: 2002-408/000-006</b><br/>TOPJOB®S jumper; for 2002 series; insulated; 8-way; blue</p>  | <a href="http://www.wago.com/2002-408/000-006">www.wago.com/2002-408/000-006</a> |
|  | <p><b>Item no.: 2002-409</b><br/>TOPJOB®S jumper; for 2002 series; insulated; 9-way; light-gray</p>  | <a href="http://www.wago.com/2002-409">www.wago.com/2002-409</a>                 |
|  | <p><b>Item no.: 2002-409/000-005</b><br/>TOPJOB®S jumper; for 2002 series; insulated; 9-way; red</p>   | <a href="http://www.wago.com/2002-409/000-005">www.wago.com/2002-409/000-005</a> |
|  | <p><b>Item no.: 2002-409/000-006</b><br/>TOPJOB®S jumper; for 2002 series; insulated; 9-way; light-gray</p>                                      | <a href="http://www.wago.com/2002-409/000-006">www.wago.com/2002-409/000-006</a> |
|  | <p><b>Item no.: 2002-410</b><br/>TOPJOB®S jumper; for 2002 series; insulated; 10-way; light-gray</p>   | <a href="http://www.wago.com/2002-410">www.wago.com/2002-410</a>                 |

















|  |   |  |
|--|---|--|
|    | <b>Item no.: 2002-410/000-005</b><br>TOPJOB®S jumper; for 2002 series; insulated; 10-way; red                                   | <a href="http://www.wago.com/2002-410/000-005">www.wago.com/2002-410/000-005</a> |
|    | <b>Item no.: 2002-410/000-006</b><br>TOPJOB®S jumper; for 2002 series; insulated; 10-way; blue                                  | <a href="http://www.wago.com/2002-410/000-006">www.wago.com/2002-410/000-006</a> |
|    | <b>Item no.: 2002-423</b><br>TOPJOB®S endless jumper; for 2002 series; insulated; 2-way (1-3); light-gray                       | <a href="http://www.wago.com/2002-423">www.wago.com/2002-423</a>                 |
|    | <b>Item no.: 2002-423/000-005</b><br>TOPJOB®S endless jumper; for 2002 series; insulated; 2-way (1-3); red                      | <a href="http://www.wago.com/2002-423/000-005">www.wago.com/2002-423/000-005</a> |
|    | <b>Item no.: 2002-423/000-006</b><br>TOPJOB®S endless jumper; for 2002 series; insulated; 2-way (1-3); blue                     | <a href="http://www.wago.com/2002-423/000-006">www.wago.com/2002-423/000-006</a> |
|    | <b>Item no.: 2002-433</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-3); light-gray                               | <a href="http://www.wago.com/2002-433">www.wago.com/2002-433</a>                 |
|    | <b>Item no.: 2002-434</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-4); light-gray                               | <a href="http://www.wago.com/2002-434">www.wago.com/2002-434</a>                 |
|    | <b>Item no.: 2002-435</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-5); light-gray                               | <a href="http://www.wago.com/2002-435">www.wago.com/2002-435</a>                 |
|  | <b>Item no.: 2002-436</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-6); light-gray                               | <a href="http://www.wago.com/2002-436">www.wago.com/2002-436</a>                 |
|  | <b>Item no.: 2002-437</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-7); light-gray                               | <a href="http://www.wago.com/2002-437">www.wago.com/2002-437</a>                 |
|  | <b>Item no.: 2002-438</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-8); light-gray                               | <a href="http://www.wago.com/2002-438">www.wago.com/2002-438</a>                 |
|  | <b>Item no.: 2002-439</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-9); light-gray                               | <a href="http://www.wago.com/2002-439">www.wago.com/2002-439</a>                 |
|  | <b>Item no.: 2002-440</b><br>TOPJOB®S jumper; for 2002 series; insulated; 2-way (1-10); light-gray                              | <a href="http://www.wago.com/2002-440">www.wago.com/2002-440</a>                 |
|  | <b>Item no.: 2002-472</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 2-way; light-gray                  | <a href="http://www.wago.com/2002-472">www.wago.com/2002-472</a>                 |
|  | <b>Item no.: 2002-473</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 3-way; light-gray                  | <a href="http://www.wago.com/2002-473">www.wago.com/2002-473</a>                 |
|  | <b>Item no.: 2002-473/011-000</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; 2-way (preconfigured 1-3); light-gray | <a href="http://www.wago.com/2002-473/011-000">www.wago.com/2002-473/011-000</a> |
|  | <b>Item no.: 2002-474</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 4-way; light-gray                  | <a href="http://www.wago.com/2002-474">www.wago.com/2002-474</a>                 |
|  | <b>Item no.: 2002-475</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 5-way; light-gray                  | <a href="http://www.wago.com/2002-475">www.wago.com/2002-475</a>                 |
|  | <b>Item no.: 2002-475/011-000</b>   |  |

|  |  |  |
|--|--|--|
|    | TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 3-way (preconfigured 1-3-5); light-gray  | <a href="http://www.wago.com/2002-475/011-000">www.wago.com/2002-475/011-000</a> |
|    | <b>Item no.: 2002-476</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 6-way; light-gray   | <a href="http://www.wago.com/2002-476">www.wago.com/2002-476</a>                 |
|    | <b>Item no.: 2002-477</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 7-way; light-gray   | <a href="http://www.wago.com/2002-477">www.wago.com/2002-477</a>                 |
|    | <b>Item no.: 2002-477/011-000</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 4-way (preconfigured 1-3-5-7); light-gray   | <a href="http://www.wago.com/2002-477/011-000">www.wago.com/2002-477/011-000</a> |
|    | <b>Item no.: 2002-478</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 8-way; light-gray   | <a href="http://www.wago.com/2002-478">www.wago.com/2002-478</a>                 |
|    | <b>Item no.: 2002-479</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 9-way; light-gray   | <a href="http://www.wago.com/2002-479">www.wago.com/2002-479</a>                 |
|    | <b>Item no.: 2002-479/011-000</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 5-way (preconfigured 1-3-5-7-9); light-gray   | <a href="http://www.wago.com/2002-479/011-000">www.wago.com/2002-479/011-000</a> |
|    | <b>Item no.: 2002-480</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 10-way; light-gray  | <a href="http://www.wago.com/2002-480">www.wago.com/2002-480</a>                 |
|   | <b>Item no.: 2002-481</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 11-way; light-gray  | <a href="http://www.wago.com/2002-481">www.wago.com/2002-481</a>                 |
|  | <b>Item no.: 2002-481/011-000</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 6-way (preconfigured 1-3-5-7-9-11); light-gray  | <a href="http://www.wago.com/2002-481/011-000">www.wago.com/2002-481/011-000</a> |
|  | <b>Item no.: 2002-482</b><br>TOPJOB®S staggered jumper; for 2002 and 2003 series; insulated; 12-way; light-gray  | <a href="http://www.wago.com/2002-482">www.wago.com/2002-482</a>                 |
|  | <b>Item no.: 2009-412</b><br>TOPJOB®S wire jumper; insulated; 60 mm long; conductor cross section 1.5 mm <sup>2</sup> ; suitable for 2001, 2002, 2003 and 2022 series terminal blocks; gray  | <a href="http://www.wago.com/2009-412">www.wago.com/2009-412</a>                 |
|  | <b>Item no.: 2009-414</b><br>TOPJOB®S wire jumper; insulated; 110 mm long; conductor cross section 1.5 mm <sup>2</sup> ; suitable for 2001, 2002, 2003 and 2022 series terminal blocks; gray | <a href="http://www.wago.com/2009-414">www.wago.com/2009-414</a>                 |
|  | <b>Item no.: 2009-416</b><br>TOPJOB®S wire jumper; insulated; 250 mm long; conductor cross section 1.5 mm <sup>2</sup> ; suitable for 2001, 2002, 2003 and 2022 series terminal blocks; gray | <a href="http://www.wago.com/2009-416">www.wago.com/2009-416</a>                 |
|  | <b>Item no.: 210-103</b><br>Wire commoning chain; insulated; 50 connections  | <a href="http://www.wago.com/210-103">www.wago.com/210-103</a>                   |
|  | <b>Item no.: 210-123</b><br>Wire commoning chain; insulated; 50 connections  | <a href="http://www.wago.com/210-123">www.wago.com/210-123</a>                   |

**Marking accessories**

|  |   |  |
|--|---|--|
|  | <b>Item no.: 2002-161</b><br>Marking strips | <a href="http://www.wago.com/2002-161">www.wago.com/2002-161</a> |
|  | <b>Item no.: 2009-110</b>                   |  |

|  |  |  |
|--|--|--|
|    | Marking strips; on reel; not stretchable; plain; snap-on type  | <a href="http://www.wago.com/2009-110">www.wago.com/2009-110</a>                 |
|    | <b>Item no.: 2009-115</b><br>WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type              | <a href="http://www.wago.com/2009-115">www.wago.com/2009-115</a>                 |
|    | <b>Item no.: 2009-115/000-002</b><br>WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type      | <a href="http://www.wago.com/2009-115/000-002">www.wago.com/2009-115/000-002</a> |
|    | <b>Item no.: 2009-115/000-006</b><br>WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type      | <a href="http://www.wago.com/2009-115/000-006">www.wago.com/2009-115/000-006</a> |
|    | <b>Item no.: 2009-115/000-007</b><br>WMB-Inline; on reel; stretchable 5 - 5.2 mm; plain; snap-on type                        | <a href="http://www.wago.com/2009-115/000-007">www.wago.com/2009-115/000-007</a> |
|    | <b>Item no.: 2009-115/000-012</b><br>WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type      | <a href="http://www.wago.com/2009-115/000-012">www.wago.com/2009-115/000-012</a> |
|    | <b>Item no.: 2009-115/000-017</b><br>WMB-Inline; on reel; stretchable 5 - 5.2 mm; plain; snap-on type                        | <a href="http://www.wago.com/2009-115/000-017">www.wago.com/2009-115/000-017</a> |
|   | <b>Item no.: 2009-115/000-023</b><br>WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type      | <a href="http://www.wago.com/2009-115/000-023">www.wago.com/2009-115/000-023</a> |
|  | <b>Item no.: 2009-115/000-024</b><br>WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type      | <a href="http://www.wago.com/2009-115/000-024">www.wago.com/2009-115/000-024</a> |
|  | <b>Item no.: 2009-145</b><br>Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type         | <a href="http://www.wago.com/2009-145">www.wago.com/2009-145</a>                 |
|  | <b>Item no.: 2009-145/000-002</b><br>Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | <a href="http://www.wago.com/2009-145/000-002">www.wago.com/2009-145/000-002</a> |
|  | <b>Item no.: 2009-145/000-005</b><br>Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | <a href="http://www.wago.com/2009-145/000-005">www.wago.com/2009-145/000-005</a> |
|  | <b>Item no.: 2009-145/000-006</b><br>Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | <a href="http://www.wago.com/2009-145/000-006">www.wago.com/2009-145/000-006</a> |
|  | <b>Item no.: 2009-145/000-007</b><br>Mini-WSB Inline; plain; 1,700 Mini-WSB markers (5 mm) on roll; stretchable 5 - 5.2 mm   | <a href="http://www.wago.com/2009-145/000-007">www.wago.com/2009-145/000-007</a> |
|  | <b>Item no.: 2009-145/000-012</b><br>Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | <a href="http://www.wago.com/2009-145/000-012">www.wago.com/2009-145/000-012</a> |

|  |   |  |
|--|---|--|
|    | <p><b>Item no.: 2009-145/000-023</b><br/>                 Mini-WSB Inline; on reel; stretchable 5 - 5.2 mm; plain; snap-on type</p>                   | <a href="http://www.wago.com/2009-145/000-023">www.wago.com/2009-145/000-023</a> |
|    | <p><b>Item no.: 2009-145/000-024</b><br/>                 Mini-WSB Inline; on reel; stretchable 5 - 5.2 mm; plain; snap-on type</p>                   | <a href="http://www.wago.com/2009-145/000-024">www.wago.com/2009-145/000-024</a> |
|    | <p><b>Item no.: 2009-191</b><br/>                 Group marker carrier</p>  | <a href="http://www.wago.com/2009-191">www.wago.com/2009-191</a>                 |
|    | <p><b>Item no.: 2009-192</b><br/>                 Group marker carrier</p>  | <a href="http://www.wago.com/2009-192">www.wago.com/2009-192</a>                 |
|    | <p><b>Item no.: 2009-193</b><br/>                 Group marker carrier</p>  | <a href="http://www.wago.com/2009-193">www.wago.com/2009-193</a>                 |
|    | <p><b>Item no.: 2009-198</b><br/>                 Adaptor</p>   | <a href="http://www.wago.com/2009-198">www.wago.com/2009-198</a>                 |
|    | <p><b>Item no.: 248-501</b><br/>                 Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card</p> | <a href="http://www.wago.com/248-501">www.wago.com/248-501</a>                   |
|    | <p><b>Item no.: 248-501/000-002</b><br/>                 Mini-WSB marking card; as card; not stretchable; plain; snap-on type</p>                     | <a href="http://www.wago.com/248-501/000-002">www.wago.com/248-501/000-002</a>   |
|  | <p><b>Item no.: 248-501/000-005</b><br/>                 Mini-WSB marking card; as card; plain; snap-on type</p>                                      | <a href="http://www.wago.com/248-501/000-005">www.wago.com/248-501/000-005</a>   |
|  | <p><b>Item no.: 248-501/000-006</b><br/>                 Mini-WSB marking card; as card; not stretchable; plain; snap-on type</p>                     | <a href="http://www.wago.com/248-501/000-006">www.wago.com/248-501/000-006</a>   |
|  | <p><b>Item no.: 248-501/000-007</b><br/>                 Mini-WSB marking card; as card; not stretchable; plain; snap-on type</p>                     | <a href="http://www.wago.com/248-501/000-007">www.wago.com/248-501/000-007</a>   |
|  | <p><b>Item no.: 248-501/000-012</b><br/>                 Mini-WSB marking card; as card; not stretchable; plain; snap-on type</p>                     | <a href="http://www.wago.com/248-501/000-012">www.wago.com/248-501/000-012</a>   |
|  | <p><b>Item no.: 248-501/000-017</b><br/>                 Mini-WSB marking card; as card; not stretchable; plain; snap-on type</p>                     | <a href="http://www.wago.com/248-501/000-017">www.wago.com/248-501/000-017</a>   |
|  | <p><b>Item no.: 248-501/000-023</b><br/>                 Mini-WSB marking card; as card; not stretchable; plain; snap-on type</p>                     | <a href="http://www.wago.com/248-501/000-023">www.wago.com/248-501/000-023</a>   |
|  | <p><b>Item no.: 248-501/000-024</b><br/>                 Mini-WSB marking card; as card; not stretchable; plain; snap-on type</p>                     | <a href="http://www.wago.com/248-501/000-024">www.wago.com/248-501/000-024</a>   |
|  | <p><b>Item no.: 793-501</b><br/>                 WMB marking card; as card; not stretchable; plain; snap-on type</p>                                  | <a href="http://www.wago.com/793-501">www.wago.com/793-501</a>                   |





**Item no.: 793-501/000-002**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-002](http://www.wago.com/793-501/000-002)



**Item no.: 793-501/000-005**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-005](http://www.wago.com/793-501/000-005)



**Item no.: 793-501/000-006**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-006](http://www.wago.com/793-501/000-006)



**Item no.: 793-501/000-007**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-007](http://www.wago.com/793-501/000-007)



**Item no.: 793-501/000-012**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-012](http://www.wago.com/793-501/000-012)



**Item no.: 793-501/000-017**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-017](http://www.wago.com/793-501/000-017)



**Item no.: 793-501/000-023**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-023](http://www.wago.com/793-501/000-023)



**Item no.: 793-501/000-024**  
WMB marking card; as card; not stretchable; plain; snap-on type

[www.wago.com/793-501/000-024](http://www.wago.com/793-501/000-024)



**Item no.: 793-5501**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501](http://www.wago.com/793-5501)



**Item no.: 793-5501/000-002**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501/000-002](http://www.wago.com/793-5501/000-002)



**Item no.: 793-5501/000-005**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501/000-005](http://www.wago.com/793-5501/000-005)



**Item no.: 793-5501/000-006**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501/000-006](http://www.wago.com/793-5501/000-006)



**Item no.: 793-5501/000-007**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501/000-007](http://www.wago.com/793-5501/000-007)



**Item no.: 793-5501/000-012**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501/000-012](http://www.wago.com/793-5501/000-012)



**Item no.: 793-5501/000-017**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501/000-017](http://www.wago.com/793-5501/000-017)



**Item no.: 793-5501/000-023**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501/000-023](http://www.wago.com/793-5501/000-023)



**Item no.: 793-5501/000-024**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

[www.wago.com/793-5501/000-024](http://www.wago.com/793-5501/000-024)

#### ferrule



**Item no.: 216-241**  
Ferrule; Sleeve for 0.5 mm<sup>2</sup> / AWG 22; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

[www.wago.com/216-241](http://www.wago.com/216-241)



**Item no.: 216-242**  
Ferrule; Sleeve for 0.75 mm<sup>2</sup> / AWG 20; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

[www.wago.com/216-242](http://www.wago.com/216-242)



**Item no.: 216-243**  
Ferrule; Sleeve for 1 mm<sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

[www.wago.com/216-243](http://www.wago.com/216-243)



**Item no.: 216-244**  
Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

[www.wago.com/216-244](http://www.wago.com/216-244)



**Item no.: 216-246**  
Ferrule; Sleeve for 2.5 mm<sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

[www.wago.com/216-246](http://www.wago.com/216-246)



**Item no.: 216-262**  
Ferrule; Sleeve for 0.75 mm<sup>2</sup> / AWG 20; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

[www.wago.com/216-262](http://www.wago.com/216-262)



**Item no.: 216-263**  
Ferrule; Sleeve for 1 mm<sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

[www.wago.com/216-263](http://www.wago.com/216-263)



**Item no.: 216-264**  
Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

[www.wago.com/216-264](http://www.wago.com/216-264)



**Item no.: 216-266**  
Ferrule; Sleeve for 2.5 mm<sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

[www.wago.com/216-266](http://www.wago.com/216-266)

#### Insulation stop



**Item no.: 2002-171**  
TOPJOB®S insulation stop; for 2002 series terminal blocks; 0.25 - 0.5 mm<sup>2</sup>; 5/strip; light gray

[www.wago.com/2002-171](http://www.wago.com/2002-171)



**Item no.: 2002-172**  
TOPJOB®S insulation stop; for 2002 series terminal blocks; 0.75 - 1.0 mm<sup>2</sup>; 5/strip; dark gray

[www.wago.com/2002-172](http://www.wago.com/2002-172)

#### check





















**Item no.: 2002-511**  
TOPJOB®S modular connector; for 2002 series; for jumper contact slot; 1-pole; gray


[www.wago.com/2002-511](http://www.wago.com/2002-511)





**Item no.: 2002-549**  
TOPJOB®S spacer module; for 2002-511; 5.2 mm wide; gray


[www.wago.com/2002-549](http://www.wago.com/2002-549)

|  |  |  |
|--|--|--|
|    | <b>Item no.: 2002-552</b><br>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 2-pole; gray                                    | <a href="http://www.wago.com/2002-552">www.wago.com/2002-552</a> |
|    | <b>Item no.: 2002-553</b><br>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 3-pole; gray                                    | <a href="http://www.wago.com/2002-553">www.wago.com/2002-553</a> |
|    | <b>Item no.: 2002-554</b><br>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 4-pole; gray                                    | <a href="http://www.wago.com/2002-554">www.wago.com/2002-554</a> |
|    | <b>Item no.: 2002-555</b><br>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 5-pole; gray                                    | <a href="http://www.wago.com/2002-555">www.wago.com/2002-555</a> |
|    | <b>Item no.: 2002-556</b><br>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 6-pole; gray                                    | <a href="http://www.wago.com/2002-556">www.wago.com/2002-556</a> |
|    | <b>Item no.: 2002-557</b><br>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 7-pole; gray                                    | <a href="http://www.wago.com/2002-557">www.wago.com/2002-557</a> |
|    | <b>Item no.: 2002-558</b><br>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 8-pole; gray                                    | <a href="http://www.wago.com/2002-558">www.wago.com/2002-558</a> |
|    | <b>Item no.: 2002-559</b><br>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 9-pole; gray                                    | <a href="http://www.wago.com/2002-559">www.wago.com/2002-559</a> |
|    | <b>Item no.: 2002-560</b><br>TOPJOB®S connector strip; for 2002 series; for jumper contact slot; 10-pole; gray                                   | <a href="http://www.wago.com/2002-560">www.wago.com/2002-560</a> |
|   | <b>Item no.: 2002-611</b><br>TOPJOB®S modular connector; for 2002 series; for conductor entry way; 1-pole; gray                                  | <a href="http://www.wago.com/2002-611">www.wago.com/2002-611</a> |
|  | <b>Item no.: 2002-649</b><br>TOPJOB®S spacer module; for 2002-611; 5.2 mm wide; gray   | <a href="http://www.wago.com/2002-649">www.wago.com/2002-649</a> |
|  | <b>Item no.: 2009-174</b><br>TOPJOB®S test plug adapter; for test plug 4 mm Ø; for testing TOPJOB®S terminal blocks; gray                        | <a href="http://www.wago.com/2009-174">www.wago.com/2009-174</a> |
|  | <b>Item no.: 2009-182</b><br>TOPJOB®S testing tap; tool-free; 12 AWG max; for testing TOPJOB®S terminal blocks; gray                             | <a href="http://www.wago.com/2009-182">www.wago.com/2009-182</a> |
| <b>plug</b>  |  |  |
|  | <b>Item no.: 2002-880</b><br>TOPJOB®S empty component plug housing; for 2001-2006 series feedthrough terminal blocks; 2-pole; 10.4 mm wide; gray | <a href="http://www.wago.com/2002-880">www.wago.com/2002-880</a> |
| <b>Carrier rail</b>  |  |  |
|  | <b>Item no.: 210-112</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm             | <a href="http://www.wago.com/210-112">www.wago.com/210-112</a>   |
|  | <b>Item no.: 210-113</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715                              | <a href="http://www.wago.com/210-113">www.wago.com/210-113</a>   |
|  | <b>Item no.: 210-114</b><br>Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715                               | <a href="http://www.wago.com/210-114">www.wago.com/210-114</a>   |
|  | <b>Item no.: 210-115</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm             | <a href="http://www.wago.com/210-115">www.wago.com/210-115</a>   |


|  |  |  |
|--|--|--|
|  | <b>Item no.: 210-118</b><br>Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715 | <a href="http://www.wago.com/210-118">www.wago.com/210-118</a> |
|--|--|--|


|  |  |  |
|--|--|--|
|  | <b>Item no.: 210-196</b><br>Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715 | <a href="http://www.wago.com/210-196">www.wago.com/210-196</a> |
|--|--|--|

|  |  |  |
|--|--|--|
|  | <b>Item no.: 210-197</b><br>Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715 | <a href="http://www.wago.com/210-197">www.wago.com/210-197</a> |
|--|--|--|


|  |   |  |
|--|---|--|
|  | <b>Item no.: 210-198</b><br>Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715 | <a href="http://www.wago.com/210-198">www.wago.com/210-198</a> |
|--|---|--|


#### tools

|  |  |  |
|--|--|--|
|  | <b>Item no.: 210-658</b><br>Operating tool with partially insulated shaft; Blade (3.5 x 0.5) mm; short; angled | <a href="http://www.wago.com/210-658">www.wago.com/210-658</a> |
|--|--|--|


|  |   |  |
|--|---|--|
|  | <b>Item no.: 210-720</b><br>Operating tool with partially insulated shaft; Type 2, blade (3.5 x 0.5) mm | <a href="http://www.wago.com/210-720">www.wago.com/210-720</a> |
|--|---|--|

#### End plate

|  |   |  |
|--|---|--|
|  | <b>Item no.: 2102-1391</b><br>End and intermediate plate; 0.8 mm thick; for 3-conductor terminal blocks | <a href="http://www.wago.com/2102-1391">www.wago.com/2102-1391</a> |
|--|---|--|


|   |   |  |
|---|---|--|
|  | <b>Item no.: 2102-1392</b><br>End and intermediate plate; 0.8 mm thick; for 3-conductor terminal blocks | <a href="http://www.wago.com/2102-1392">www.wago.com/2102-1392</a> |
|---|---|--|


#### Protective Warning Marker


|  |   |  |
|--|---|--|
|  | <b>Item no.: 2002-115</b><br>TOPJOB®S protective warning marker; with high-voltage symbol, for 2002 series terminal blocks; for 5 terminal blocks | <a href="http://www.wago.com/2002-115">www.wago.com/2002-115</a> |
|--|---|--|

#### General accessories

|  |   |  |
|--|---|--|
|  | <b>Item no.: 2002-880/1000-411</b><br>Diode plug; 1N4007 (N-P); for 2001 - 2006 series feedthrough terminal blocks; 5.2 mm wide; gray | <a href="http://www.wago.com/2002-880/1000-411">www.wago.com/2002-880/1000-411</a> |
|--|---|--|

|  |  |  |
|--|--|--|
|  | <b>Item no.: 2002-880/1000-541</b><br>LED plug; red LED (N-P); 12 - 30 V; for 2001 - 2006 series feedthrough terminal blocks; 10.4 mm wide; gray | <a href="http://www.wago.com/2002-880/1000-541">www.wago.com/2002-880/1000-541</a> |
|--|--|--|

|  |  |  |
|--|--|--|
|  | <b>Item no.: 2002-880/1000-542</b><br>LED plug; red LED (N-P); 30 - 65 V; for 2001 - 2006 series feedthrough terminal blocks; 10.4 mm wide; gray | <a href="http://www.wago.com/2002-880/1000-542">www.wago.com/2002-880/1000-542</a> |
|--|--|--|

|  |  |  |
|--|--|--|
|  | <b>Item no.: 2002-880/1000-836</b><br>LED plug; red LED (N-P); 230 V; for 2001 - 2006 series feedthrough terminal blocks; 10.4 mm wide; gray | <a href="http://www.wago.com/2002-880/1000-836">www.wago.com/2002-880/1000-836</a> |
|--|--|--|



Downloads

Documentation

Bid Text

---

|           |           |                 |          |
|-----------|-----------|-----------------|----------|
| 2102-1307 | 15.8.2018 | DOCX<br>14.8 kB | Download |
|-----------|-----------|-----------------|----------|

---

CAD files

CAD data

---

|                       |     |          |
|-----------------------|-----|----------|
| 3D Download 2102-1307 | URL | Download |
|-----------------------|-----|----------|

---

Subject to changes.