1	2	3	4		5		Ι
La construcción de la co	NETAL PEG		35 Ø2.80 Q 3 1.02*5=5.10	COMPLIANCE: LEAD ELECTRICAL CURRENT RATING: 1 WORKING VOLTAGE INSULATION RESIST WITHSTANDING VOL CONTACT RESISTAN STANDARD CERTIFIED: E3247 SOLDERING	CTERISTICS G: UL94-V0 MPED CONTACT MPED CONTACT NI PLATED MATING CYLCES RATURE: -40°C UP TO +85°C FREE AND ROHS .5A : 120V AC ANCE: >500 MΩ .TAGE: 1000 VAC/min ICE: 20 mΩ max		
RoHS Compliant G F E		GENERAL TOLERANCE .X = ⁺ /_ 0.3 .XX = ⁺ /_ 0.20					_
D Image: Constraint of the second secon	APPROVAL: RJ	UNIT: MM SCALE: SHEET: 1/1 DRAW: AS	WÜRTH ELEKTRONİK DESCRIPTION: HORIZONT ASSEMBLY MODULAR JA WERI PART NO: 615 006 1	CK TAB UP		SIZE A4	

1	2	3	4	5	-
					_

А

В

С

Cautions and Warnings:

This electronic component is designed and developed with the intention for use

in general electronics equipments.

Before incorporating the components into any equipments in the field such as aerospace, aviation, nuclear control, submarine, transportation, (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc. where higher safety and reliability are especially required or if there is possibility of direct damage or injury to human body, Wurth Elektronik must be asked for a written approval.

In addition, even electronic component in general electronic equipments, when used in electrical circuits that require high safety, reliability functions or performance, the sufficient reliability evaluation-check for the safety must be performed before by the user before usage.

R	toHS Compliant							
G				PROJECTION:	GENERAL TOLERANCE]
F					.X = ⁺ /_ 0.2			
E					.XX = ⁺ /_ 0.15			
D						WÜRTH ELEKTRONIK		
С				APPROVAL: JC	UNIT: MM	DESCRIPTION: DISCLAIMER	SIZE	Ъ
В]	SCALE:			۲
A	10-SEP-14	PDF	QL]	SHEET: 1/1	WERI PART NO: DISCLAIMER	A4	
REV	DATE	FILE	BY		DRAW: QL			

