
Item no.: 870-101
Product description: 1-conductor/1-pin double deck receptacle terminal block
THROUGH/THROUGH L/L Housing color: gray



Produkt kann von Bild abweichen / product may differ

Packing unit 50 pieces

RoHS compliant

Product group	16 (RAIL MOUNTED TERMINAL BLOCK WITH CCC)
Number of levels	2
Cross section [mm ²]	0.08 - 2.5 mm ²
Cross section [AWG]	28 - 12 AWG
Wiring method	e+f
Connection method	CAGE CLAMP® COMPACT CONNECTION
Cross section [mm ²]	0.08 - 4 mm ²
Cross section [AWG]	28 - 12 AWG
Wiring method	f
Connection method	CAGE CLAMP® COMPACT CONNECTION
Measured voltage EN	500 V
Measured shock voltage	6 kV
Pollution degree	3
Current intensity EN	16 A
Weight	9 g
Color	gray
Wiring type	Front-entry
No. of connection Points	2

No. of potentials	2
Height	40 mm
Height	1.57 in
Width	5 mm



Width	0.197 in
Depth	70 mm
Depth	2.76 in
Strip length from	6 mm
Strip length to	7 mm
Strip length	0.26 in
Mounting	TS 35



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm ²]
870-101	ABS	05-HG476175/3-PDA	500		2,5
870-101	CCA	NL6826	500		2,5
870-101	cURus	E45172	300	20	28-12
870-101	DNV	E-9214	500	16	2,5
870-101	GL	17295-00HH	500		2,5
870-101	KEMA	2143311.01	500		2,5
870-101	LR	91/20112(E6)	500		2,5

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected