UM-SE 1 - Lateral element

2958147

https://www.phoenixcontact.com/pc/products/2958147

Side element, for closing both ends of the base element UM-BEFE

Commercial data

Item number	2958147
Packing unit	10 pc
Minimum order quantity	10 pc
Product key	ACHDDA
GTIN	4017918086084
Weight per piece (including packing)	2.98 g
Weight per piece (excluding packing)	2.89 g
Customs tariff number	85472000
Country of origin	PL

UM-SE 1 - Lateral element

2958147

https://www.phoenixcontact.com/pc/products/2958147

Technical data

Product properties

Product type	Panel mounting base side part
Housing type	Press-drawn section housings
Housing series	UM
Product family	UM ST SE
Type	Lateral element
Ventilation openings present	no

Material specifications

Color (Housing)	green (RAL 6021)
Flammability rating according to UL 94	V0
Housing material	PA
Surface characteristics	untreated

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 105 °C (depending on power dissipation)

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/pc/products/2958147

	UL Recognized
	Approval ID: E240868

UM-SE 1 - Lateral element

2958147

https://www.phoenixcontact.com/pc/products/2958147

Classifications

ECLASS

ECLASS-13.0	27190602

ETIM

ETIM 9.0	EC002779

UNSPSC

UNSPSC 21.0	31261500

UM-SE 1 - Lateral element

2958147

https://www.phoenixcontact.com/pc/products/2958147

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%