

Data sheet | Item number: 211-925

Nozzles; Length: 23 mm; For the use of 211-821; halogenated; Cable outer diameter: 6.0 ... 10.0 mm; transparent

www.wago.com/211-925



Data

Technical data

Suitable	for wire diameter 6 ... 10 mm
Properties	for one 211-821 marker
Marking device	Smart Printer (Thermal Transfer Printer)

Physical data

Length	23 mm
--------	-------

Mechanical data

Mounting type	Sliding
---------------	---------

Material data

Color	transparent
Material	PVC
Weight	1.1 g

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Environmental requirements

Surrounding air temperature (storage)	5 ... 40 °C
Surrounding air temperature (operation)	-15 ... 70 °C
Relative humidity	40 ... 80 %

Commercial data

Packaging type	bag
Country of origin	IT
GTIN	4055143381215
Customs tariff number	39269097900

Required accessories

Marking accessories



Item no.: 211-821

Marker card; for Smart Printer; for use in nozzles; Length: 23 mm; white

www.wago.com/211-821

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 211-925	URL	Download
Nozzles; Length: 23 mm; For the use of 211-821; halogenated; Cable outer diameter: 6.0 ... 10.0 mm; transparent		

Installation Notes


Application

Subject to changes. Please also observe the further product documentation!



Slide the marker into the marking sleeve receptacle. Replacing the marker is also possible after the conductor has been terminated.

Application



Compress the sleeve and slide it onto the conductor to be marked.

Subject to changes. Please also observe the further product documentation!