

Item no.: 280-613/281-410
Product description: 2-CONDUCTOR DIODE TERMINAL BLOCK WITH DIODE
1N4007



Produkt kann von Bild abweichen / product may differ

Packing unit 100 pieces

RoHS compliant

Product group	1 (Rail Mounted Terminal Blocks)
Cross section [mm ²]	0.08 - 2.5 mm ²
Cross section [AWG]	28 - 14 AWG
Connection method	CAGE CLAMP® CONNECTION
Current intensity EN	0.5 A
Nominal voltage	250 V
Reverse voltage	1000 V
Weight	5.33 g
Color	gray
Wiring type	Front-entry
No. of connection Points	2
No. of potentials	1
Height	28 mm
Height	1.1 in
Width	5 mm
Width	0.197 in
Depth	50 mm
Depth	1.97 in
Strip length from	8 mm

Strip length to
Strip length
Mounting

9 mm
0.33 in
TS 35



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm ²]
280-613/281-410	ABS	05-HG476175/3-PDA	250	16	2,5
280-613/281-410	CCA	NL5855	250	24	2,5
280-613/281-410	KEMA	2082859.07	250	24	2,5
280-613/281-410	LR	91/20112(E6)	250	16	2,5
280-613/281-410	PRS	TE/1718/880590/08	250	24	2,5

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected