



## **Product information**



951F

Code No.: T595TF

## Side cutter - tapered head

- The jaws of the cutter have straight edges and taper to a point.
- This head shape allows access to difficult to reach areas but reduces the cutting capacity in comparison to the same size oval head cutter.

## Technical Data

Cut:	Flush
Length:	115 mm / 4,527 Inch
Weight:	67 g / 2.86 oz.
Length of cutting edges:	12 mm / .472 Inch
Head width:	11 mm / .433 Inch
Head thickness:	6,5 mm / .256 Inch
Head length:	19 mm / .748 Inch
Max. cutting capability	
Piano wire:	Ø 0,4 mm / .015 Inch
Hard wire:	Ø 0,6 mm / .023 Inch
Medium hardness:	Ø 0,8 mm / .031 Inch
Copper wire:	Ø 1,5 mm /.059 Inch

## Tungsten-carbide cutters

- Medium-sized precision cutters
- Wear resistant tungsten carbide edged cutting blades
- · Manufactured from high grade tool steel
- Suitable for cutting hard and tough wires, e.g. piano wire, nickel and diode leads



• Non reflecting surface, ESD safe and resharpenable

Erem Cutters and Tip Cutters

- Internal patented Erem Magic Spring
  - Reduce costs by long life
  - Constant spring force
  - Guarantees more than 1 million operations
- · High precision screw joint
  - Smooth jaw action with no play
  - Smooth cutting operation with no jaw overlapping
- Induction-hardened cutting edges in Rockwell hardness 63 65 HRc for exceptionally long life
- EMOS maximum opening stop limits the cutting-edge tips from opening more than 5 mm / .197 Inch. The limited extent to which the handles can open prevent user hand fatigue.
- Ergonomically shaped handles for high comfort, better grip and added safety
- Erem cut:
  Options for semi flush, full flush or super flush cuts