

CHAIN LUBE IND

Technical Data Sheet

Technical Data Sheet

Product name: Chain Lube IND Creation date: 1 June 2016 Version: Sales code: 32636 Replaces

Replaces: 0

1

Section 1: General description

Long lasting lubricant for use on rollers, chains, conveyer belts in processing equipment. Highly resistant to water wash off. The gentle foam assures an excellent penetration and a non dripping action. Good load carrying capabilities and corrosion prevention. Operating temperature from -15 $^{\circ}$ C to +175 $^{\circ}$ C.

Section 2: Features

- Wide temperature range
- Provides long lasting lubrication.
- High flash point for application safety.
- Protects against corrosion
- Contains PTFE

Section 3: Applications

- Handling equipment.
- Open drive mechanisms.
- Guide rails.
- Hinges



CHAIN LUBE IND

Technical Data Sheet

Section 4: Directions

- Shake well before use.
- Do not mix with other products.
- Do not use on energized equipment.
- Apply to a clean, dry surface.
- Spray a thin and even film.
- To remove residues or excess product, use one of the CRC cleaners.

On our web site, a safety data sheet (SDS) is available for all CRC products. The SDS accords to EU directive 91/155/EEC and it's amendments.

Section 5: Typical product data (without propellant)

| Appearance | | Viscous liquid |
|--------------------------|----------------------------|----------------|
| Colour | | amber |
| Odour | | neutral |
| density | g/cm³ @20°C | 0,93 |
| Flash Point | °C | >260 |
| Operating temperature | °C | -15 to +175 |
| Viscosity active product | mPa.s @ 25°C | 425 |
| 4-ball wear active | | |
| product | mm | 0,44 |
| Pour point | °C | -15°C |
| Shelf life | years from production date | 6 |

Section 6: Packaging

Aerosol: 12 x 500 ml

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment and conditions and the unpredictable human factors involved, we recommend that our products be tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied.

This Technical Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: www.crcind.com. We recommend you to register on this website for this product so you will be able to receive any future updated version automatically.