

https://www.phoenixcontact.com/sk/products/3030161



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Plug-in bridge, pitch: 5.2 mm, color: red

Your advantages

• The 2- to 50-pos. jumpers can bridge up to 50 terminal blocks in the two bridge shafts of the CLIPLINE complete system in one step

Commercial Data

Item number	3030161
Packing unit	50 pc
Minimum order quantity	50 pc
Sales Key	BE2
Product Key	BE2Z2X
Catalog Page	Page 70 (C-1-2019)
GTIN	4017918188511
Weight per Piece (including packing)	1.725 g
Weight per Piece (excluding packing)	1.665 g
Customs tariff number	85366990
Country of origin	DE



https://www.phoenixcontact.com/sk/products/3030161



Technical Data

Product properties

Product type	Jumper
Number of positions	2
Pitch	5.2 mm

Electrical properties

Maximum load current	24 A (The current values for the jumpers can deviate when used
	in different modular terminal blocks. The precise values can be
	found in the accessories data for the respective modular terminal
	blocks.)

Connection data

Maximum load current	24 A (The current values for the jumpers can deviate when used
	in different modular terminal blocks. The precise values can be
	found in the accessories data for the respective modular terminal
	blocks.)

Dimensions

Width	9 mm
Height	3 mm
Length	22.7 mm
Pitch	5.2 mm

Material specifications

Color	red
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA

Mounting

Mounting type Plug-in mounting	Mounting type	Plug-in mounting
--------------------------------	---------------	------------------



https://www.phoenixcontact.com/sk/products/3030161



Classifications

ECLASS

	ECLASS-9.0	27141140
	ECLASS-10.0.1	27141140
	ECLASS-11.0	27141140
ETIM		
	ETIM 8.0	EC000489
LIN	ISPSC	

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

3030161

https://www.phoenixcontact.com/sk/products/3030161



Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

3030161

https://www.phoenixcontact.com/sk/products/3030161



Accessories

Protective cap

Protective cap - FBSC - 3012325

https://www.phoenixcontact.com/sk/products/3012325



Covering hood, provides reliable shock protection when using cut-to-length FBS . ..-5 and FBS ...-6 bridges, color: red

Phoenix Contact 2022 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT s.r.o. Námestie Mateja Korvína 1 811 07 Bratislava +421 2 3210 1470 obchod.sk@phoenixcontact.com