

### Item description

- Flexible, modular 5- to 11-pole connector system
- Future system expansions possible
- Compact design

### Data

#### Electrical data

#### Ratings per IEC/EN

Ratings per	IEC/EN 60664-1
Rated voltage (III/2)	500 V
Rated surge voltage (III/2)	4 kV
Rated current	6 A
Legend (ratings)	(III / 2) ≙ Overvoltage category III / Pollution degree 2

#### Ratings per UL

Approvals per	UL 1059
---------------	---------

Subject to changes. Please also observe the further product documentation!



## Ratings per CSA

Approvals per	CSA
---------------	-----

## Connection data

Connection technology	PUSH WIRE®
Strip length	8 mm / 0.31 inch
Pole No.	1
Number of connection types	1

## Material data

Color	red
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Clamping spring material	Chrome nickel spring steel (CrNi)
Contact material	Electrolytic copper (E <sub>Cu</sub> )
Contact plating	tin-plated
Fire load	0.023 MJ
Weight	1.4 g

## Environmental requirements

Temperature stability	105 °C
-----------------------	--------

## Commercial data

Product Group	8 (Misc. Chassis Mount Blocks)
Packaging type	bag
Country of origin	PL
GTIN	4045454479350
Customs tariff number	85366990990

## Approvals / Certificates

### Country specific Approvals


Logo	Approval	Additional Approval Text	Certificate name
	VDE	EN 61984	40032309

Subject to changes. Please also observe the further product documentation!



VDE Prüf- und Zertifizierungsinstitut

### UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UL Underwriters Laboratories Inc.	UL 1977	20130910-E45171

### Downloads

#### Documentation

#### Additional Information

Technical explanations	3. 4. 2019	pdf 2.0 MB	Download
------------------------	------------	---------------	----------

### CAD/CAE-Data

#### CAD data

2D/3D Models 267-120		URL	Download
----------------------	--	-----	----------

#### CAE data

ZUKEN Portal 267-120		URL	Download
----------------------	--	-----	----------

### Environmental Product Compliance

#### Compliance Search

Environmental Product Compliance 267-120 Socket module; 1-pole; red		URL	Download
--	--	-----	----------

### Installation Notes

Subject to changes. Please also observe the further product documentation!