


Data sheet | Item number: 883-1242
Jumper; 2-way; unplated; silver-colored

www.wago.com/883-1242



Data

Electrical data

Ratings per IEC/EN

Nominal voltage (III/3)	1000 V
Rated current	269 A
Rated current 2	290 A

Physical data

Width	44 mm / 1.832 inch
Depth	10 mm / 0.394 inch

Mechanical data

Tightening torque	3.2 ... 3.7 Nm
-------------------	----------------

Material data

Color	silver-colored
-------	----------------

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Weight	64.9 g
--------	--------

Commercial data

Packaging type	bag
Country of origin	DE
GTIN	4055143940450
Customs tariff number	85366990990

Downloads**Documentation****Bid Text**

883-1242 docx - Datei	docx 12.7 kB	Download
--------------------------	-----------------	----------

883-1242 X81 - Datei	xml 2.9 kB	Download
-------------------------	---------------	----------

Additional Information

Technical explanations	3. 4. 2019	pdf 2.2 MB	Download
------------------------	------------	---------------	----------

CAD/CAE-Data**CAD data**

2D/3D Models 883-1242	URL	Download
-----------------------	-----	----------

CAE data

ZUKEN Portal 883-1242	URL	Download
-----------------------	-----	----------

Environmental Product Compliance**Compliance Search**

Environmental Product Compliance 883-1242 Jumper; 2-way; unplated; silver-colored	URL	Download
--	-----	----------

Subject to changes. Please also observe the further product documentation!

Data sheet | Item number: 883-1242

www.wago.com/883-1242



Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.