


Coax-Stripper No. 2



- Stufenweises Abisolieren aller gängigen Coaxialkabel (z. B. Antennen- und Übertragungskabel) von 4,8 -7,5 mm Außendurchmesser.
- Ebenso für flexible Kabel wie 3 x 0,75 mm², 10 mm² und 16 mm² geeignet.
- Einstellung der Schnitttiefe ist nicht erforderlich.

Coax-Stripper No. 2




- Two- or three-level stripping of all common coaxial cables (e.g. antenna and transmission cables) of 4,8 to 7,5 mm outer Ø.
- Also strips flexible cables such as 3 x 0,75 mm², 10 mm² and 16 mm².
- Needs no adjustment of the cutting depth.

Combi-Coax No. 3



- Stufenweises Abisolieren aller gängigen Coaxialkabel (z. B. Antennen- und Übertragungskabel) von 4,8 - 7,5 mm Außendurchmesser.
- Ebenso für flexible Kabel wie 3 x 0,75 mm², 10 mm² und 16 mm² geeignet.
- Ergonomische Form des Werkzeuges erlaubt ein noch schnelleres Abisolieren
- Einstellung der Schnitttiefe ist nicht erforderlich.
- Integrierter, gut zugänglicher Seitenschneider.

Combi-Coax No. 3



- Two- or three-level stripping of all common coaxial cables (e.g. antenna and transmission cables) of 4,8 to 7,5 mm outer Ø.
- Also strips flexible cables such as 3 x 0,75 mm², 10mm² and 16 mm².
- The new ergonomic handle form allows faster and more convenient stripping.
- Needs no adjustment of the cutting depth.
- Easily accessible built-in side cutter.